




Driven by Automation



Company

Driven by Automation

Springer GmbH is helping to shape the development on the automation market with innovation, flexibility and high-quality products. Optimum process planning, high-quality automation components and matchless service are what make the company stand out. We use our capabilities for innovation and work with you to develop and implement visionary ideas for tomorrow's technologies.

Toolings – process oriented

Standardized Springer gripper components and individual gripper systems are suitable for automation, even in other sectors than pressing plant and body shop automation. Should our product range not have anything suitable for you, we can also solve challenging tasks by designing and making special custom parts.

Technologies for the automation of tomorrow

Our technological developments mean we stay on top of market dynamics. We create visions for the production of tomorrow and so we play a significant role in shaping progress in factory automation.

Intelligent models and realistic simulations by Springer lead to safe, fast solutions as well as optimized processes. This is how we meet demands to significantly reduce development times and to make automation processes effective. This leads to faster commissioning and high system availability.

General safety instructions

- Observe the regulations for accident prevention and environmental protection.
- Observe the safety instructions and regulations of the country in which the product is used or operated.
- Only use Springer products that are in perfect working order.
- Persons assembling, operating, disassembling, or maintaining Springer products may not be under the influence of alcohol, other drugs, or medications that may affect their ability to respond.
- To avoid injuries due to unsuitable spare parts, only use accessories and spare parts approved by the manufacturer.
- Comply with the technical data and ambient conditions listed in the product documentation.
- If unsuitable products are installed or used in safety-relevant applications, this may result in unintended system operating states that may lead to injuries and/or equipment damage. Therefore, only use a product in safety-relevant applications if such circumstances are specifically stated and permitted in the product documentation.
- You may only commission the product if you have determined that the end product (such as a machine or system) in which the Springer products are installed meets the country-specific provisions, safety regulations, and standards for the specific application.

Conditions of use for Springer products

Intended use

- Proper use includes adherence to the operating conditions specified by Springer GmbH, for example the pressure and temperature range.
- Unauthorized conversions and changes to Springer products represent a safety risk and are therefore not permitted. Springer cannot accept any liability for any resulting damage.
- Springer products are designed for oil-free operation. If oiled compressed air is used, the initial lubrication of the products is washed out. For this reason, continue to use oiled compressed air to ensure the basic lubrication of the products.

Improper use

- Any use of the products outside the areas of application or under operating conditions that differ from those described in this catalogue is considered improper use.

For installation and mounting

- Always fasten Springer products without distortion and tension.
- Springer drives are used to convert the energy of compressed air into movement, forces and torques. Do not use the actuators as spring or damping elements, as this will result in additional loads.
- If the kinetic energy of the moving masses exceeds the permissible absorbable damping energy of the internal stop/damping system, use an additional external stop or a hydraulic shock absorber which absorbs the remaining kinetic energy.
- Springer drives are generally designed for oil-free operation, but for speeds > 1 m/s, we recommend using oiled compressed air.

Qualification of the personnel

- The installation and commissioning of the products requires basic mechanical, electrical and pneumatic knowledge, as well as knowledge of the appropriate technical terms. In order to ensure safe use, these activities may therefore only be carried out by qualified technical personnel or an instructed person under the direction and supervision of qualified personnel. Qualified personnel are those who can recognize possible hazards and institute the appropriate safety measures, due to their professional training, knowledge, and experience, as well as their understanding of the relevant regulations pertaining to the work to be done. Qualified personnel must observe the rules relevant to the subject area.

Waste disposal/recycling

Before disposal, of systems and single products, they must be disconnected from all suppliers (compressed air, electrics).

Potential Hazard

Systems and components must be safely de-energized and depressurized before disassembly work is carried out.

Risk of injury!

Have systems properly dismantled by qualified technical personnel or an instructed person under the direction and supervision of qualified personnel and disassembled into their components. Handle and dispose of used substances and materials, especially grease and solvents, properly and in accordance with national regulations.


Index


Company	2
General safety instructions	3
Conditions of use for Springer products	3
Waste disposal/recycling	3
1. Application Examples.....	5
2. Couplings and Change Rails	23
3. Connection Elements.....	101
4. Tooling Tubes.....	133
5. Suction Cups and Connections, Ejectors, Spring Plungers and Accessories.....	139
6. Seat for Double Plate Detection, Sensors and Connections	173
7. Transport Paddles, Deposits and Connections	201
8. Jaw Gripper, Magnet Gripper and Accessories	215
9. Elements for additional Motions.....	259
10. Racking Carrier	283
11. Hot Forming.....	289
Imprint	301

1. Application Examples


Index



TMZ-Assembly for Gripper Rail with Jaw Gripper.....	6
TMZ-Assembly for Gripper Rail with Jaw Gripper - (compact type)	7
TMZ-Assembly for Tubular with Jaw Gripper	8
TMZ-Assembly for Tubular with Jaw Gripper (compact type)	9
TMZ-Assembly with Swivel Drive and two Jaw Grippers (compact type)	10
TMZ-Assembly with Dovetail Coupling and Jaw Gripper (compact type)	11
TMZ-Assembly with 2-Channel-Coupling, Jaw Gripper and Transport Paddle	12
TMZ-Assembly - Double Tube Tooling	13
TMZ-Assembly - Unload Feeder for Hot Forming.....	14
TMZ-Assembly - Destack-Tooling for Hot Forming	15
TMZ-Assembly - Unstacker (front of line).....	16
TMZ-Assembly - Robot-Press-Tooling.....	17
TMZ-Assembly - Shuttle.....	18
TMZ-Assembly - Tooling with Query (end of line).....	19
TMZ-Assembly - Tooling Finished Part Stacking System.....	20
TMZ-Assembly - Tooling for Bayonet-Coupling with Spring Plungers	21
Quick-release coupling SKP for robot-press-tooling.....	22


TMZ-Assembly for Gripper Rail with Jaw Gripper


TMZ-Assembly for Gripper Rail with Jaw Gripper - (compact type)


TMZ-Assembly for Tubular with Jaw Gripper





TMZ-Assembly for Tubular with Jaw Gripper (compact type)


TMZ-Assembly with Swivel Drive and two Jaw Grippers (compact type)



TMZ-Assembly with Dovetail Coupling and Jaw Gripper (compact type)


TMZ-Assembly with 2-Channel-Coupling, Jaw Gripper and Transport Paddle


TMZ-Assembly - Double Tube Tooling


TMZ-Assembly - Unload Feeder for Hot Forming


TMZ-Assembly - Destack-Tooling for Hot Forming


TMZ-Assembly - Unstacker (front of line)

TMZ-Assembly - Robot-Press-Tooling

TMZ-Assembly - Shuttle

TMZ-Assembly - Tooling with Query (end of line)

TMZ-Assembly - Tooling Finished Part Stacking System

TMZ-Assembly - Tooling for Bayonet-Coupling with Spring Plungers


Quick-release coupling SKP for robot-press-tooling

Gripperarm without lead-through opening

Tube Ø 60 mm, thickness 3 mm

- MKS60-GRA20-XXXX (5x pneu. connection)
- MKS60-GRA20-E-XXXX (5x pneu. connection, E-plug, 6 pol + ground)
- MKS60-GRA20-E2-XXXX (5x pneu. connection, E-plug 18 Pol + ground)

Tube lengths upon request!



Gripperarm with lead-through opening


Tube Ø 60 mm, thickness 2,5 mm

- MKS60-GRA05-XXXX (5x pneu. connection)
- MKS60-GRA05-E-XXXX (5x pneu. connection, E-plug, 6 pol + ground)
- MKS60-GRA05-E2-XXXX (5x pneu. connection, E-plug, 18 pol + ground)



Tube Ø 60 mm, thickness 3 mm

- MKS60-GRA05-EXXXX (5x pneu. connection)
- MKS60-GRA05-E-EXXXX (5x pneu. connection, E-plug, 6 pol + ground)
- MKS60-GRA05-E2-EXXXX (5x pneu. connection, E-plug, 18 pol + ground)


Tube lengths upon request!




Groundplate for intake of 2 compact ejectors







- MKS60-SKP01-2
(5x pneu. connection)



- MKS60-SKP01-2-E
(5x pneu. connection, E plug 6 pol + ground)



- MKS60-SKP01-2-E2
(5x pneu. connection, E plug 18 pol + ground)














Articles numbers on request

The illustrations are not to scale!










robot flange according to DIN/ISO 9409-1-A

2. Couplings and Change Rails












Index

	Base Tube	27
	Accessories for Suction Cup Bar	39
	Carrying Frame	40
	Carrying Frame Components (Tooling Bracket)	44
	Carrying Frame Components (Counter Mounting)	47
	Coupling for Carrying Frame	48
	Tubular Coupling	49
	2-Channel-Coupling (fixed side)	55
	2-Channel-Coupling (accessories for fixed side)	57
	2-Channel-Coupling (loose side)	59
	2-Channel-Coupling (accessories for loose side)	62
	Bayonet Coupling (fixed side)	63










2. Couplings and Change Rails

	Bayonet Coupling (accessories for fixed side).....	64
	Bayonet Coupling (loose side).....	65
	Bayonet Coupling (accessories for loose side)	67
	Loose Side of Coupling.....	68
	Robot Quick-Release Coupling (fixed side)	70
	Robot Quick-Release Coupling (accessories for fixed side)	71
	Robot Quick-Release Coupling (loose side)	72
	Robot Quick-Release Coupling (accessories for loose side).....	74
	Robot Coupling (fixed and loose side).....	75
	4-Channel-Coupling (loose side)	77
	Coupling (MKSXX-KPP58-X fixed and loose side)	78
	Coupling (MKSXX-KPP58-X loose side)	79







2. Couplings and Change Rails

	Coupling (MKS-KPP58-X accessories for loose side)	80
	Coupling (MKSXX-KPP52-X fixed and loose side)	81
	Coupling (MKS-KPP52-X accessories for fixed side)	82
	Coupling (MKSXX-KPP20-X fixed and loose side)	83
	Coupling (MKS-KPP19-X fixed and loose side)	84
	Coupling (MKS40-KPP41-X loose side)	85
	Coupling (MKS40-KPP38-X loose side)	86
	Coupling (MKS40-KPP46-X loose side)	87
	Loose Side of Coupling.....	88
	Coding Plate	89
	Accessories for Coding Plate	90
	Parts Rack	91

2. Couplings and Change Rails

	Robot Coupling for Square Tube (fixed side)	93
	Robot Coupling for Square Tube (loose side).....	94
	Loose Side of Coupling.....	95
	Coupling (MKS-KPP54-F fixed & MKS20-AK130-X loose side)	96
	Gripper Rail	97
	Slot Nut for Gripper Rail	98
	Compatibility: Slot Nuts and Gripper Rails	99
	Locking Device for Gripper Rail	99
	Seat for Gripper Rail	100

Base Tube


Description	Part No.	Description	Part No.																																																																																																																														
MKS40-BRK21-X-L-XXX	see table	MKS40-BRK21-X-R-XXX	see table																																																																																																																														
Type: base tube, left		Type: base tube, right																																																																																																																															
Material: material mix		Material: material mix																																																																																																																															
																																																																																																																																	
																																																																																																																																	
<table border="1"> <thead> <tr> <th>Part No.</th><th>Description</th><th>L₁ [mm]</th><th>L₂ [mm]</th><th>L₃ [mm]</th><th>L₄ [mm]</th><th>m [kg]</th><th>Port [Pos. 1]</th><th>Spacer [Pos. 2]</th></tr> </thead> <tbody> <tr><td>106584</td><td>MKS40-BRK21-L-97</td><td>970</td><td>212</td><td>162</td><td>591</td><td>2,60</td><td>Ø 10 mm (1x)</td><td>no</td></tr> <tr><td>104407</td><td>MKS40-BRK21-1-L-1255</td><td>1255</td><td>628</td><td>578</td><td>591</td><td>2,19</td><td>Ø 12 mm (1x)</td><td>no</td></tr> <tr><td>106638</td><td>MKS40-BRK21-1-L-970</td><td>970</td><td>212</td><td>162</td><td>591</td><td>2,60</td><td>Ø 12 mm (1x)</td><td>no</td></tr> <tr><td>104529</td><td>MKS40-BRK21-2-L-1255</td><td>1255</td><td>628</td><td>578</td><td>591</td><td>2,57</td><td>without fittings</td><td>no</td></tr> <tr><td>104117</td><td>MKS40-BRK21-L-1255</td><td>1255</td><td>628</td><td>578</td><td>591</td><td>2,60</td><td>Ø 10 mm (1x)</td><td>no</td></tr> <tr><td>107773</td><td>MKS40-BRK21-L-1255-S1</td><td>1255</td><td>628</td><td>578</td><td>591</td><td>2,60</td><td>Ø 10 mm (1x)</td><td>yes</td></tr> </tbody> </table>	Part No.	Description	L ₁ [mm]	L ₂ [mm]	L ₃ [mm]	L ₄ [mm]	m [kg]	Port [Pos. 1]	Spacer [Pos. 2]	106584	MKS40-BRK21-L-97	970	212	162	591	2,60	Ø 10 mm (1x)	no	104407	MKS40-BRK21-1-L-1255	1255	628	578	591	2,19	Ø 12 mm (1x)	no	106638	MKS40-BRK21-1-L-970	970	212	162	591	2,60	Ø 12 mm (1x)	no	104529	MKS40-BRK21-2-L-1255	1255	628	578	591	2,57	without fittings	no	104117	MKS40-BRK21-L-1255	1255	628	578	591	2,60	Ø 10 mm (1x)	no	107773	MKS40-BRK21-L-1255-S1	1255	628	578	591	2,60	Ø 10 mm (1x)	yes		<table border="1"> <thead> <tr> <th>Part No.</th><th>Description</th><th>L₁ [mm]</th><th>L₂ [mm]</th><th>L₃ [mm]</th><th>L₄ [mm]</th><th>m [kg]</th><th>Port [Pos. 1]</th><th>Spacer [Pos. 2]</th></tr> </thead> <tbody> <tr><td>106585</td><td>MKS40-BRK21-R-970</td><td>970</td><td>212</td><td>162</td><td>591</td><td>2,57</td><td>Ø 10 mm (1x)</td><td>no</td></tr> <tr><td>104408</td><td>MKS-BRK21-1-R-1255</td><td>1255</td><td>628</td><td>578</td><td>591</td><td>2,19</td><td>Ø 12 mm (1x)</td><td>no</td></tr> <tr><td>106639</td><td>MKS40-BRK21-1-R-970</td><td>970</td><td>212</td><td>162</td><td>591</td><td>2,60</td><td>Ø 12 mm (1x)</td><td>no</td></tr> <tr><td>104530</td><td>MKS40-BRK21-2-R-1255</td><td>1255</td><td>628</td><td>578</td><td>591</td><td>2,57</td><td>without fittings</td><td>no</td></tr> <tr><td>104118</td><td>MKS40-BRK21-R-1255</td><td>1255</td><td>628</td><td>578</td><td>591</td><td>2,57</td><td>Ø 10 mm (1x)</td><td>no</td></tr> <tr><td>107774</td><td>MKS40-BRK21-R-1255-S1</td><td>1255</td><td>628</td><td>578</td><td>591</td><td>2,60</td><td>Ø 10 mm (1x)</td><td>yes</td></tr> </tbody> </table>	Part No.	Description	L ₁ [mm]	L ₂ [mm]	L ₃ [mm]	L ₄ [mm]	m [kg]	Port [Pos. 1]	Spacer [Pos. 2]	106585	MKS40-BRK21-R-970	970	212	162	591	2,57	Ø 10 mm (1x)	no	104408	MKS-BRK21-1-R-1255	1255	628	578	591	2,19	Ø 12 mm (1x)	no	106639	MKS40-BRK21-1-R-970	970	212	162	591	2,60	Ø 12 mm (1x)	no	104530	MKS40-BRK21-2-R-1255	1255	628	578	591	2,57	without fittings	no	104118	MKS40-BRK21-R-1255	1255	628	578	591	2,57	Ø 10 mm (1x)	no	107774	MKS40-BRK21-R-1255-S1	1255	628	578	591	2,60	Ø 10 mm (1x)	yes	
Part No.	Description	L ₁ [mm]	L ₂ [mm]	L ₃ [mm]	L ₄ [mm]	m [kg]	Port [Pos. 1]	Spacer [Pos. 2]																																																																																																																									
106584	MKS40-BRK21-L-97	970	212	162	591	2,60	Ø 10 mm (1x)	no																																																																																																																									
104407	MKS40-BRK21-1-L-1255	1255	628	578	591	2,19	Ø 12 mm (1x)	no																																																																																																																									
106638	MKS40-BRK21-1-L-970	970	212	162	591	2,60	Ø 12 mm (1x)	no																																																																																																																									
104529	MKS40-BRK21-2-L-1255	1255	628	578	591	2,57	without fittings	no																																																																																																																									
104117	MKS40-BRK21-L-1255	1255	628	578	591	2,60	Ø 10 mm (1x)	no																																																																																																																									
107773	MKS40-BRK21-L-1255-S1	1255	628	578	591	2,60	Ø 10 mm (1x)	yes																																																																																																																									
Part No.	Description	L ₁ [mm]	L ₂ [mm]	L ₃ [mm]	L ₄ [mm]	m [kg]	Port [Pos. 1]	Spacer [Pos. 2]																																																																																																																									
106585	MKS40-BRK21-R-970	970	212	162	591	2,57	Ø 10 mm (1x)	no																																																																																																																									
104408	MKS-BRK21-1-R-1255	1255	628	578	591	2,19	Ø 12 mm (1x)	no																																																																																																																									
106639	MKS40-BRK21-1-R-970	970	212	162	591	2,60	Ø 12 mm (1x)	no																																																																																																																									
104530	MKS40-BRK21-2-R-1255	1255	628	578	591	2,57	without fittings	no																																																																																																																									
104118	MKS40-BRK21-R-1255	1255	628	578	591	2,57	Ø 10 mm (1x)	no																																																																																																																									
107774	MKS40-BRK21-R-1255-S1	1255	628	578	591	2,60	Ø 10 mm (1x)	yes																																																																																																																									

Base Tube

Description	Part No.
MKS40-BR22-L-750	104125

Type: base tube, left




Material: material mix



Description	Part No.
MKS40-BR22-R-750	104126

Type: base tube, right

Material: material mix



Part No.	Description	m [kg]	Compressed air [Pos. 1]	Vacuum [Pos. 2]
104125	MKS40-BR22-L-750	2,48	Ø 8 mm (1x)	Ø 8 mm (1x)

Part No.	Description	m [kg]	Compressed air [Pos. 1]	Vacuum [Pos. 2]
104126	MKS40-BR22-R-750	2,48	Ø 8 mm (1x)	Ø 8 mm (1x)

Description	Part No.
MKS40-BRK23-L-1500	104862

Type: base tube, left



Material: material mix



Description	Part No.
MKS40-BRK23-R-1500	104863

Type: base tube, right

Material: material mix



Part No.	Description	m [kg]	Compressed air [Pos. 1]	Vacuum [Pos. 2]
104862	MKS40-BRK23-L-1500	3,30	Ø 8 mm (1x)	Ø 8 mm (1x)



Part No.	Description	m [kg]	Compressed air [Pos. 1]	Vacuum [Pos. 2]
104863	MKS40-BRK23-R-1500	3,30	Ø 8 mm (1x)	Ø 8 mm (1x)

Base Tube

Description	Part No.	Description	Part No.
MKS40-BRKXX-L-XXX	see table	MKS40-BRKXX-R-XXX	see table



Type: base tube, left

Material: material mix



Type: base tube, right

Material: material mix





Part No.	Description	L ₁ [mm]	L ₂ [mm]	L ₃ [mm]	L ₄ [mm]	Compressed air [Pos. 1]	Vacuum [Pos. 2]
104249	MKS40-BRK24-L-750	750	196	45	291	Ø 8 mm (1x)	Ø 8 mm (1x)
101371	MKS40-BRK17-L-1150	1150	492	104	611	Ø 8 mm (1x)	Ø 8 mm (1x)
101373	MKS40-BRK18-L-1150	1150	273	45	591	Ø 8 mm (1x)	Ø 8 mm (1x)
101375	MKS40-BRK19-L-1135	1135	512	159	541	Ø 8 mm (1x)	Ø 8 mm (1x)
104251	MKS40-BRK25-L-750	750	335	55	440	Ø 8 mm (1x)	Ø 8 mm (1x)

Part No.	Description	L ₁ [mm]	L ₂ [mm]	L ₃ [mm]	L ₄ [mm]	Compressed air [Pos. 1]	Vacuum [Pos. 2]
104250	MKS40-BRK24-R-750	750	196	45	291	Ø 8 mm (1x)	Ø 8 mm (1x)
101372	MKS40-BRK17-R-1150	1150	492	104	611	Ø 8 mm (1x)	Ø 8 mm (1x)
101374	MKS40-BRK18-R-1150	1150	273	45	591	Ø 8 mm (1x)	Ø 8 mm (1x)
101376	MKS40-BRK19-R-1135	1135	512	159	541	Ø 8 mm (1x)	Ø 8 mm (1x)
104252	MKS40-BRK25-R-750	750	335	55	440	Ø 8 mm (1x)	Ø 8 mm (1x)

Description	Part No.
MKS40-BRKXX-L-XXX	see table

Type: base tube, left

Material: material mix



Part No.	Description	L ₁ [mm]	L ₂ [mm]	L ₃ [mm]	L ₄ [mm]	m [kg]	Compressed air [Pos. 1]	Vacuum [Pos. 2]	Compressed air [Pos. 3]	Vacuum [Pos. 4]
107601	MKS40-BRK31-L-850	850	273	45	591	2,63	Ø 8 mm (1x)	Ø 8 mm (1x)	without fittings	without fittings
105422	MKS40-BRK27-L-1200	1200	670	222	731	2,47	Ø 8 mm (1x)	Ø 8 mm (1x)	Ø 10 mm (1x)	Ø 10 mm (1x)
105262	MKS40-BRK27-L-1600	1600	870	422	731	2,85	Ø 8 mm (1x)	Ø 8 mm (1x)	Ø 10 mm (1x)	Ø 10 mm (1x)
107624	MKS40-BRK23-L-3000	3000	1480	178	165	6,80	Ø 8 mm (1x)	Ø 8 mm (1x)	without fittings	without fittings
106634	MKS40-BRK32-L-1200	1200	475	203	490	2,56	Ø 8 mm (1x)	Ø 8 mm (1x)	Ø 10 mm (1x)	Ø 10 mm (1x)

Base Tube

Description	Part No.
MKS40-BRK25-XXX	see table

Type: base tube, ahead




Material: material mix



Description	Part No.
MKS40-BRK2X-XXXX	see table

Type: base tube with power coupling

Material: material mix




Part No.	Description	L ₁ [mm]	m [kg]
107582	MKS40-BRK25-1000	1000	2,00
107583	MKS40-BRK25-2350	2350	3,40

Part No.	Description	L ₁ [mm]	L ₂ [mm]	L ₃ [mm]	L ₄ [mm]	L ₅ [mm]	m [kg]	Port [Pos. 1]
105944	MKS40-BRK28-800	800	657,5	370,5	194,5	142,5	1,25	Ø 10 mm (4x)
106351	MKS40-BRK28-1000	1000	707,5	370,5	194,5	292,5	2,15	Ø 10 mm (4x)
106350	MKS40-BRK26-1000	1000	697,5	327	181	302,5	2,02	Ø 10 mm (4x)

Description	Part No.
MKS40-BRXX-XXX	see table

Type: base tube

Material: material mix





Part No.	Description	L ₁ [mm]	L ₂ [mm]	L ₃ [mm]	L ₄ [mm]	m [kg]	Port [Pos. 1]	Port [Pos. 2]
106352	MKS40-BRK29-1000	1000	322,5	124	324	2,00	Ø 10 mm (2x)	without fittings
106048	MKS40-BRK29-800	800	172,5	124	324	1,92	Ø 10 mm (2x)	Ø 10 mm (2x)
106353	MKS40-BRK30-1000	1000	270	93	461	2,00	Ø 10 mm (2x)	without fittings
106049	MKS40-BRK30-800	800	120	93	461	1,92	Ø 10 mm (2x)	Ø 10 mm (2x)

Base Tube

Description	Part No.
MKS40-BRK3X-L-XXXX-X	see table

Type: base tube with coding, left

Material: material mix





Part No.	Description	L ₁ [mm]	L ₂ [mm]	L ₃ [mm]	L ₄ [mm]	m [kg]	Compressed air [Pos. 1]	Vacuum [Pos. 2]
107041	MKS40-BRK33-L-1150	1150	293	213	378	2,25	Ø 8 mm (1x)	Ø 8 mm (1x)
107138	MKS40-BRK33-L-1150-1	1150	293	213	378	2,20	Ø 10 mm (1x)	without fittings
107595	MKS40-BRK33-L-1800-3	1800	1434	213	804 position acc. to coding	2,52	Ø 10 mm (1x)	without fittings
107599	MKS40-BRK31-L-850-1	850	293	213	378	2,25	Ø 8 mm (1x)	Ø 8 mm (1x)
107378	MKS40-BRK33-L-1500-1	1500	453	193 coding left	363 position right	2,55	Ø 10 mm (1x)	without fittings
107579	MKS40-BRK33-L-3000	3000	1500	213	378	4,07	Ø 10 mm (1x)	without fittings

Description	Part No.
MKS40-BRKXX-R-XXX	see table

Type: base tube, right

Material: material mix





Part No.	Description	L ₁ [mm]	L ₂ [mm]	L ₃ [mm]	L ₄ [mm]	m [kg]	Compressed air [Pos. 1]	Vacuum [Pos. 2]	Compressed air [Pos. 3]	Vacuum [Pos. 4]
107602	MKS40-BRK31-R-850	850	273	45	591	2,63	Ø 8 mm (1x)	Ø 8 mm (1x)	without fittings	without fittings
105423	MKS40-BRK27-R-1200	1200	670	222	731	2,47	Ø 8 mm (1x)	Ø 8 mm (1x)	Ø 10 mm (1x)	Ø 10 mm (1x)
105263	MKS40-BRK27-R-1600	1600	870	422	731	2,85	Ø 8 mm (1x)	Ø 8 mm (1x)	Ø 10 mm (1x)	Ø 10 mm (1x)
107625	MKS40-BRK23-R-3000	3000	1480	178	165	6,80	Ø 8 mm (1x)	Ø 8 mm (1x)	without fittings	without fittings
106635	MKS40-BRK32-R-1200	1200	475	203	490	2,56	Ø 8 mm (1x)	Ø 8 mm (1x)	Ø 10 mm (1x)	Ø 10 mm (1x)

Base Tube

Description	Part No.
MKS40-BRK3X-R-XXXX-X	see table

Type: base tube with coding, right

Material: material mix



Part No.	Description	L ₁ [mm]	L ₂ [mm]	L ₃ [mm]	L ₄ [mm]	m [kg]	Compressed air [Pos. 1]	Vacuum [Pos. 2]
107042	MKS40-BRK33-R-1150	1150	293	213	378	2,25	Ø 8 mm (1x)	Ø 8 mm (1x)
107139	MKS40-BRK33-R-1150-1	1150	293	213	378	2,20	Ø 10 mm (1x)	without fittings
107596	MKS40-BRK33-R-1800-3	1800	1434	213	804 Position acc. to coding	2,53	Ø 10 mm (1x)	without fittings
107600	MKS40-BRK31-R-850-1	850	293	213	378	2,19	Ø 8 mm (1x)	Ø 8 mm (1x)
107388	MKS40-BRK33-R-1500-2	1500	680	213	378	2,55	Ø 10 mm (1x)	without fittings
107580	MKS40-BRK33-R-3000	3000	1500	213	378	4,07	Ø 10 mm (1x)	without fittings

Description	Part No.
MKS25-BRXX-L-XX	see table


Type: base tube, left

Material: steel



Type: base tube, right



Material: steel





Part No.	Description	L ₁ [mm]	L ₂ [mm]	L ₃ [mm]	L ₄ [mm]	L ₅ [mm]	m [kg]	Pin [Pos. 1]
10519	MKS25-BR01-L	171	675	1151	1370	10	2,70	yes
106975	MKS25-BR02-L-S1	158,5	662,5	1138,5	1380	-	2,70	no

Part No.	Description	L ₁ [mm]	L ₂ [mm]	L ₃ [mm]	L ₄ [mm]	L ₅ [mm]	m [kg]	Pin [Pos. 1]
10518	MKS25-BR01-R	171	675	1151	1370	10	2,70	yes
106976	MKS25-BR02-R-S1	158,5	662,5	1138,5	1380	-	2,52	no

Base Tube

Description	Part No.	Description	Part No.																																																		
MKS25-BRK01-R/X-X	see table	MKS25-BRK01-L/X-X	see table																																																		
Type: base tube, right		Type: base tube, left																																																			
Material: material mix		Material: material mix																																																			
																																																					
<table border="1"> <thead> <tr> <th>Part No.</th><th>Description</th><th>m [kg]</th><th>Port [Pos. 1]</th><th>Connector</th></tr> </thead> <tbody> <tr> <td>11602</td><td>MKS25-BRK01-R/E</td><td>3,29</td><td>Ø 8 mm (2x), metal fitting</td><td>right</td></tr> <tr> <td>15596</td><td>MKS25-BRK01-R/E-1</td><td>3,29</td><td>Ø 8 mm (2x), composite fitting</td><td>right</td></tr> <tr> <td>11601</td><td>MKS25-BRK01-R</td><td>3,20</td><td>Ø 8 mm (2x), metal fitting</td><td>without</td></tr> <tr> <td>15594</td><td>MKS25-BRK01-R-1</td><td>3,17</td><td>Ø 8 mm (2x), composite fitting</td><td>without</td></tr> </tbody> </table>	Part No.	Description	m [kg]	Port [Pos. 1]	Connector	11602	MKS25-BRK01-R/E	3,29	Ø 8 mm (2x), metal fitting	right	15596	MKS25-BRK01-R/E-1	3,29	Ø 8 mm (2x), composite fitting	right	11601	MKS25-BRK01-R	3,20	Ø 8 mm (2x), metal fitting	without	15594	MKS25-BRK01-R-1	3,17	Ø 8 mm (2x), composite fitting	without		<table border="1"> <thead> <tr> <th>Part No.</th><th>Description</th><th>m [kg]</th><th>Port [Pos. 1]</th><th>Connector</th></tr> </thead> <tbody> <tr> <td>11600</td><td>MKS25-BRK01-L/E</td><td>3,29</td><td>Ø 8 mm (2x), metal fitting</td><td>left</td></tr> <tr> <td>15595</td><td>MKS25-BRK01-L/E-1</td><td>3,29</td><td>Ø 8 mm (2x), composite fitting</td><td>left</td></tr> <tr> <td>11599</td><td>MKS25-BRK01-L</td><td>3,20</td><td>Ø 8 mm (2x), metal fitting</td><td>without</td></tr> <tr> <td>15593</td><td>MKS25-BRK01-L-1</td><td>3,17</td><td>Ø 8 mm (2x), composite fitting</td><td>without</td></tr> </tbody> </table>	Part No.	Description	m [kg]	Port [Pos. 1]	Connector	11600	MKS25-BRK01-L/E	3,29	Ø 8 mm (2x), metal fitting	left	15595	MKS25-BRK01-L/E-1	3,29	Ø 8 mm (2x), composite fitting	left	11599	MKS25-BRK01-L	3,20	Ø 8 mm (2x), metal fitting	without	15593	MKS25-BRK01-L-1	3,17	Ø 8 mm (2x), composite fitting	without	
Part No.	Description	m [kg]	Port [Pos. 1]	Connector																																																	
11602	MKS25-BRK01-R/E	3,29	Ø 8 mm (2x), metal fitting	right																																																	
15596	MKS25-BRK01-R/E-1	3,29	Ø 8 mm (2x), composite fitting	right																																																	
11601	MKS25-BRK01-R	3,20	Ø 8 mm (2x), metal fitting	without																																																	
15594	MKS25-BRK01-R-1	3,17	Ø 8 mm (2x), composite fitting	without																																																	
Part No.	Description	m [kg]	Port [Pos. 1]	Connector																																																	
11600	MKS25-BRK01-L/E	3,29	Ø 8 mm (2x), metal fitting	left																																																	
15595	MKS25-BRK01-L/E-1	3,29	Ø 8 mm (2x), composite fitting	left																																																	
11599	MKS25-BRK01-L	3,20	Ø 8 mm (2x), metal fitting	without																																																	
15593	MKS25-BRK01-L-1	3,17	Ø 8 mm (2x), composite fitting	without																																																	


Description	Part No.	Description	Part No.												
MKS25-BR02-L	14511	MKS25-BR02-R	14510												
Type: base tube, left		Type: base tube, right													
Material: steel		Material: steel													
															
<table border="1"> <thead> <tr> <th>Part No.</th><th>Description</th><th>m [kg]</th></tr> </thead> <tbody> <tr> <td>14511</td><td>MKS25-BR02-L</td><td>2,65</td></tr> </tbody> </table>	Part No.	Description	m [kg]	14511	MKS25-BR02-L	2,65		<table border="1"> <thead> <tr> <th>Part No.</th><th>Description</th><th>m [kg]</th></tr> </thead> <tbody> <tr> <td>14510</td><td>MKS25-BR02-R</td><td>2,65</td></tr> </tbody> </table>	Part No.	Description	m [kg]	14510	MKS25-BR02-R	2,65	
Part No.	Description	m [kg]													
14511	MKS25-BR02-L	2,65													
Part No.	Description	m [kg]													
14510	MKS25-BR02-R	2,65													

Base Tube

Description	Part No.
MKS30-BRK15-L-OP/OE	103171

Type: base tube with coupling-block, left

Material: steel




Part No.	Description	m [kg]
103171	MKS30-BRK15-L-OP/OE	2,30

Description	Part No.
MKS30-BRK15-R-OP/OE	103172

Type: base tube with coupling-block, right

Material: steel




Part No.	Description	m [kg]
103172	MKS30-BRK15-R-OP/OE	2,30

Description	Part No.
MKS25-BRK02-R/X-X	see table

Type: base tube, right

Material: material mix



Part No.	Description	m [kg]	Connector	Port [Pos. 1]
10521	MKS25-BRK02-R	2,75	without	Ø 8 mm (2x), metal fitting
11604	MKS25-BRK02-R/E	2,83	right	Ø 8 mm (2x), metal fitting
15600	MKS25-BRK02-R/E-1	2,83	right	Ø 8 mm (2x), composite fitting

Base Tube

Description	Part No.	Description	Part No.
MKS25-BRK07-R/X	see table	MKS25-BRK0X-L/X	see table

Type: base tube, right




Type: base tube left



Material: material mix

Material: material mix



Part No.	Description	m [kg]	Connector	Port [Pos. 1]
15723	MKS25-BRK07-R/E	3,42	right	MKS-KPP24 (2x)
14512	MKS25-BRK07-R	3,34	without	MKS-KPP24 (2x)

Part No.	Description	L ₁ mm	m [kg]	Connector	Port [Pos. 1]
12641	MKS25-BRK03-L/E-1	440	3,27	left	Ø 8 mm (2x), composite fitting
10520	MKS25-BRK02-L	without	2,75	without	Ø 8 mm (2x), metal fitting
11603	MKS25-BRK02-L/E	without	2,83	left	Ø 8 mm (2x), metal fitting
15599	MKS25-BRK02-L/E-1	without	2,83	left	Ø 8 mm (2x), composite fitting

Description	Part No.	Description	Part No.
MKS25-BRK08-L/X	see table	MKS25-BRK08-R/X	see table

Type: base tube, left




Type: base tube, right



Material: material mix

Material: material mix



Part No.	Description	m [kg]	Connector	Port [Pos. 1]
15725	MKS25-BRK08-L/E	1,90	left	MKS-KPP24 (2x)
14514	MKS25-BRK08-L	1,88	without	MKS-KPP24 (2x)



Part No.	Description	m [kg]	Connector	Port [Pos. 1]
15726	MKS25-BRK08-R/E	1,90	right	MKS-KPP24 (2x)
14515	MKS25-BRK08-R	1,88	without	MKS-KPP24 (2x)

Base Tube

Description	Part No.
MKS25-BRK09-L/X-1	see table

Type: base tube with plug-in nipple, left

Material: material mix




Part No.	Description	Connector	SL green/yellow	Pin 1 blue	Pin 3 brown	Pin 4 black	m [kg]	Port [Pos. 1]
15310	MKS25-BRK09-L/E-1	yes	ground wire	negative	positive	output	3,60	Ø 8 mm (2x), metal fitting
15677	MKS25-BRK09-L-1	no	-	-	-	-	3,60	Ø 8 mm (2x), composite fitting

Description	Part No.
MKS25-BRK09-R/X-1	see table













Type: base tube with plug-in nipple, right

Material: material mix



Part No.	Description	Connector	SL green/yellow	Pin 1 blue	Pin 3 brown	Pin 4 black	m [kg]	Port [Pos. 1]
15311	MKS25-BRK09-R/E-1	yes	ground wire	negative	positive	output	3,60	Ø 8 mm (2x), metal fitting
15678	MKS25-BRK09-R-1	no	-	-	-	-	3,60	Ø 8 mm (2x), composite fitting

Base Tube

Description	Part No.	Description	Part No.
MKS40-BRK1X-L-XXX-XXX	see table	MKS40-BRK1X-R-XXX-XXX	see table
Type: base tube, left		Type: base tube, right	
Material: material mix		Material: material mix	
			
			
			
			
			
			
			
Description	Part No.	Description	Part No.
MKS40-BR24-L-1400	107275	MKS40-BR24-R-1400	107276
Type: base tube, left		Type: base tube, right	
Material: material mix		Material: material mix	
			
			
			

Base Tube

Description	Part No.
MKS40-BRK11-R-5-XXXX see table	

Type: base tube with 5-fold coupling, right







Material: material mix



Description	Part No.
MKS40-BRK11-L-5-XXXX see table	

Type: base tube with 5-fold coupling, left

Material: material mix



Part No.	Description	L ₁ [mm]
16736	MKS40-BRK11-R-5-1800	1800
16735	MKS40-BRK11-R-5-1500	1500
16734	MKS40-BRK11-R-5-1200	1200
16733	MKS40-BRK11-R-5-900	900

Part No.	Description	L ₁ [mm]
16729	MKS40-BRK11-L-5-900	900
16730	MKS40-BRK11-L-5-1200	1200
16731	MKS40-BRK11-L-5-1500	1500
16732	MKS40-BRK11-L-5-1800	1800

Description	Part No.
MKSXX-BR14-XX-XXXX see table	

Type: base tube with dovetail coupling






Material: material mix



Description	Part No.
MKSXX-BR14-XX-XXXX see table	

Type: base tube with dovetail coupling

















Material: material mix



Part No.	Description	D ₁ [mm]	L ₁ [mm]	L ₂ [mm]	L ₃ [mm]	m [kg]	Mark
108253	MKS25-BR14-LV-1200	25	1200	64,5	665	10,30	without
108256	MKS25-BR14-RH-1200	25	1200	72	615	10,30	without
102617	MKS40-BR14-LV-1500	40	1500	64,5	665	5,20	coloured mark blue
102620	MKS40-BR14-RH-1500	40	1500	72	615	5,20	coloured mark black

Part No.	Description	D ₁ [mm]	L ₁ [mm]	L ₂ [mm]	L ₃ [mm]	m [kg]	Mark
108254	MKS25-BR14-LH-1200	25	1200	72	615	10,30	without
108255	MKS25-BR14-RV-1200	25	1200	64,5	665	10,30	without
102618	MKS40-BR14-LH-1500	40	1500	72	615	5,20	coloured mark yellow
102619	MKS40-BR14-RV-1500	40	1500	64,5	665	5,20	coloured mark green

Accessories for Suction Cup Bar




Description MKS-SKP06-R	Part No. 18004	Type: air transmission, for quick-release coupling, right Material: material mix	Description MKS-SKP06-L	Part No. 18005	Type: air transmission, for quick-release coupling, left Material: material mix		
							
Part No. 18004	Description MKS-SKP06-R	m [kg] 0,87	Ports [Pos. 1] Ø 8 mm (2x)	Part No. 18005	Description MKS-SKP06-L	m [kg] 0,87	Ports [Pos. 1] Ø 8 mm (2x)
Description MKS-SKP07-2	Part No. 18009	Type: counter bearing, for quick-release coupling, with support pin Material: material mix	Description MKS-SKP07-1	Part No. 18008	Type: counter bearing, for quick-release coupling, with support pin (DIN6321) Material: material mix		
							
Part No. 18009	Description MKS-SKP07-2	m [kg] 0,21		Part No. 18008	Description MKS-SKP07-1	m [kg] 0,20	
Description MKS-SKP06-LS	Part No. 18007	Type: quick-release coupling, fixed side Material: material mix	Description MKS-SKP06-RS	Part No. 18006	Type: quick-release coupling, fixed side Material: material mix		
							
Part No. 18007	Description MKS-SKP06-LS	m [kg] 0,95	Port [Pos. 1] Ø 12 mm (1x)	Part No. 18006	Description MKS-SKP06-RS	m [kg] 0,95	Port [Pos. 1] Ø 12 mm (1x)

Carrying Frame

Description	Part No.	Description	Part No.
MKS-TR01-L-XXXX-SL-X	see table	MKS-TR01-R-XXXX-SL-X	see table

Type: carrying frame (light weight design)

Material: material mix




Part No.	Description	L ₁ [mm]	L ₂ [mm]	m [kg]	Port Y-shape [Pos. 1]	Port [Pos. 2]
103388	MKS-TR01-L-1430-SL	1430	1300	5,44	without fittings	without fittings
105100	MKS-TR01-L-1430-SL-1	1450	1300	5,44	Ø 12 + Ø 12mm (1x)	Ø 12 mm (2x)
107021	MKS-TR01-L-1430-SL-2	1430	1300	5,40	without fittings	without fittings
102485	MKS-TR01-L-1600-SL	1600	1300	4,77	without fittings	without fittings
105102	MKS-TR01-L-1600-SL-1	1600	1300	4,77	Ø 12 + Ø 12mm (1x)	Ø 12 mm (2x)
103390	MKS-TR01-L-640-SL	640	520	3,89	without fittings	without fittings
105098	MKS-TR01-L-640-SL-1	640	520	3,89	Ø 12 + Ø 12mm (1x)	Ø 12 mm (2x)

Part No.	Description	L ₁ [mm]	L ₂ [mm]	m [kg]	Port Y-shape [Pos. 1]	Port [Pos. 2]
103389	MKS-TR01-R-1430-SL	1430	1300	5,44	without fittings	without fittings
105101	MKS-TR01-R-1430-SL-1	1430	1300	5,44	Ø 12 + Ø 12mm (1x)	Ø 12 mm (2x)
107022	MKS-TR01-R-1430-SL-2	1430	1300	5,40	without fittings	without fittings
102486	MKS-TR01-R-1600-SL	1600	1300	4,77	without fittings	without fittings
105103	MKS-TR01-R-1600-SL-1	1600	1300	4,77	Ø 12 + Ø 12mm (1x)	Ø 12 mm (2x)
103391	MKS-TR01-R-640-SL	640	520	3,89	without fittings	without fittings
105099	MKS-TR01-R-640-SL-1	640	520	3,89	Ø 12 + Ø 12mm (1x)	Ø 12 mm (2x)

Description	Part No.	Description	Part No.
MKS40-TR03-L-1150	100927	MKS40-TR05-R-XXXX	see table

Type: carrying frame, left

Material: material mix

Part No.	Description	m [kg]	Port [Pos. 1]	Port [Pos. 2]
100927	MKS40-TR03-L-1150	6,90	Ø 10 mm (1x)	Ø 8 mm (3x)


Part No.	Description	L ₁ [mm]	m [kg]	Port [Pos. 1]
19074	MKS40-TR05-R-750	750	5,11	Ø 8 mm (4x)
19619	MKS40-TR05-R-1000	1000	5,58	Ø 8 mm (4x)
19620	MKS40-TR05-R-1250	1250	6,05	Ø 8 mm (4x)

Carrying Frame

Description	Part No.	Description	Part No.
MKS40-TR05-L-XXXX see table		MKS40-TR07-L/R-XXXX see table	


Type: carrying frame, left

Material: material mix



Type: carrying frame

Material: material mix





Part No.	Description	L ₁ [mm]	m [kg]	Port [Pos. 1]
19073	MKS40-TR05-L-750	750	5,11	Ø 8 mm (4x)
19617	MKS40-TR05-L-1000	1000	5,58	Ø 8 mm (4x)
19618	MKS40-TR05-L-1250	1250	6,05	Ø 8 mm (4x)

Part No.	Description	L ₁ [mm]	m [kg]
101669	MKS40-TR07-L/R-850	850	4,87
101503	MKS40-TR07-L/R-1400	1400	5,90

Description	Part No.
MKS40-TR10-XXXX-L/R-XXXX see table	

Description	Part No.
MKS40-TR11-750-L/R-1400	103828



Part No.	Description	L ₁ [mm]	L ₂ [mm]	m [kg]
102626	MKS40-TR10-450-L/R-1400	450	1400	6,35
102686	MKS40-TR10-1000-L/R-1600	1000	1600	6,59

Part No.	Description	Compressed air [Pos. 1]
103828	MKS40-TR11-750-L/R-1400	Ø 8 mm (4x)

Carrying Frame


Description	Part No.	Description	Part No.
MKS40-TR12-1364-L-1550	103833	MKS-TR01-1364-R-1550	103834

Type: carrying frame, left




Material: material mix

Type: carrying frame, right



Material: material mix




Part No.	Description	m [kg]
103833	MKS40-TR12-1364-L-1550	5,52

Part No.	Description	m [kg]
103834	MKS40-TR12-1364-R-1550	5,52


Description	Part No.	Description	Part No.
MKS40-TR13-350-L-1400	103843	MKS40-TR13-350-R-1400	104009

Type: carrying frame, left




Material: material mix

Type: carrying frame, right



Material: material mix




Part No.	Description
103843	MKS40-TR13-350-L-1400

Part No.	Description
104009	MKS40-TR13-350-R-1400


Carrying Frame

Description	Part No.
MKS40-TR17-1190	104253

Type: carrying frame









Material: material mix







Part No.	Description	m [kg]	Port [Pos. 1]	Port [Pos. 2]
104253	MKS40-TR17-1190	7,50	Ø 12 mm (2x)	Ø 10 mm (4x)

Carrying Frame Components (Tooling Bracket)

Description	Part No.	Description	Part No.																														
MKS-BR01-L-SL-X	see table	MKS-BR01-R-SL-X	see table																														
Type: tooling bracket with tightening fastener, left, light weight design																																	
Material: material mix																																	
																																	
<table border="1"> <thead> <tr> <th>Part No.</th><th>Description</th><th>m [kg]</th><th>Port Y-shape [Pos. 1]</th><th>Port [Pos. 2]</th></tr> </thead> <tbody> <tr> <td>102489</td><td>MKS-BR01-L-SL</td><td>1,68</td><td>without fittings</td><td>without fittings</td></tr> <tr> <td>105104</td><td>MKS-BR01-L-SL-1</td><td>1,77</td><td>Ø 12mm (1x)</td><td>Ø 12 mm (2x)</td></tr> </tbody> </table>	Part No.	Description	m [kg]	Port Y-shape [Pos. 1]	Port [Pos. 2]	102489	MKS-BR01-L-SL	1,68	without fittings	without fittings	105104	MKS-BR01-L-SL-1	1,77	Ø 12mm (1x)	Ø 12 mm (2x)		<table border="1"> <thead> <tr> <th>Part No.</th><th>Description</th><th>m [kg]</th><th>Port Y-shape [Pos. 1]</th><th>Port [Pos. 2]</th></tr> </thead> <tbody> <tr> <td>102490</td><td>MKS-BR01-R-SL</td><td>1,70</td><td>without fittings</td><td>without fittings</td></tr> <tr> <td>105105</td><td>MKS-BR01-R-SL-1</td><td>1,76</td><td>Ø 12 + Ø 12mm (1x)</td><td>Ø 12 mm (2x)</td></tr> </tbody> </table>	Part No.	Description	m [kg]	Port Y-shape [Pos. 1]	Port [Pos. 2]	102490	MKS-BR01-R-SL	1,70	without fittings	without fittings	105105	MKS-BR01-R-SL-1	1,76	Ø 12 + Ø 12mm (1x)	Ø 12 mm (2x)	
Part No.	Description	m [kg]	Port Y-shape [Pos. 1]	Port [Pos. 2]																													
102489	MKS-BR01-L-SL	1,68	without fittings	without fittings																													
105104	MKS-BR01-L-SL-1	1,77	Ø 12mm (1x)	Ø 12 mm (2x)																													
Part No.	Description	m [kg]	Port Y-shape [Pos. 1]	Port [Pos. 2]																													
102490	MKS-BR01-R-SL	1,70	without fittings	without fittings																													
105105	MKS-BR01-R-SL-1	1,76	Ø 12 + Ø 12mm (1x)	Ø 12 mm (2x)																													

Description	Part No.																																												
MKS40-BRXX-L	see table																																												
Type: tooling bracket																																													
Material: material mix																																													
																																													
<table border="1"> <thead> <tr> <th>Part No.</th><th>Description</th><th>L₁ [mm]</th><th>m [kg]</th><th>Port [Pos. 1]</th><th>Port [Pos. 2]</th><th>Pin Ø15mm [Pos. 3]</th><th>Support pin (DIN 6321 type C) Ø15mm [Pos. 4]</th><th>Handle [Pos. 5]</th><th>Connector</th><th>Tightening fastener</th></tr> </thead> <tbody> <tr> <td>17582</td><td>MKS40-BR04-L</td><td>230</td><td>1,44</td><td>without fittings</td><td>without fittings</td><td>-</td><td>-</td><td>no</td><td>left (1x)</td><td>central (1x)</td></tr> <tr> <td>100926</td><td>MKS40-BR07-L</td><td>250</td><td>2,38</td><td>Ø 8 mm (3x)</td><td>Ø 10 mm (1x)</td><td>2</td><td>-</td><td>yes</td><td>-</td><td>-</td></tr> <tr> <td>106307</td><td>MKS40-BR22-L</td><td>230</td><td>2,19</td><td>Ø 8 mm (4x)</td><td>without fittings</td><td>1</td><td>1</td><td>yes</td><td>-</td><td>-</td></tr> </tbody> </table>	Part No.	Description	L ₁ [mm]	m [kg]	Port [Pos. 1]	Port [Pos. 2]	Pin Ø15mm [Pos. 3]	Support pin (DIN 6321 type C) Ø15mm [Pos. 4]	Handle [Pos. 5]	Connector	Tightening fastener	17582	MKS40-BR04-L	230	1,44	without fittings	without fittings	-	-	no	left (1x)	central (1x)	100926	MKS40-BR07-L	250	2,38	Ø 8 mm (3x)	Ø 10 mm (1x)	2	-	yes	-	-	106307	MKS40-BR22-L	230	2,19	Ø 8 mm (4x)	without fittings	1	1	yes	-	-	
Part No.	Description	L ₁ [mm]	m [kg]	Port [Pos. 1]	Port [Pos. 2]	Pin Ø15mm [Pos. 3]	Support pin (DIN 6321 type C) Ø15mm [Pos. 4]	Handle [Pos. 5]	Connector	Tightening fastener																																			
17582	MKS40-BR04-L	230	1,44	without fittings	without fittings	-	-	no	left (1x)	central (1x)																																			
100926	MKS40-BR07-L	250	2,38	Ø 8 mm (3x)	Ø 10 mm (1x)	2	-	yes	-	-																																			
106307	MKS40-BR22-L	230	2,19	Ø 8 mm (4x)	without fittings	1	1	yes	-	-																																			



Description	Part No.	Description	Part No.																				
MKS40-BR06	19075	MKS40-BRXX	see table																				
Type: tooling bracket		Type: tooling bracket with / without locking hook																					
Material: material mix		Material: material mix																					
																							
<table border="1"> <thead> <tr> <th>Part No.</th><th>Description</th><th>m [kg]</th><th>Port [Pos. 1]</th></tr> </thead> <tbody> <tr> <td>19075</td><td>MKS40-BR06</td><td>2,48</td><td>Ø 8 mm (4x)</td></tr> </tbody> </table>	Part No.	Description	m [kg]	Port [Pos. 1]	19075	MKS40-BR06	2,48	Ø 8 mm (4x)		<table border="1"> <thead> <tr> <th>Part No.</th><th>Description</th><th>m [kg]</th><th>Locking hook</th></tr> </thead> <tbody> <tr> <td>101564</td><td>MKS40-BR09</td><td>1,65</td><td>no</td></tr> <tr> <td>102151</td><td>MKS40-BR12</td><td>1,60</td><td>yes</td></tr> </tbody> </table>	Part No.	Description	m [kg]	Locking hook	101564	MKS40-BR09	1,65	no	102151	MKS40-BR12	1,60	yes	
Part No.	Description	m [kg]	Port [Pos. 1]																				
19075	MKS40-BR06	2,48	Ø 8 mm (4x)																				
Part No.	Description	m [kg]	Locking hook																				
101564	MKS40-BR09	1,65	no																				
102151	MKS40-BR12	1,60	yes																				

Carrying Frame Components (Tooling Bracket)

Description	Part No.
MKS40-BRXX-X see table	

Type: tooling bracket with / without single-sided pockets


Material: material mix



Description	Part No.
MKS40-BR1X-X see table	

Type: tooling bracket

Material: material mix




Part No.	Description	m [kg]	Special feature
104288	MKS40-BR12-1	1,45	light weight design
105948	MKS40-BR15-2	1,71	-

Part No.	Description	L ₁ [mm]	m [kg]	Number of blind plugs	Reduction [Pos. 1]	Locking hook [Pos. 2]
103829	MKS40-BR15	36	1,67	0	no	no
104210	MKS40-BR19	80	2,25	0	yes	yes
104211	MKS40-BR19-1	36	2,17	2	yes	no
104283	MKS40-BR19-2	80	2,05	4	yes	yes
104284	MKS40-BR19-3	80	1,96	0	yes	no

Description	Part No.
MKS40-BR15-X see table	

Type: tooling bracket






Material: material mix



Description	Part No.
MKS40-BR17-X see table	

Type: tooling bracket















Material: material mix



Part No.	Description	m [kg]	Mounting
105947	MKS40-BR15-1	1,8	double-connector mounting
107025	MKS40-BR15-3	1,9	single-connector mounting

Part No.	Description	m [kg]	Air transmission
103844	MKS40-BR17	1,91	without hollow screw
104166	MKS40-BR17-1	2,00	with hollow screw

Carrying Frame Components (Tooling Bracket)


Description	Part No.	Description	Part No.																		
MKS40-BR16-R-X	see table	MKS40-BR16-L-X	see table																		
Type: tooling bracket with tightening fastener, right		Type: tooling bracket with tightening fastener, left																			
Material: aluminium		Material: aluminium																			
  		  																			
<table border="1"> <thead> <tr> <th>Part No.</th><th>Description</th><th>m [kg]</th></tr> </thead> <tbody> <tr> <td>103836</td><td>MKS40-BR16-R</td><td>1,70</td></tr> <tr> <td>106860</td><td>MKS40-BR16-R-1</td><td>1,76</td></tr> </tbody> </table>	Part No.	Description	m [kg]	103836	MKS40-BR16-R	1,70	106860	MKS40-BR16-R-1	1,76		<table border="1"> <thead> <tr> <th>Part No.</th><th>Description</th><th>m [kg]</th></tr> </thead> <tbody> <tr> <td>103835</td><td>MKS40-BR16-L</td><td>1,70</td></tr> <tr> <td>106859</td><td>MKS40-BR16-L-1</td><td>1,76</td></tr> </tbody> </table>	Part No.	Description	m [kg]	103835	MKS40-BR16-L	1,70	106859	MKS40-BR16-L-1	1,76	
Part No.	Description	m [kg]																			
103836	MKS40-BR16-R	1,70																			
106860	MKS40-BR16-R-1	1,76																			
Part No.	Description	m [kg]																			
103835	MKS40-BR16-L	1,70																			
106859	MKS40-BR16-L-1	1,76																			
Description	Part No.	Description	Part No.																		
MKS40-BR21-1	104293	MKS40-BRK21-2	104294																		
Type: tooling bracket with ports		Type: tooling bracket with guiding pin																			
Material: material mix		Material: material mix																			
 		 																			
<table border="1"> <thead> <tr> <th>Part No.</th><th>Description</th><th>m [kg]</th><th>Port [Pos. 1]</th><th>Port [Pos. 2]</th></tr> </thead> <tbody> <tr> <td>104293</td><td>MKS40-BR21-1</td><td>3,25</td><td>Ø 10 mm (4x)</td><td>Ø 12 mm (2x)</td></tr> </tbody> </table>	Part No.	Description	m [kg]	Port [Pos. 1]	Port [Pos. 2]	104293	MKS40-BR21-1	3,25	Ø 10 mm (4x)	Ø 12 mm (2x)		<table border="1"> <thead> <tr> <th>Part No.</th><th>Description</th><th>m [kg]</th></tr> </thead> <tbody> <tr> <td>104294</td><td>MKS40-BRK21-2</td><td>1,92</td></tr> </tbody> </table>	Part No.	Description	m [kg]	104294	MKS40-BRK21-2	1,92			
Part No.	Description	m [kg]	Port [Pos. 1]	Port [Pos. 2]																	
104293	MKS40-BR21-1	3,25	Ø 10 mm (4x)	Ø 12 mm (2x)																	
Part No.	Description	m [kg]																			
104294	MKS40-BRK21-2	1,92																			
Description	Part No.																				
MKS25-BR25-L	107539																				
Type: tooling bracket with ports, loose side, with screw for query																					
Material: material mix																					
 																					
<table border="1"> <thead> <tr> <th>Part No.</th><th>Description</th><th>m [kg]</th></tr> </thead> <tbody> <tr> <td>107539</td><td>MKS25-BR25-L</td><td>0,91</td></tr> </tbody> </table>	Part No.	Description	m [kg]	107539	MKS25-BR25-L	0,91															
Part No.	Description	m [kg]																			
107539	MKS25-BR25-L	0,91																			

Carrying Frame Components (Counter Mounting)**Description Part No.**

MKS-GH01-SL 102491

Type: counter mounting, light weight design

Material: material mix






Part No.	Description	m [kg]
102491	MKS-GH01-SL	0,90

Description Part No.

MKS40-GH05 19089

Type: counter mounting, with locking hook

Material: material mix










Part No.	Description	m [kg]
19089	MKS40-GH05	1,60

Description Part No.

MKS40-GHXX-X see table

Type: counter mounting with / without locking hook

Material: material mix



Part No.	Description	D ₁ [mm]	m [kg]	Locking hook
101633	MKS40-GH09	G1/4	1,63	no
101927	MKS40-GH10	-	1,70	yes
102143	MKS40-GH10-1	G1/4	1,67	yes


Part No.	Description	m [kg]
103837	MKS40-GH14	0,89

Description Part No.

MKS25-GH18-L-SX see table

Type: counter mounting







Material: material mix

**Description Part No.**

MKS-GH18-F-SX see table

Type: counter mounting

Material: material mix



Part No.	Description	m [kg]	Locking feature
107483	MKS25-GH18-L-S1	1,04	with locking hook
107484	MKS25-GH18-L-S2	0,98	without locking hook
107538	MKS25-GH18-L-S3	0,98	without locking hook, with raised head screw



Part No.	Description	m [kg]	Clamp
107481	MKS-GH18-F-S1	1,50	yes
107482	MKS-GH18-F-S2	0,79	no

Coupling for Carrying Frame

Description	Part No.
MKS-SKP09-X-XX	see table

Type: quick-release coupling, fixed side, for carrying frame

Material: material mix





Part No.	Description	H ₁ [mm]	m [kg]	Port [Pos. 1]	Port [Pos. 2]	Port [Pos. 3]	Port [Pos. 4]
104443	MKS-SKP09-0	100	1,85	without	without	without	without
105427	MKS-SKP09-1-S1	90	1,77	without	without	without	without
102629	MKS-SKP09-2	90	1,85	port straight 10mm	port straight 10mm	without	without
103838	MKS-SKP09-3	90	2,24	port straight 10mm	port straight 10mm	port straight 10mm	port straight 10mm
104259	MKS-SKP09-4	90	2,24	without	without	port straight 8 mm	port straight 8 mm
104285	MKS-SKP09-6	100	2,27	connection G1/4" IG	connection G1/4" IG	connection G1/4" IG	connection G1/4" IG

Description	Part No.
MKS-SKP09-X	see table

Type: quick-release coupling, fixed side, with safety catch, for carrying frame

Material: material mix





Part No.	Description	H ₁ [mm]	m [kg]	Port [Pos. 1]	Port [Pos. 2]	Port [Pos. 3]	Port [Pos. 4]
102628	MKS-SKP09-1	100	2,40	without	without	without	without
104260	MKS-SKP09-5	90	2,38	port straight 8 mm	port straight 8 mm	port straight 8 mm	port straight 8 mm
104286	MKS-SKP09-7	100	3,39	blind plug M20x1,5	blind plug M20x1,5	blind plug M20x1,5	blind plug M20x1,5
104444	MKS-SKP09-8	100	3,39	connection G1/4" IG	connection G1/4" IG	without	without

Tubular Coupling

Description	Part No.
MKS-KOE09-8	107585

Type: tubular coupling, fixed side, with safety catch

Material: material mix





Part No.	Description	m [kg]
107585	MKS-KOE09-8	1,30

Description	Part No.
MKS-KOE01-AL	17603

Type: tubular coupling, fixed side

Material: material mix





Part No.	Description	m [kg]
17603	MKS-KOE01-AL	1,11

Description	Part No.
MKS-KOE08	18245

Type: tubular coupling, fixed side

Material: material mix





Part No.	Description	m [kg]
18245	MKS-KOE08	2,94

Description	Part No.
MKS-KOE09	100472

Type: tubular coupling, fixed side, with safety catch

Material: material mix





Part No.	Description	m [kg]
100472	MKS-KOE09	2,95

Description	Part No.
MKS-KOE05-AL	16950

Type: tubular coupling, fixed side

Material: material mix





Part No.	Description	m [kg]
16950	MKS-KOE05-AL	0,98

Description	Part No.
MKS-KOE09-6	107110

Type: tubular coupling, fixed side, with safety catch

Material: material mix




Part No.	Description	m [kg]
107110	MKS-KOE09-6	1,41

Tubular Coupling

Description	Part No.
MKS-KOE12	105093

Type: tubular coupling, fixed side, with safety catch




Material: material mix



Description	Part No.
MKS20-AK146-100	108035

Type: tubular coupling, loose side

Material: steel




Part No.	Description	m [kg]
105093	MKS-KOE12	1,04

Part No.	Description	m [kg]
108035	MKS20-AK146-100	0,50

Description	Part No.
MKS30-AKXXXX-XXX-AL	see table

Type: tubular coupling, loose side




Material: aluminium



Description	Part No.
MKS30-AK16B-K-XXX	see table

Type: tubular coupling, loose side

Material: steel



Part No.	Description	L ₁ [mm]	F ₁ [mm]	m [kg]	Undercut [Pos.1]
102623	MKS30-AK42-100-AL	100	1	0,48	no
105252	MKS30-AK42-150-AL	150	1	0,55	no
107373	MKS30-AK144-200-AL	200	5	0,64	yes
107090	MKS30-AK144-250-AL	250	5	0,74	yes

Part No.	Description	L ₁ [mm]	m [kg]
100259	MKS30-AK16B-K-100	100	1,12
100260	MKS30-AK16B-K-150	150	1,22
100261	MKS30-AK16B-K-200	200	1,26
100262	MKS30-AK16B-K-250	250	1,37



Tubular Coupling

Description	Part No.
MKS30-AKXXXB-XX-XXX-XX	see table

Type: tubular coupling, loose side
Material: see table

Description	Part No.
MKS20-AK95-70-AL	16949

Type: tubular coupling, loose side
Material: aluminium



Part No.	Description	L ₁ [mm]	L ₂ [mm]	m [kg]	Material
10743	MKS30-AK11B-100	100	50	0,97	D
10744	MKS30-AK11B-150	150	50	1,07	D
100988	MKS30-AK11B-175	175	50	1,12	D
10745	MKS30-AK11B-200	200	50	1,18	D
10746	MKS30-AK11B-250	250	50	1,27	D
106065	MKS30-AK102B-AL-85-HE	85	50	0,41	I
101481	MKS30-AK102B-AL-100-HE	100	50	0,44	I
101482	MKS30-AK102B-AL-150-HE	150	50	0,54	I



Part No.	Description	m [kg]
16949	MKS20-AK95-70-AL	0,33

Description	Part No.
MKS2X-AK63-50-XX	see table

Type: tubular coupling, loose side
Material: see table

Description	Part No.
MKS25-AK31-XXX-AL	see table

Type: tubular coupling, loose side
Material: aluminium



Part No.	Description	D ₁ [mm]	m [kg]	Material
13213	MKS20-AK63-50	20	1,15	D
17602	MKS20-AK63-50-AL	20	0,41	I
104868	MKS25-AK63-50-AL	25	0,43	I


Part No.	Description	L ₁ [mm]	m [kg]
105096	MKS25-AK31-100-AL	100	0,24
105097	MKS25-AK31-150-AL	150	0,28

Tubular Coupling

Description	Part No.
MKS30-AK72-110	103175

Type: tubular coupling, loose side




Material: steel



Description	Part No.
MKS30-AK98-150	16823

Type: tubular coupling, loose side

Material: aluminium






Part No.	Description	m [kg]
103175	MKS30-AK72-1-110	1,38

Part No.	Description	m [kg]
16823	MKS30-AK98-150	1,29

Description	Part No.
MKS30-AK127-110	102525

Type: tubular coupling, loose side

Material: steel





Part No.	Description	m [kg]
102525	MKS30-AK127-110	1,23

Tubular Coupling

Description	Part No.
MKS20-AK138-XXX-XX	see table

Type: tubular coupling, encoded, loose side

Material: aluminium



Part No.	Description	L ₁ [mm]	Code labelled	Thread for marking	Coding	Hole									m [kg]				
						V	H	L	R	1	2	3	4	5	6				
105791	MKS20-AK138-60-V1	60	V1	no	V+1	X				X							0,09		
105792	MKS20-AK138-60-V2	60	V2	no	V+2	X					X						0,09		
105793	MKS20-AK138-60-V3	60	V3	no	V+3	X						X					0,09		
105794	MKS20-AK138-60-V4	60	V4	no	V+4	X							X				0,09		
105795	MKS20-AK138-60-V5	60	V5	no	V+5	X								X			0,09		
105796	MKS20-AK138-60-V6	60	V6	no	V+6	X									X		0,09		
105797	MKS20-AK138-60-V7	60	V7	no	V+7	X										X	0,09		
105798	MKS20-AK138-60-V8	60	V8	no	V+8	X										X	0,09		
105799	MKS20-AK138-60-V9	60	V9	no	V+9	X										X	0,09		
105809	MKS20-AK138-60-H1	60	H1	no	H+1		X				X						0,09		
105810	MKS20-AK138-60-H2	60	H2	no	H+2		X					X					0,09		
105811	MKS20-AK138-60-H3	60	H3	no	H+3			X					X				0,09		
105812	MKS20-AK138-60-H4	60	H4	no	H+4			X						X			0,09		
105813	MKS20-AK138-60-H5	60	H5	no	H+5				X						X		0,09		
105814	MKS20-AK138-60-H6	60	H6	no	H+6				X							X	0,09		
105815	MKS20-AK138-60-H7	60	H7	no	H+7				X							X	0,09		
105816	MKS20-AK138-60-H8	60	H8	no	H+8				X							X	0,09		
105817	MKS20-AK138-60-H9	60	H9	no	H+9				X							X	0,09		
106376	MKS20-AK138-60-1	60	no	no	without												0,09		
105490	MKS20-AK138-60-L1	60	no	M3 (2X)	L+1				X		X						0,09		
105491	MKS20-AK138-60-L2	60	no	M3 (2X)	L+2				X			X					0,09		
105492	MKS20-AK138-60-L3	60	no	M3 (2X)	L+3				X				X				0,09		
105493	MKS20-AK138-60-L4	60	no	M3 (2X)	L+4				X					X			0,09		
105494	MKS20-AK138-60-L5	60	no	M3 (2X)	L+5				X						X		0,09		
105495	MKS20-AK138-60-L6	60	no	M3 (2X)	L+6				X						X		0,09		
105496	MKS20-AK138-60-L7	60	no	M3 (2X)	L+7				X							X	0,09		
105497	MKS20-AK138-60-L8	60	no	M3 (2X)	L+8				X							X	0,09		
105498	MKS20-AK138-60-L9	60	no	M3 (2X)	L+9				X								X	0,09	
105499	MKS20-AK138-60-R1	60	no	M3 (2X)	R+1					X	X							0,09	
105500	MKS20-AK138-60-R2	60	no	M3 (2X)	R+2					X		X						0,09	
105501	MKS20-AK138-60-R3	60	no	M3 (2X)	R+3					X			X					0,09	
105502	MKS20-AK138-60-R4	60	no	M3 (2X)	R+4					X				X				0,09	
105503	MKS20-AK138-60-R5	60	no	M3 (2X)	R+5					X					X			0,09	
105504	MKS20-AK138-60-R6	60	no	M3 (2X)	R+6					X						X		0,09	
105505	MKS20-AK138-60-R7	60	no	M3 (2X)	R+7					X							X	0,09	
105506	MKS20-AK138-60-R8	60	no	M3 (2X)	R+8					X							X	0,09	
105507	MKS20-AK138-60-R9	60	no	M3 (2X)	R+9					X								X	0,09
106374	MKS20-AK138-60	60	no	M3 (2X)	without													0,09	

Tubular Coupling



Part No.	Description	L_1 [mm]	Code labelled	Thread for marking	Coding	Hole												m [kg]		
						V	H	L	R	1	2	3	4	5	6	7	8	9		
105800	MKS20-AK138-75-V1	75	V1	no	V+1	X				X									0,11	
105801	MKS20-AK138-75-V2	75	V2	no	V+2	X					X								0,11	
105802	MKS20-AK138-75-V3	75	V3	no	V+3	X						X							0,11	
105803	MKS20-AK138-75-V4	75	V4	no	V+4	X						X							0,11	
105804	MKS20-AK138-75-V5	75	V5	no	V+5	X							X						0,11	
105805	MKS20-AK138-75-V6	75	V6	no	V+6	X								X					0,11	
105806	MKS20-AK138-75-V7	75	V7	no	V+7	X										X			0,11	
105807	MKS20-AK138-75-V8	75	V8	no	V+8	X											X		0,11	
105808	MKS20-AK138-75-V9	75	V9	no	V+9	X												X	0,11	
105818	MKS20-AK138-75-H1	75	H1	no	H+1		X			X									0,11	
105819	MKS20-AK138-75-H2	75	H2	no	H+2		X				X								0,11	
105820	MKS20-AK138-75-H3	75	H3	no	H+3		X					X							0,11	
105821	MKS20-AK138-75-H4	75	H4	no	H+4		X						X						0,11	
105822	MKS20-AK138-75-H5	75	H5	no	H+5		X							X					0,11	
105823	MKS20-AK138-75-H6	75	H6	no	H+6		X								X				0,11	
105824	MKS20-AK138-75-H7	75	H7	no	H+7		X										X		0,11	
105825	MKS20-AK138-75-H8	75	H8	no	H+8		X											X	0,11	
105826	MKS20-AK138-75-H9	75	H9	no	H+9		X											X	0,11	
106377	MKS20-AK138-75-1	75	without	no	without														0,11	
105508	MKS20-AK138-100-L1	100	no	M3 (2X)	L+1			X		X									0,13	
105509	MKS20-AK138-100-L2	100	no	M3 (2X)	L+2			X			X								0,13	
105510	MKS20-AK138-100-L3	100	no	M3 (2X)	L+3			X				X							0,13	
105511	MKS20-AK138-100-L4	100	no	M3 (2X)	L+4			X					X						0,13	
105512	MKS20-AK138-100-L5	100	no	M3 (2X)	L+5			X						X					0,13	
105513	MKS20-AK138-100-L6	100	no	M3 (2X)	L+6			X							X				0,13	
105514	MKS20-AK138-100-L7	100	no	M3 (2X)	L+7			X									X		0,13	
105515	MKS20-AK138-100-L8	100	no	M3 (2X)	L+8			X										X	0,13	
105516	MKS20-AK138-100-L9	100	no	M3 (2X)	L+9			X										X	0,13	
105517	MKS20-AK138-100-R1	100	no	M3 (2X)	R+1				X	X									0,13	
105518	MKS20-AK138-100-R2	100	no	M3 (2X)	R+2				X		X								0,13	
105519	MKS20-AK138-100-R3	100	no	M3 (2X)	R+3				X			X							0,13	
105520	MKS20-AK138-100-R4	100	no	M3 (2X)	R+4				X				X						0,13	
105521	MKS20-AK138-100-R5	100	no	M3 (2X)	R+5				X					X					0,13	
105522	MKS20-AK138-100-R6	100	no	M3 (2X)	R+6				X							X			0,13	
105523	MKS20-AK138-100-R7	100	no	M3 (2X)	R+7				X								X		0,13	
105524	MKS20-AK138-100-R8	100	no	M3 (2X)	R+8				X									X	0,13	
105525	MKS20-AK138-100-R9	100	no	M3 (2X)	R+9				X										X	0,13
106375	MKS20-AK138-100	100	no	M3 (2X)	without														0,13	

2-Channel-Coupling (fixed side)

Description	Part No.
MKS-KPP36-XXX	see table

Type: 2-channel, encoded, fixed side, with safety catch

Material: material mix



Part No.	Description	α [°]	β [°]	m [kg]	Master-Mount-No.
102625	MKS-KPP36	-	-	1,45	-
103126	MKS-KPP36-L01	0	-	1,46	L01
103127	MKS-KPP36-L02	10	-	1,46	L02
103128	MKS-KPP36-L03	20	-	1,46	L03
103129	MKS-KPP36-L04	30	-	1,46	L04
103130	MKS-KPP36-L05	40	-	1,46	L05
103131	MKS-KPP36-L06	50	-	1,46	L06
103132	MKS-KPP36-L07	130	-	1,46	L07
103133	MKS-KPP36-L08	140	-	1,46	L08
103134	MKS-KPP36-L09	150	-	1,46	L09
103135	MKS-KPP36-L10	160	-	1,46	L10
103136	MKS-KPP36-L11	170	-	1,46	L11
103137	MKS-KPP36-L12	180	-	1,46	L12
103138	MKS-KPP36-L13	190	-	1,46	L13
103139	MKS-KPP36-L14	200	-	1,46	L14
103140	MKS-KPP36-L15	210	-	1,46	L15
103141	MKS-KPP36-L16	220	-	1,46	L16
103142	MKS-KPP36-L17	230	-	1,46	L17
103143	MKS-KPP36-L18	310	-	1,46	L18
103144	MKS-KPP36-L19	320	-	1,46	L19
104062	MKS-KPP36-L20	330	-	1,46	L20
104063	MKS-KPP36-L21	340	-	1,46	L21
104064	MKS-KPP36-L22	350	-	1,46	L22
104076	MKS-KPP36-L23	0	30	1,46	L23
104077	MKS-KPP36-L24	10	40	1,46	L24
104078	MKS-KPP36-L25	20	50	1,46	L25
106566	MKS-KPP36-L26	0	130	1,46	L26
106567	MKS-KPP36-L27	0	140	1,46	L27
106568	MKS-KPP36-L28	0	150	1,46	L28
106569	MKS-KPP36-L29	0	160	1,46	L29
106570	MKS-KPP36-L30	0	170	1,46	L30


Part No.	Description	α [°]	β [°]	m [kg]	Master-Mount-No.
103107	MKS-KPP36-R01	0	-	1,46	R01
103108	MKS-KPP36-R02	10	-	1,46	R02
103109	MKS-KPP36-R03	20	-	1,46	R03
103110	MKS-KPP36-R04	30	-	1,46	R04
103111	MKS-KPP36-R05	40	-	1,46	R05
103112	MKS-KPP36-R06	50	-	1,46	R06
103113	MKS-KPP36-R07	130	-	1,46	R07
103114	MKS-KPP36-R08	140	-	1,46	R08
103115	MKS-KPP36-R09	150	-	1,46	R09
103116	MKS-KPP36-R10	160	-	1,46	R10
103117	MKS-KPP36-R11	170	-	1,46	R11
103118	MKS-KPP36-R12	180	-	1,46	R12
103119	MKS-KPP36-R13	190	-	1,46	R13
103120	MKS-KPP36-R14	200	-	1,46	R14
103121	MKS-KPP36-R15	210	-	1,46	R15
103122	MKS-KPP36-R16	220	-	1,46	R16
103123	MKS-KPP36-R17	230	-	1,46	R17
103124	MKS-KPP36-R18	310	-	1,46	R18
103125	MKS-KPP36-R19	320	-	1,46	R19
104059	MKS-KPP36-R20	330	-	1,46	R20
104060	MKS-KPP36-R21	340	-	1,46	R21
104061	MKS-KPP36-R22	350	-	1,46	R22
104073	MKS-KPP36-R23	0	30	1,46	R23
104074	MKS-KPP36-R24	10	40	1,46	R24
104075	MKS-KPP36-R25	20	50	1,46	R25
106561	MKS-KPP36-R26	0	130	1,46	R26
106562	MKS-KPP36-R27	0	140	1,46	R27
106563	MKS-KPP36-R28	0	150	1,46	R28
106564	MKS-KPP36-R29	0	160	1,46	R29
106565	MKS-KPP36-R30	0	170	1,46	R30

2-Channel-Coupling (fixed side)

Description	Part No.
MKS-KPP49-X	see table

Type: 2-Kanal, without coding, fixed side, with safety catch






Material: material mix



Description	Part No.
MKS-KPP49-1-X	see table

Type: 2-Kanal, without coding, fixed side, with safety catch

Material: material mix



Part No.	Description	H ₁ [mm]	L ₁ [mm]	m [kg]
105392	MKS-KPP49	142	95	0,76
105393	MKS-KPP49-K	135	50	0,75

Part No.	Description	L ₁ [mm]	m [kg]
105469	MKS-KPP49-1-K	50	1,37
105468	MKS-KPP49-1	95	1,38



2-Channel-Coupling (accessories for fixed side)

Description Part No.

MKS-EST41-F 103969

Type: connector for coupling, fixed side

Material: composite




Part No.	Description	Connector 1			Connector 2			m [kg]		
		Pin A / Pin-no.1	Pin B / Pin-no.3	Pin C / Pin-no.4	Pin A / Pin-no.1	Pin B / Pin-no.3	Pin C	Pin D / Pin-no.4	Pin E / Pin-no.2	
103969	MKS-EST41-F	brown BN > +24V	blue BL > -ground	black BK > signal 1	brown BN > +24V	blue BL > -ground		white WH > signal 2	grey GY > signal 3	0,05

Description Part No.

MKS-EST28-F 102405

Type: connector for coupling, fixed side

Material: composite






Description Part No.

MKS-MHW06-2 107705

Type: drilling pattern, for even coding, for 2-channel-coupling (fixed side)

Material: steel




Part No.	Description	Pin A	Pin B	Pin C	Pin D	Pin E	m [kg]
102405	MKS-EST28-F	brown BN > +24V	blue BL > -ground	black BK > component query	white WH > forward	grey GY > back	0,05

Part No.	Description	m [kg]
107705	MKS-MHW06-2	1,05


2-Channel-Coupling (accessories for fixed side)

Description	Part No.
MKS-MHW06-1	107704

Type: drilling pattern, for odd coding, for 2-channel-coupling (fixed side)



Material: steel





Part No.	Description	m [kg]
107704	MKS-MHW06-1	1,05

2-Channel-Coupling (loose side)

Description	Part No.
MKSXX/XX-GAKPXX-X-XXXX	see table

Type: 2-channel, encodable, loose side

Material: material mix





Part No.	Description	D ₁ [mm]	H ₁ [mm]	B ₁ [mm]	L ₁ [mm]	L ₂ [mm]	Coding hole [α, β]	with assembly possibility for MKS-EST28	m [kg]	Tube with flange [Pos. 1]
102687	MKS25-GAKP02-C100	25	80	41	100	175	no	no	1,49	yes
102688	MKS25-GAKP02-C150	25	80	41	150	225	no	no	1,55	yes
102689	MKS25-GAKP02-C200	25	80	41	200	275	no	no	1,61	yes
102690	MKS25-GAKP02-C300	25	80	41	300	375	no	no	1,73	yes
102691	MKS25-GAKP02-C400	25	80	41	400	475	no	no	1,85	yes
102179	MKS25-GAKP02-C500	25	80	41	500	575	no	no	1,95	yes
102725	MKS25-GAKP04-C150	25	84	40	150	223	yes	yes	1,53	yes
102726	MKS25-GAKP04-C200	25	84	40	200	273	yes	yes	1,59	yes
102727	MKS25-GAKP04-C300	25	84	40	300	373	yes	yes	1,7	yes
102728	MKS25-GAKP04-C400	25	84	40	400	473	yes	yes	1,82	yes
102411	MKS25-GAKP04-C500	25	84	40	500	573	yes	yes	1,93	yes
104420	MKS30-GAKP04-3-D100	30	84	40	100	173	no	yes	1,5	yes
104421	MKS30-GAKP04-3-D150	30	84	40	150	223	no	yes	1,58	yes
104422	MKS30-GAKP04-3-D200	30	84	40	200	273	no	yes	1,65	yes
104423	MKS30-GAKP04-3-D300	30	84	40	300	373	no	yes	1,79	yes
104424	MKS30-GAKP04-3-D400	30	84	40	400	473	no	yes	1,94	yes
104425	MKS30-GAKP04-3-D500	30	84	40	500	573	no	yes	2,08	yes
103090	MKS40/25-GAKP04	36	84	40	46	119	yes	yes	1,54	yes
107498	MKS40/25-GAKP04-LB	-	80	40	-	-	no	no	1,45	no

Description	Part No.
MKS-GAKP05-XX-X-LB	see table

Type: 2-channel, without coding, loose side

Material: material mix






Part No.	Description	m [kg]	Material	Ports [Pos. 1]	Holes Ø 25 mm [Pos. 2]	Thread M8 (4x) [Pos. 3]
106813	MKS-GAKP05-LB	1,42	steel	G1/4	yes	no
106815	MKS-GAKP05-1-LB	1,53	steel	no	yes	no
106816	MKS-GAKP05-AL-1-LB	0,96	aluminium	no	no	yes
107168	MKS-GAKP05-AL-2-LB	0,85	aluminium	G3/8	no	yes
106814	MKS-GAKP05-AL-LB	0,86	aluminium	G1/4	no	yes

2-Channel-Coupling (loose side)

Description	Part No.
MKS-GAKPOX-XXX	see table

Type: 2-channel, encodable, loose side

Material: material mix




Part No.	Description	B ₁ [mm]	L ₁ [mm]	α [°]	β [°]	m [kg]
102259	MKS-GAKP02	41	80	-	-	1,17
102410	MKS-GAKP04	41	84	-	-	1,21
104189	MKS-GAKP04-3	41	84	-	-	1,22
105297	MKS-GAKP04-L01	41	84	0	-	1,20
105298	MKS-GAKP04-L02	41	84	10	-	1,20
105299	MKS-GAKP04-L03	41	84	20	-	1,20
105300	MKS-GAKP04-L04	41	84	30	-	1,20
105301	MKS-GAKP04-L05	41	84	40	-	1,20
105302	MKS-GAKP04-L06	41	84	50	-	1,20
105303	MKS-GAKP04-L07	41	84	130	-	1,20
105304	MKS-GAKP04-L08	41	84	140	-	1,20
105305	MKS-GAKP04-L09	41	84	150	-	1,20
105306	MKS-GAKP04-L10	41	84	160	-	1,20
105307	MKS-GAKP04-L11	41	84	170	-	1,20
105308	MKS-GAKP04-L12	41	84	180	-	1,20
105309	MKS-GAKP04-L13	41	84	190	-	1,20
105310	MKS-GAKP04-L14	41	84	200	-	1,20
105311	MKS-GAKP04-L15	41	84	210	-	1,20
105312	MKS-GAKP04-L16	41	84	220	-	1,20
105313	MKS-GAKP04-L17	41	84	230	-	1,20
105314	MKS-GAKP04-L18	41	84	310	-	1,20
105315	MKS-GAKP04-L19	41	84	320	-	1,20
105316	MKS-GAKP04-L20	41	84	330	-	1,20
105317	MKS-GAKP04-L21	41	84	340	-	1,20
105318	MKS-GAKP04-L22	41	84	350	-	1,20
105331	MKS-GAKP04-L23	41	84	0	30	1,20
105332	MKS-GAKP04-L24	41	84	10	40	1,20


Part No.	Description	B ₁ [mm]	L ₁ [mm]	α [°]	β [°]	m [kg]
105333	MKS-GAKP04-L25	41	84	20	50	1,20
105275	MKS-GAKP04-R01	41	84	0	-	1,20
105276	MKS-GAKP04-R02	41	84	10	-	1,20
105277	MKS-GAKP04-R03	41	84	20	-	1,20
105278	MKS-GAKP04-R04	41	84	30	-	1,20
105279	MKS-GAKP04-R05	41	84	40	-	1,20
105280	MKS-GAKP04-R06	41	84	50	-	1,20
105281	MKS-GAKP04-R07	41	84	130	-	1,20
105282	MKS-GAKP04-R08	41	84	140	-	1,20
105283	MKS-GAKP04-R09	41	84	150	-	1,20
105284	MKS-GAKP04-R10	41	84	160	-	1,20
105285	MKS-GAKP04-R11	41	84	170	-	1,20
105286	MKS-GAKP04-R12	41	84	180	-	1,20
105287	MKS-GAKP04-R13	41	84	190	-	1,20
105288	MKS-GAKP04-R14	41	84	200	-	1,20
105289	MKS-GAKP04-R15	41	84	210	-	1,20
105290	MKS-GAKP04-R16	41	84	220	-	1,20
105291	MKS-GAKP04-R17	41	84	230	-	1,20
105292	MKS-GAKP04-R18	41	84	310	-	1,20
105293	MKS-GAKP04-R19	41	84	320	-	1,20
105294	MKS-GAKP04-R20	41	84	330	-	1,20
105295	MKS-GAKP04-R21	41	84	340	-	1,20
105296	MKS-GAKP04-R22	41	84	350	-	1,20
105228	MKS-GAKP04-R23	41	84	0	30	1,20
105329	MKS-GAKP04-R24	41	84	10	40	1,20
105330	MKS-GAKP04-R25	41	84	20	50	1,20

2-Channel-Coupling (loose side)


Description	Part No.	Description	Part No.
MKS-GAKP05-2-LB	107670	MKS-GAK04-X2	107047
Type: 2-Kanal, without coding, loose side		Type: 2-Kanal, encodable, loose side	
Material: material mix		Material: material mix	




Technical drawing of MKS-GAKP05-2-LB coupling showing front view dimensions: 76 mm width, 60 mm height, 31 mm depth, and G3/8 thread.



Technical drawing of MKS-GAK04-X2 coupling showing front view dimensions: 149 mm width, 76 mm height, 84 mm depth, and M24x1,5 thread.



Technical drawing of MKS-GAKP05-2-LB coupling detail showing side view dimensions: 40 mm width, 80 mm height, 41,2 mm depth, 41,3 mm height, and M4 thread.



Technical drawing of MKS-GAK04-X2 coupling detail showing side view dimensions: 26 mm width, 149 mm height, 76 mm depth, and M8 thread.

Part No.	Description	m [kg]
107670	MKS-GAKP05-2-LB	1,89


Part No.	Description	m [kg]	Ports [Pos. 1]	Connector MKS-EST28-L [Pos. 2]
107047	MKS-GAK04-X2	1,24	Ø 8 mm (2x)	yes

2-Channel-Coupling (accessories for loose side)

Description	Part No.	Description	Part No.
MKSXX-GRA02-CXXX	see table	MKS-EST28-L	102404

Type: for 2-channel-coupling, loose side



Material: steel



Description	Part No.
MKS-EST28-L	102404

Type: connector for coupling, loose side

Material: composite



Part No.	Description	B ₁ [mm]	D ₁ [mm]	L ₁ [mm]	Centring [Pos. 1]	m [kg]
111622	MKS25-GRA26-C100	40	25	100	no	0,23
111623	MKS25-GRA26-C150	40	25	150	no	0,29
111624	MKS25-GRA26-C200	40	25	200	no	0,34
108313	MKS25-GRA26-C300	40	25	300	no	0,46
111625	MKS25-GRA26-C400	40	25	400	no	0,57
107763	MKS25-GRA26-C500	40	25	500	no	0,68
103989	MKS30-GRA02-C100	41	30	100	yes	0,28
103990	MKS30-GRA02-C150	41	30	150	yes	0,35
103991	MKS30-GRA02-C200	41	30	200	yes	0,42
103992	MKS30-GRA02-C300	41	30	300	yes	0,56
103993	MKS30-GRA02-C400	41	30	400	yes	0,70
103994	MKS30-GRA02-C500	41	30	500	yes	0,84

Part No.	Description	Pin A brown	Pin B blue	Pin C black	Pin D white	Pin E grey	Weight [kg]
102404	MKS-FST-28L-1	BN > +24V	BL > -ground	BK > component query	WH > forward	GY > back	0.05

Description	Part No.
MKS-MHW05-2	107674

Type: drilling pattern, for even coding, for 2-channel-coupling (loose side)


Material: steel



Description	Part No.
MKS-MHW05-1	107673

Type: drilling pattern, for odd coding, for 2-channel-coupling (loose side)

Material: steel




Part No.	Description	m [kg]
107674	MKS-MHW05-2	0,30

Part No.	Description	m [kg]
107673	MKS-MHW05-1	0,30


Bayonet Coupling (fixed side)

Description	Part No.
MKS-KPP48-F	106717

Type: bayonet, fixed side



Material: material mix




Part No.	Description	m [kg]
106717	MKS-KPP48-F	1,43

Bayonet Coupling (accessories for fixed side)**Description** Part No.

MKS60-KS18 103875

Type: mounting for two bayonet couplings on tube Ø60mm



Material: aluminium

**Description** Part No.


MKS-KPP51-F-X-XX see table

Type: bridge, for air transmission, for KPP48

Material: material mix



Part No.	Description	m [kg]
103875	MKS60-KS18	1,09





Part No.	Description	H ₁ [mm]	H ₂ [mm]	H ₃ [mm]	B ₁ [mm]	L ₁ [mm]	L ₂ [mm]	L ₃ [mm]	m [kg]	Ports [Pos. 1]
105553	MKS-KPP51-F-0-4A	11,6	20	45,5	80	13,8	33	81	0,50	Ø 10 mm (4x)
105554	MKS-KPP51-F-0-2A	11,6	20	45,5	80	13,8	33	83	0,50	Ø 10 mm (2x)
106526	MKS-KPP51-F-M-2A	11,6	20	45,5	80	13,8	33	83	0,50	Ø 10 mm (2x)
106527	MKS-KPP51-F-M-4A	11,6	20	45,5	80	13,8	33	81	0,50	Ø 10 mm (4x)
106573	MKS-KPP51-F-0-4B	9,5	15	34	73	17,5	31	62	0,50	Ø 10 mm (4x)

Description Part No.

MKS-KPP51-1-F-O-8B-XX see table

Type: port/connector extension, for bayonet coupling fixed side, with special bracket

Material: material mix





Part No.	Description	Connector [Pos. 1]	m [kg]	Ports [Pos. 2]
107687	MKS-KPP51-1-F-O-8B-9E	yes (9+3 pin)	0,73	G1/8 (8x)
107729	MKS-KPP51-1-F-O-8B	no	0,67	G1/8 (8x)

Description Part No.

MKS-EST34-F 107786







Type: connector for coupling, fixed side

Material: aluminium



Part No.	Description	m [kg]
107786	MKS-EST34-F	0,55

Bayonet Coupling (loose side)


Description	Part No.	Description	Part No.																														
MKS-GAKP26-P-X	see table	MKS-KPP48-1-PE8-G1/8-XX	see table																														
Type: bayonet, loose side																																	
Material: material mix																																	
 			 																														
<table border="1"> <thead> <tr> <th>Part No.</th> <th>Description</th> <th>Ports [Pos. 1]</th> <th>Connector MKS-EST34 [Pos. 2]</th> <th>m [kg]</th> </tr> </thead> <tbody> <tr> <td>103057</td> <td>MKS-GAKP26-P-E</td> <td>G1/8 (4x)</td> <td>yes</td> <td>0,66</td> </tr> <tr> <td>104095</td> <td>MKS-GAKP26-P</td> <td>G1/8 (4x)</td> <td>no</td> <td>0,66</td> </tr> </tbody> </table>		Part No.	Description	Ports [Pos. 1]	Connector MKS-EST34 [Pos. 2]	m [kg]	103057	MKS-GAKP26-P-E	G1/8 (4x)	yes	0,66	104095	MKS-GAKP26-P	G1/8 (4x)	no	0,66	<table border="1"> <thead> <tr> <th>Part No.</th> <th>Description</th> <th>Connector [Pos. 1]</th> <th>m [kg]</th> <th>Ports [Pos. 2]</th> </tr> </thead> <tbody> <tr> <td>107688</td> <td>MKS-KPP48-1-PE8-G1/8-9E</td> <td>yes, 9+3 pin</td> <td>0,86</td> <td>G1/8 (8x)</td> </tr> <tr> <td>107730</td> <td>MKS-KPP48-1-PE8-G1/8</td> <td>no</td> <td>0,78</td> <td>G1/8 (8x)</td> </tr> </tbody> </table>		Part No.	Description	Connector [Pos. 1]	m [kg]	Ports [Pos. 2]	107688	MKS-KPP48-1-PE8-G1/8-9E	yes, 9+3 pin	0,86	G1/8 (8x)	107730	MKS-KPP48-1-PE8-G1/8	no	0,78	G1/8 (8x)
Part No.	Description	Ports [Pos. 1]	Connector MKS-EST34 [Pos. 2]	m [kg]																													
103057	MKS-GAKP26-P-E	G1/8 (4x)	yes	0,66																													
104095	MKS-GAKP26-P	G1/8 (4x)	no	0,66																													
Part No.	Description	Connector [Pos. 1]	m [kg]	Ports [Pos. 2]																													
107688	MKS-KPP48-1-PE8-G1/8-9E	yes, 9+3 pin	0,86	G1/8 (8x)																													
107730	MKS-KPP48-1-PE8-G1/8	no	0,78	G1/8 (8x)																													

Bayonet Coupling (loose side)





Description	Part No.
MKS40-KPP48-PE4-XXX-XXX-XXX	see table

Type: bayonet, encoded, loose side

Material: material mix



Type coded plate





Part No.	Description	Connector MKS-EST34 [Pos. 1]	Coding plate [Pos. 2]	Ports [Pos. 3]	m [kg]
104173	MKS40-KPP48-PE4-K1-G1/4"	no	K1	G1/4 (4x)	0,66
104174	MKS40-KPP48-PE4-K2-G1/4"	no	K2	G1/4 (4x)	0,66
104175	MKS40-KPP48-PE4-K1-EMC-G1/4"	yes	K1	G1/4 (4x)	0,71
104176	MKS40-KPP48-PE4-K2-EMC-G1/4"	yes	K2	G1/4 (4x)	0,72
104177	MKS40-KPP48-PE4-K3-G1/4"	no	K3	G1/4 (4x)	0,66
104178	MKS40-KPP48-PE4-K4-G1/4"	no	K4	G1/4 (4x)	0,66
104179	MKS40-KPP48-PE4-K5-G1/4"	no	K5	G1/4 (4x)	0,66
104180	MKS40-KPP48-PE4-K6-G1/4"	no	K6	G1/4 (4x)	0,67
104181	MKS40-KPP48-PE4-K7-EMC-G1/4"	yes	K7	G1/4 (4x)	0,66
104182	MKS40-KPP48-PE4-K8-EMC-G1/4"	yes	K8	G1/4 (4x)	0,66
104183	MKS40-KPP48-PE4-K9-EMC-G1/4"	yes	K9	G1/4 (4x)	0,66
104184	MKS40-KPP48-PE4-K10-EMC-G1/4"	yes	K10	G1/4 (4x)	0,66
104185	MKS40-KPP48-PE4-K11-EMC-G1/4"	yes	K11	G1/4 (4x)	0,66
104186	MKS40-KPP48-PE4-K12-EMC-G1/4"	yes	K12	G1/4 (4x)	0,66
104187	MKS40-KPP48-PE4-K13-EMC-G1/4"	yes	K13	G1/4 (4x)	0,66
104188	MKS40-KPP48-PE4-K14-EMC-G1/4"	yes	K14	G1/4 (4x)	0,66
105053	MKS40-KPP48-PE4-K3-EMC-G1/4"	yes	K3	G1/4 (4x)	0,66
105054	MKS40-KPP48-PE4-K4-EMC-G1/4"	yes	K4	G1/4 (4x)	0,72
105055	MKS40-KPP48-PE4-K5-EMC-G1/4"	yes	K5	G1/4 (4x)	0,66
105056	MKS40-KPP48-PE4-K6-EMC-G1/4"	yes	K6	G1/4 (4x)	0,66
106486	MKS40-KPP48-PE4-G1/8	no	no	G1/8 (4x)	0,66
107750	MKS40-KPP48-PE4-G1/4"	no	no	G1/4 (4x)	0,66

Bayonet Coupling (accessories for loose side)

Description	Part No.
MKS-EST34	103066

Type: connector for coupling, loose side

Material: aluminium




Part No.	Description	m [kg]
103066	MKS-EST34	0,06

Loose Side of Coupling

Description	Part No.
MKS40-KPP43-L	103449

Type: bayonet, loose side



Material: material mix




Description	Part No.
MKS60-KPP28-1-L-P3	104287

Type: bayonet, loose side

Material: material mix



Part No.	Description	m [kg]	Ports [Pos. 1]
103449	MKS40-KPP43-L	0,47	Ø 8 mm (3x)




Part No.	Description	m [kg]	Ports [Pos. 1]
104287	MKS60-KPP28-1-L-P3	1,85	G1/4 (3x)

Description	Part No.
MKS60-KPP28-2-L-P3	104701



Type: bayonet, loose side

Material: material mix




Description	Part No.
MKS60-KPP28-1-L-P6	101960

Type: bayonet, loose side







Material: material mix
Note: Item 70296 (6x) is required for assembly!

Part No.	Description	m [kg]	Ports [Pos. 1]
104701	MKS60-KPP28-2-L-P3	1,85	Ø 8 mm (3x)



Part No.	Description	m [kg]	Ports [Pos. 1]
101960	MKS60-KPP28-1-L-P6	1,86	G1/8 (6x)

Loose Side of Coupling



Description	Part No.	Description	Part No.																																			
MKSXX-KPP44	see table	MKSXX-KPP44-2	see table																																			
Type: loose side, with clamp seat		Type: loose side, with clamp																																				
Material: aluminium		Material: aluminium																																				
																																						
<table border="1"> <thead> <tr> <th>Part No.</th> <th>Description</th> <th>D₁ [mm]</th> <th>m [kg]</th> <th>Port [Pos. 1]</th> </tr> </thead> <tbody> <tr> <td>103490</td> <td>MKS60-KPP44</td> <td>60</td> <td>2,44</td> <td>G1/4</td> </tr> <tr> <td>103491</td> <td>MKS76-KPP44</td> <td>76,2</td> <td>1,36</td> <td>G1/4</td> </tr> </tbody> </table>	Part No.	Description	D ₁ [mm]	m [kg]	Port [Pos. 1]	103490	MKS60-KPP44	60	2,44	G1/4	103491	MKS76-KPP44	76,2	1,36	G1/4		<table border="1"> <thead> <tr> <th>Part No.</th> <th>Description</th> <th>D₁ [mm]</th> <th>m [kg]</th> <th>Port [Pos. 1]</th> </tr> </thead> <tbody> <tr> <td>104135</td> <td>MKS50-KPP44-2</td> <td>50</td> <td>2,69</td> <td>G1/4</td> </tr> <tr> <td>103511</td> <td>MKS60-KPP44-2</td> <td>60</td> <td>2,81</td> <td>G1/4</td> </tr> <tr> <td>103507</td> <td>MKS76-KPP44-2</td> <td>76,2</td> <td>2,29</td> <td>G1/4</td> </tr> </tbody> </table>	Part No.	Description	D ₁ [mm]	m [kg]	Port [Pos. 1]	104135	MKS50-KPP44-2	50	2,69	G1/4	103511	MKS60-KPP44-2	60	2,81	G1/4	103507	MKS76-KPP44-2	76,2	2,29	G1/4	
Part No.	Description	D ₁ [mm]	m [kg]	Port [Pos. 1]																																		
103490	MKS60-KPP44	60	2,44	G1/4																																		
103491	MKS76-KPP44	76,2	1,36	G1/4																																		
Part No.	Description	D ₁ [mm]	m [kg]	Port [Pos. 1]																																		
104135	MKS50-KPP44-2	50	2,69	G1/4																																		
103511	MKS60-KPP44-2	60	2,81	G1/4																																		
103507	MKS76-KPP44-2	76,2	2,29	G1/4																																		
Description MKS76-KPP41-1 103504		Description MKS60-SKP02-T 15705																																				
Type: loose side, with clamp seat shared		Type: loose side, with clamp seat shared																																				
Material: aluminium		Material: aluminium																																				
																																						
<table border="1"> <thead> <tr> <th>Part No.</th> <th>Description</th> <th>m [kg]</th> <th>Port [Pos. 1]</th> </tr> </thead> <tbody> <tr> <td>103504</td> <td>MKS76-KPP44-1</td> <td>2,37</td> <td>G1/4</td> </tr> </tbody> </table>	Part No.	Description	m [kg]	Port [Pos. 1]	103504	MKS76-KPP44-1	2,37	G1/4		<table border="1"> <thead> <tr> <th>Part No.</th> <th>Description</th> <th>m [kg]</th> </tr> </thead> <tbody> <tr> <td>15705</td> <td>MKS60-SKP02-T</td> <td>2,36</td> </tr> </tbody> </table>	Part No.	Description	m [kg]	15705	MKS60-SKP02-T	2,36																						
Part No.	Description	m [kg]	Port [Pos. 1]																																			
103504	MKS76-KPP44-1	2,37	G1/4																																			
Part No.	Description	m [kg]																																				
15705	MKS60-SKP02-T	2,36																																				
Description MKS60-KPP44-3-L 108020																																						
Type: for robot, loose side																																						
Material: aluminium																																						
																																						
<table border="1"> <thead> <tr> <th>Part No.</th> <th>Description</th> <th>m [kg]</th> </tr> </thead> <tbody> <tr> <td>108020</td> <td>MKS60-KPP44-3-L</td> <td>2,30</td> </tr> </tbody> </table>	Part No.	Description	m [kg]	108020	MKS60-KPP44-3-L	2,30																																
Part No.	Description	m [kg]																																				
108020	MKS60-KPP44-3-L	2,30																																				

Robot Quick-Release Coupling (fixed side)

Description	Part No.
MKS60-SKP01-2-X-XX	see table

Type: for robot, fixed side

Material: material mix



Part No.	Description	Connector [Pos. 1]	m [kg]	Ports [Pos. 2]	Ports (control) [Pos. 3]
105565	MKS60-SKP01-2	no	13,80	Ø 10 mm (5x)	Ø 10 mm (2x), Ø 6 mm (2x)
107642	MKS60-SKP01-2-E	yes (6-pin +PE)	13,81	Ø 10 mm (5x)	Ø 10 mm (2x), Ø 6 mm (2x)
107758	MKS60-SKP01-2-E2	yes (18-pin +PE)	14,00	Ø 10 mm (5x)	Ø 10 mm (2x), Ø 6 mm (2x)


Robot Quick-Release Coupling (accessories for fixed side)

Description	Part No.
MKS-KPP07-F-1	17881

Type: port/connector extension, for robot coupling



Material: material mix




Part No.	Description	m [kg]	Ports [Pos. 1]	Connector mounting [Pos. 2]
17881	MKS-KPP07-F-1	0,44	Ø 8 mm (4x)	yes

Robot Quick-Release Coupling (loose side)

Description	Part No.
MKS60-GRA20-EXXX	see table

Type: for robot, loose side


Material: material mix



Description	Part No.
MKS60-GRA05-X-XXXX	see table

Type: for robot, loose side

Material: material mix




Part No.	Description	L ₁ [mm]	m [kg]	Ports [Pos. 1]
105578	MKS60-GRA20-E1000	1000	4,80	Ø 10 mm (5x)
105695	MKS60-GRA20-E1100	1100	5,22	Ø 10 mm (5x)
105696	MKS60-GRA20-E1200	1200	5,64	Ø 10 mm (5x)
105697	MKS60-GRA20-E1300	1300	6,07	Ø 10 mm (5x)
105698	MKS60-GRA20-E1400	1400	6,48	Ø 10 mm (5x)
105699	MKS60-GRA20-E1500	1500	6,91	Ø 10 mm (5x)

Part No.	Description	L ₁ [mm]	L ₂ [mm]	T ₁ [mm]	M [number]	Ports [Pos. 1]
100211	MKS60-GRA05-E-1000	1000	2	3	3	Ø 10 mm (5x)
100212	MKS60-GRA05-E-1100	1100	2	3	3	Ø 10 mm (5x)
100213	MKS60-GRA05-E-1200	1200	3	3	4	Ø 10 mm (5x)
100214	MKS60-GRA05-E-1300	1300	3	3	4	Ø 10 mm (5x)
100215	MKS60-GRA05-E-1400	1400	4	3	5	Ø 10 mm (5x)
100216	MKS60-GRA05-E-1500	1500	4	3	5	Ø 10 mm (5x)
100217	MKS60-GRA05-E-1600	1600	5	3	6	Ø 10 mm (5x)
100218	MKS60-GRA05-E-1800	1800	6	3	7	Ø 10 mm (5x)
100219	MKS60-GRA05-E-2000	2000	7	3	8	Ø 10 mm (5x)
100220	MKS60-GRA05-E-2500	2500	9	3	10	Ø 10 mm (5x)
100221	MKS60-GRA05-E-3000	3000	12	3	13	Ø 10 mm (5x)
15425	MKS60-GRA05-1000	1000	2	2,5	3	Ø 10 mm (5x)
17945	MKS60-GRA05-1100	1100	2	2,5	3	Ø 10 mm (5x)
15426	MKS60-GRA05-1200	1200	3	2,5	4	Ø 10 mm (5x)
17946	MKS60-GRA05-1300	1300	3	2,5	4	Ø 10 mm (5x)
15427	MKS60-GRA05-1400	1400	4	2,5	5	Ø 10 mm (5x)
16014	MKS60-GRA05-1500	1500	4	2,5	5	Ø 10 mm (5x)
15428	MKS60-GRA05-1600	1600	5	2,5	6	Ø 10 mm (5x)
15429	MKS60-GRA05-1800	1800	6	2,5	7	Ø 10 mm (5x)
15430	MKS60-GRA05-2000	2000	7	2,5	8	Ø 10 mm (5x)
15431	MKS60-GRA05-2500	2500	9	2,5	10	Ø 10 mm (5x)
15432	MKS60-GRA05-3000	3000	12	2,5	13	Ø 10 mm (5x)


Robot Quick-Release Coupling (loose side)

Description	Part No.
MKS60-PRXX-XXXXX	see table

Type: for robot, loose side






Material: steel









Part No.	Description	D ₁ [mm]	L ₁ [mm]	L ₂ [mm]	m [kg]	N [-]	Number of long holes
100200	MKS60-PRO5-E1000	55	1000	36	4,70	2	3
100201	MKS60-PRO5-E1100	55	1100	36	4,47	2	3
100202	MKS60-PRO5-E1200	55	1200	36	4,95	3	4
100203	MKS60-PRO5-E1300	55	1300	36	5,42	3	4
100204	MKS60-PRO5-E1400	55	1400	36	5,25	4	5
100205	MKS60-PRO5-E1500	55	1500	36	6,21	4	5
100206	MKS60-PRO5-E1600	55	1600	36	6,59	5	6
100207	MKS60-PRO5-E1800	55	1800	36	8,46	6	7
100208	MKS60-PRO5-E2000	55	2000	36	9,40	7	8
100209	MKS60-PRO5-E2500	55	2500	36	11,75	9	10
100210	MKS60-PRO5-E3000	55	3000	36	14,10	12	13
17289	MKS60-PRO5-1000	-	1000	-	4,03	2	3
17300	MKS60-PRO5-1100	-	1100	-	4,46	2	3
17290	MKS60-PRO5-1200	-	1200	-	4,86	3	4
17301	MKS60-PRO5-1300	-	1300	-	5,26	3	4
17291	MKS60-PRO5-1400	-	1400	-	5,65	4	5
17212	MKS60-PRO5-1500	-	1500	-	6,05	4	5
17292	MKS60-PRO5-1600	-	1600	-	6,46	5	6
17293	MKS60-PRO5-1800	-	1800	-	7,25	6	7
17213	MKS60-PRO5-2000	-	2000	-	8,06	7	8
17294	MKS60-PRO5-2500	-	2500	-	10,08	9	10
17295	MKS60-PRO5-3000	-	3000	-	12,09	12	13
105682	MKS60-PR12-E1000	55	1000	61	4,20	-	-
105683	MKS60-PR12-E1100	55	1100	61	4,64	-	-
105684	MKS60-PR12-E1200	55	1200	61	5,07	-	-
105685	MKS60-PR12-E1300	55	1300	61	5,49	-	-
105686	MKS60-PR12-E1400	55	1400	61	5,91	-	-
105687	MKS60-PR12-E1500	55	1500	61	6,33	-	-



Robot Quick-Release Coupling (accessories for loose side)

Description	Part No.	Description	Part No.																																														
MKS-KPP07-L-1	17882	MKS-KPP16-X-XX	see table																																														
Type: port/connector extension, for robot coupling, with clamp seat		Type: for robot coupling, loose side																																															
Material: material mix		Material: material mix																																															
																																																	
<table border="1"> <thead> <tr> <th>Part No.</th> <th>Description</th> <th>m [kg]</th> <th>Ports [Pos. 1]</th> <th>Connector mounting [Pos. 2]</th> </tr> </thead> <tbody> <tr> <td>17882</td> <td>MKS-KPP07-L-1</td> <td>0,93</td> <td>Ø 10 mm (4x)</td> <td>yes</td> </tr> </tbody> </table>	Part No.	Description	m [kg]	Ports [Pos. 1]	Connector mounting [Pos. 2]	17882	MKS-KPP07-L-1	0,93	Ø 10 mm (4x)	yes		<table border="1"> <thead> <tr> <th>Part No.</th> <th>Description</th> <th>Connector [Pos. 1]</th> <th>m [kg]</th> <th>Ports [Pos. 2]</th> <th>Type robot coupling</th> </tr> </thead> <tbody> <tr> <td>17296</td> <td>MKS-KPP16</td> <td>no</td> <td>0,62</td> <td>Ø 10 mm (5x)</td> <td>for MKS-SKP01</td> </tr> <tr> <td>17297</td> <td>MKS-KPP16-1</td> <td>no</td> <td>0,62</td> <td>Ø 8 mm (5x)</td> <td>for MKS-SKP01</td> </tr> <tr> <td>105694</td> <td>MKS-KPP16-2</td> <td>no</td> <td>0,62</td> <td>Ø 10 mm (5x)</td> <td>for MKS-SKP01-2</td> </tr> <tr> <td>105577</td> <td>MKS-KPP16-2-E</td> <td>yes (6-pin + PE)</td> <td>0,62</td> <td>Ø 10 mm (5x)</td> <td>for MKS-SKP01-2</td> </tr> <tr> <td>107760</td> <td>MKS-KPP16-2-E2</td> <td>yes (18-pin + PE)</td> <td>0,62</td> <td>Ø 10 mm (5x)</td> <td>for MKS-SKP01-2</td> </tr> </tbody> </table>	Part No.	Description	Connector [Pos. 1]	m [kg]	Ports [Pos. 2]	Type robot coupling	17296	MKS-KPP16	no	0,62	Ø 10 mm (5x)	for MKS-SKP01	17297	MKS-KPP16-1	no	0,62	Ø 8 mm (5x)	for MKS-SKP01	105694	MKS-KPP16-2	no	0,62	Ø 10 mm (5x)	for MKS-SKP01-2	105577	MKS-KPP16-2-E	yes (6-pin + PE)	0,62	Ø 10 mm (5x)	for MKS-SKP01-2	107760	MKS-KPP16-2-E2	yes (18-pin + PE)	0,62	Ø 10 mm (5x)	for MKS-SKP01-2	
Part No.	Description	m [kg]	Ports [Pos. 1]	Connector mounting [Pos. 2]																																													
17882	MKS-KPP07-L-1	0,93	Ø 10 mm (4x)	yes																																													
Part No.	Description	Connector [Pos. 1]	m [kg]	Ports [Pos. 2]	Type robot coupling																																												
17296	MKS-KPP16	no	0,62	Ø 10 mm (5x)	for MKS-SKP01																																												
17297	MKS-KPP16-1	no	0,62	Ø 8 mm (5x)	for MKS-SKP01																																												
105694	MKS-KPP16-2	no	0,62	Ø 10 mm (5x)	for MKS-SKP01-2																																												
105577	MKS-KPP16-2-E	yes (6-pin + PE)	0,62	Ø 10 mm (5x)	for MKS-SKP01-2																																												
107760	MKS-KPP16-2-E2	yes (18-pin + PE)	0,62	Ø 10 mm (5x)	for MKS-SKP01-2																																												

Robot Coupling (fixed and loose side)

Description	Part No.	Description	Part No.										
MKS-SKP03-200-R	15729	MKS-SKP08-200-R	100483										
Type: quick-change coupling, fixed side		Type: quick-change coupling, fixed side											
Material: steel		Material: steel											
 		 											
<table border="1"> <tr> <th>Part No.</th> <th>Description</th> </tr> <tr> <td>15729</td> <td>MKS-SKP03-200-R</td> </tr> </table>	Part No.	Description	15729	MKS-SKP03-200-R		<table border="1"> <tr> <th>Part No.</th> <th>Description</th> <th>m [kg]</th> </tr> <tr> <td>100483</td> <td>MKS-SKP08-200-R</td> <td>9,20</td> </tr> </table>	Part No.	Description	m [kg]	100483	MKS-SKP08-200-R	9,20	
Part No.	Description												
15729	MKS-SKP03-200-R												
Part No.	Description	m [kg]											
100483	MKS-SKP08-200-R	9,20											
Description	Part No.												
MKS-SKP03-200-T	15728												
Type: quick-change coupling, loose side													
Material: steel													
 													
<table border="1"> <tr> <th>Part No.</th> <th>Description</th> </tr> <tr> <td>15728</td> <td>MKS-SKP03-200-T</td> </tr> </table>	Part No.	Description	15728	MKS-SKP03-200-T									
Part No.	Description												
15728	MKS-SKP03-200-T												

Robot Coupling (fixed and loose side)



Description	Part No.	Description	Part No.												
MKS-SKP03-125-R	15708	MKS-SKP03-125-T	15707												
Type: quick-change coupling, fixed side		Type: quick-change coupling, loose side													
Material: steel		Material: steel													
															
<table border="1"> <thead> <tr> <th>Part No.</th> <th>Description</th> <th>m [kg]</th> </tr> </thead> <tbody> <tr> <td>15708</td> <td>MKS-SKP03-125-R</td> <td>5,20</td> </tr> </tbody> </table>	Part No.	Description	m [kg]	15708	MKS-SKP03-125-R	5,20		<table border="1"> <thead> <tr> <th>Part No.</th> <th>Description</th> <th>m [kg]</th> </tr> </thead> <tbody> <tr> <td>15707</td> <td>MKS-SKP03-125-T</td> <td>2,55</td> </tr> </tbody> </table>	Part No.	Description	m [kg]	15707	MKS-SKP03-125-T	2,55	
Part No.	Description	m [kg]													
15708	MKS-SKP03-125-R	5,20													
Part No.	Description	m [kg]													
15707	MKS-SKP03-125-T	2,55													

4-Channel-Coupling (loose side)

Description	Part No.	Description	Part No.
MKS50-KP4-KAR	103438	MKS-KP4X	see table

Type: 4-channel, with clamp seat, loose side

Material: material mix





Part No.	Description	m [kg]
103438	MKS50-KP4-KAR	2,33

Part No.	Description	m [kg]	Assembly plate, for Connector [Pos. 1]	Ports [Pos. 2, Pos. 3]
11116	MKS-KP4	2,25	no	Ø 10 mm (2x), blind plug (2x)
11115	MKS-KP4E	2,35	yes	Ø 10 mm (2x), blind plug (2x)


Description	Part No.
MKS-KP4-AL	105273

Type: 4-channel, loose side
Material: material mix



Description	Part No.
MKS-GAKPXX-X-XX	see table

Type: 4-channel, with clamp seat, loose side
Material: material mix




Part No.	Description	m [kg]	Ports [Pos. 1, Pos. 2]
105273	MKS-KP4-AL	1,43	Ø 10 mm (2x), blind plug (2x)

Part No.	Description	L ₁ [mm]	L ₂ [mm]	m [kg]	Material clamp seat	Ports [Pos. 1, Pos. 2]
15020	MKS60-GAKP17-K	189,5	48	3,98	D	Ø 10 mm (2x), blind plug (2x)
105271	MKS60-GAKP17-K-AL	192,5	51	2,71	A	Ø 10 mm (2x), blind plug (2x)
14600	MKS60-GAKP4-K	215	48	4,06	D	Ø 10 mm (2x), blind plug (2x)

Description	Part No.
MKSXX-GAKP4-LB-XXXX	see table

Type: 4-channel, with tube, light weight design, loose side
Material: material mix

Part No.	Description	L ₁ [mm]	m [kg]	Ports [Pos. 1, Pos. 2]
106661	MKS60-GAKP4-LB-1100	1100	4,80	Ø 10 mm (2x), blind plug (2x)
107395	MKS60-GAKP4-LB-1200	1200	5,10	Ø 10 mm (2x), blind plug (2x)


Material
A → aluminium
D → steel

Coupling (MKSXX-KPP58-X fixed and loose side)

Description	Part No.	Description	Part No.
MKS-KPP58-R-P4-X	see table	MKS-KPP58-F-L-P4-X	see table




Type: dovetail, fixed side, with safety catch

Material: material mix



Type: dovetail, fixed side, with safety catch

Material: material mix




Part No.	Description	m [kg]	Mounting, for connector MKS-EST19-F-6 [Pos. 1]	Ports [Pos. 2] / [Pos. 3]
106828	MKS-KPP58-F-R-P4	2,30	no	G1/8(2x) / G3/8 (2x)
107610	MKS-KPP58-F-R-P4-E	2,85	yes	G1/8(2x) / G3/8 (2x)

Part No.	Description	m [kg]	Mounting, for connector MKS-EST19-F-6 [Pos. 1]	Ports [Pos. 2] / [Pos. 3]
106827	MKS-KPP58-F-L-P4	2,79	no	G1/8(2x) / G3/8 (2x)
107609	MKS-KPP58-F-L-P4-E	2,85	yes	G1/8(2x) / G3/8 (2x)

Description	Part No.
MKS40-KPP58-2-L-L-P4-X	see table

Type: dovetail, loose side, with tube connection Ø40, left, with clamp seat




Material: material mix



Description	Part No.
MKS40-KPP58-2-L-R-P4-X	see table

Type: dovetail, loose side, with seat, with tube connection Ø40, right, with clamp seat








Material: material mix



Part No.	Description	Connector mounting [Pos. 1]	m [kg]	Ports [Pos. 2] / [Pos. 3]
107617	MKS40-KPP58-2-L-L-P4-E	yes	1,70	G1/4 (2x) / G3/8 (2x)
106831	MKS40-KPP58-2-L-L-P4	no	1,50	G1/4 (2x) / G3/8 (2x)

Part No.	Description	Connector mounting [Pos. 1]	m [kg]	Ports [Pos. 2] / [Pos. 3]
107618	MKS40-KPP58-2-L-R-P4-E	yes	1,70	G1/4 (2x) / G3/8 (2x)
106832	MKS40-KPP58-2-L-R-P4	no	1,50	G1/4 (2x) / G3/8 (2x)

Coupling (MKSXX-KPP58-X loose side)



Description	Part No.	Description	Part No.																														
MKS40-KPP58-1-L-L-P4-X	see table	MKS40-KPP58-1-L-R-P4-X	see table																														
Type: dovetail, loose side, with tube connection Ø40, left		Type: dovetail, loose side, with tube connection Ø40, right																															
Material: material mix		Material: material mix																															
																																	
<table border="1"> <thead> <tr> <th>Part No.</th> <th>Description</th> <th>Connector mounting [Pos. 1]</th> <th>m [kg]</th> <th>Ports [Pos. 2] / [Pos. 3]</th> </tr> </thead> <tbody> <tr> <td>106829</td> <td>MKS40-KPP58-1-L-L-P4</td> <td>no</td> <td>1,51</td> <td>G1/4 (2x) / G3/8 (2x)</td> </tr> <tr> <td>107615</td> <td>MKS40-KPP58-1-L-L-P4-E</td> <td>yes</td> <td>1,55</td> <td>G1/4 (2x) / G3/8 (2x)</td> </tr> </tbody> </table>	Part No.	Description	Connector mounting [Pos. 1]	m [kg]	Ports [Pos. 2] / [Pos. 3]	106829	MKS40-KPP58-1-L-L-P4	no	1,51	G1/4 (2x) / G3/8 (2x)	107615	MKS40-KPP58-1-L-L-P4-E	yes	1,55	G1/4 (2x) / G3/8 (2x)		<table border="1"> <thead> <tr> <th>Part No.</th> <th>Description</th> <th>Connector mounting [Pos. 1]</th> <th>m [kg]</th> <th>Ports [Pos. 2] / [Pos. 3]</th> </tr> </thead> <tbody> <tr> <td>106830</td> <td>MKS40-KPP58-1-L-R-P4</td> <td>no</td> <td>1,51</td> <td>G1/4 (2x) / G3/8 (2x)</td> </tr> <tr> <td>107616</td> <td>MKS40-KPP58-1-L-R-P4-E</td> <td>yes</td> <td>1,55</td> <td>G1/4 (2x) / G3/8 (2x)</td> </tr> </tbody> </table>	Part No.	Description	Connector mounting [Pos. 1]	m [kg]	Ports [Pos. 2] / [Pos. 3]	106830	MKS40-KPP58-1-L-R-P4	no	1,51	G1/4 (2x) / G3/8 (2x)	107616	MKS40-KPP58-1-L-R-P4-E	yes	1,55	G1/4 (2x) / G3/8 (2x)	
Part No.	Description	Connector mounting [Pos. 1]	m [kg]	Ports [Pos. 2] / [Pos. 3]																													
106829	MKS40-KPP58-1-L-L-P4	no	1,51	G1/4 (2x) / G3/8 (2x)																													
107615	MKS40-KPP58-1-L-L-P4-E	yes	1,55	G1/4 (2x) / G3/8 (2x)																													
Part No.	Description	Connector mounting [Pos. 1]	m [kg]	Ports [Pos. 2] / [Pos. 3]																													
106830	MKS40-KPP58-1-L-R-P4	no	1,51	G1/4 (2x) / G3/8 (2x)																													
107616	MKS40-KPP58-1-L-R-P4-E	yes	1,55	G1/4 (2x) / G3/8 (2x)																													
Description	Part No.	Description	Part No.																														
MKS50x50-KPP58-L-L-P4	106833	MKS50x50-KPP58-L-R-P4	106834																														
Type: dovetail, loose side, with seat, for square tube 50x50, left		Type: dovetail, loose side, with seat, for square tube 50x50, right																															
Material: material mix		Material: material mix																															
																																	
<table border="1"> <thead> <tr> <th>Part No.</th> <th>Description</th> <th>m [kg]</th> </tr> </thead> <tbody> <tr> <td>106833</td> <td>MKS50x50-KPP58-L-L-P4</td> <td>2,40</td> </tr> </tbody> </table>	Part No.	Description	m [kg]	106833	MKS50x50-KPP58-L-L-P4	2,40		<table border="1"> <thead> <tr> <th>Part No.</th> <th>Description</th> <th>m [kg]</th> </tr> </thead> <tbody> <tr> <td>106834</td> <td>MKS50x50-KPP58-L-R-P4</td> <td>2,40</td> </tr> </tbody> </table>	Part No.	Description	m [kg]	106834	MKS50x50-KPP58-L-R-P4	2,40																			
Part No.	Description	m [kg]																															
106833	MKS50x50-KPP58-L-L-P4	2,40																															
Part No.	Description	m [kg]																															
106834	MKS50x50-KPP58-L-R-P4	2,40																															

Coupling (MKS-KPP58-X accessories for loose side)

Description	Part No.
MKS-ZKPP06	107611

Type: connector mounting, for dovetail coupling (loose side, right und left)

Material: material mix




Part No.	Description	m [kg]
107611	MKS-ZKPP06	0,04

Coupling (MKSXX-KPP52-X fixed and loose side)

Description	Part No.	Description	Part No.
MKS-KPP52-F-L-P/X-X	see table	MKS-KPP52-F-R-P/X-X	see table




Type: dovetail, fixed side, with locking slide

Material: material mix



Type: dovetail, fixed side, with locking slide

Material: material mix




Part No.	Description	Connector [Pos. 1]	m [kg]	Ports [Pos. 2]
107031	MKS-KPP52-F-L-P-1	no	4,40	Ø 8 mm (6x)
107027	MKS-KPP52-F-L-P/E-1	yes (18-pole+PE)	4,70	Ø 8 mm (6x)
106340	MKS-KPP52-F-L-P	no	4,40	Ø 10 mm (6x)
106281	MKS-KPP52-F-L-P/E	yes (18-pole+PE)	4,70	Ø 10 mm (6x)

Part No.	Description	Connector [Pos 1]	m [kg]	Ports [Pos. 2]
107032	MKS-KPP52-F-R-P-1	no	4,40	Ø 8 mm (6x)
107028	MKS-KPP52-F-R-P/E-1	yes (18-pole+PE)	4,70	Ø 8 mm (6x)
106341	MKS-KPP52-F-R-P	no	4,40	Ø 10 mm (6x)
106282	MKS-KPP52-F-R-P/E	yes (18-pole+PE)	4,70	Ø 10 mm (6x)

Description	Part No.
MKS60/30-KPP52-L-L-P/X	see table

Type: dovetail, loose side, with tube connection Ø60, left




Material: material mix



Description	Part No.
MKS60/30-KPP52-L-R-P/X-X	see table

Type: dovetail, loose side, with tube connection Ø60, right


Material: material mix




Part No.	Description	Connector [Pos. 1]	m [kg]	Ports [Pos. 2]
107029	MKS60/30-KPP52-L-L-P/E-1	yes (18-pin+PE)	6,50	Ø 8 mm (6x)
106283	MKS60/30-KPP52-L-L-P/E	yes (18-pin+PE)	6,50	Ø 10 mm (6x)
106342	MKS60/30-KPP52-L-L-P	no	6,20	Ø 10 mm (6x)
107033	MKS60/30-KPP52-L-L-P-1	no	6,20	Ø 8 mm (6x)

Part No.	Description	Connector [Pos. 1]	m [kg]	Ports [Pos. 2]
107030	MKS60/30-KPP52-L-R-P/E-1	yes (18-pin+PE)	6,50	Ø 8 mm (6x)
106284	MKS60/30-KPP52-L-R/P/E	yes (18-pin+PE)	6,50	Ø 10 mm (6x)
106343	MKS60/30-KPP52-L-R-P	no	6,20	Ø 10 mm (6x)
107034	MKS60/30-KPP52-L-R-P-1	no	6,20	Ø 8 mm (6x)

Coupling (MKS-KPP52-X accessories for fixed side)

Description	Part No.	Description	Part No.		
MKS-ZKPP01-L	106548	MKS-ZKPP01-R	106549		
Type: guiding rail, for dovetail coupling, left					
Material: steel					
226		136			
49		56			
154		154			
56		136			
226		49			
Part No.	Description	m [kg]	Part No.	Description	m [kg]
106548	MKS-ZKPP01-L	0,46	106549	MKS-ZKPP01-R	0,46

Description	Part No.
MKS-ZKPP02	106631
Type: locking slide, for dovetail coupling fixed side	
Material: material mix	




		
SW32		
41		
56,5		
(162)		
Ø36		
M6		
M5		
40,5		
Part No.	Description	m [kg]
106631	MKS-ZKPP02	0,74

Coupling (MKSXX-KPP20-X fixed and loose side)

Description	Part No.
MKS-KPP20-F	100397

Type: dovetail, fixed side, with locking slide



Material: material mix



Description	Part No.
MKS60-KPP20-L	100394

Type: dovetail, loose side

Material: material mix



Part No.	Description	m [kg]	Ports [Pos. 1]
100397	MKS-KPP20-F	4,54	Ø 10 mm (6x)


Part No.	Description	m [kg]	Ports [Pos. 1]
100394	MKS60-KPP20-L	5,25	Ø 10 mm (6x)

Coupling (MKS-KPP19-X fixed and loose side)

Description	Part No.
MKS-KPP19-1-F-L-X/X	see table

Type: dovetail, fixed side, with locking slide






Material: material mix



Description	Part No.
MKS-KPP19-1-F-R-X/X	see table

Type: dovetail, fixed side, with locking slide

Material: material mix




Part No.	Description	Connector [Pos. 1]	Ports [Pos. 2]	m [kg]
102299	MKS-KPP19-1-F-L	no	no	1,60
102566	MKS-KPP19-1-F-L-P	no	Ø10 mm (4x)	1,76
102558	MKS-KPP19-1-F-L-P/E	yes (6-pole+PE)	Ø10 mm (4x)	1,91

Part No.	Description	Connector [Pos. 1]	Ports [Pos. 2]	m [kg]
102476	MKS-KPP19-1-F-R	no	no	1,60
102568	MKS-KPP19-1-F-R-P	no	Ø10 mm (4x)	1,76
102560	MKS-KPP19-1-F-R-P/E	yes (6-pole+PE)	Ø10 mm (4x)	1,91

Description	Part No.
MKS-KPP19-1-L-L	102298

Type: dovetail, loose side, left






Material: material mix



Description	Part No.
MKS-KPP19-1-L-R	102475

Type: dovetail, loose side, right

Material: material mix



Part No.	Description	m [kg]
102298	MKS-KPP19-1-L-L	0,94



Part No.	Description	m [kg]
102475	MKS-KPP19-1-L-R	0,94

Coupling (MKS40-KPP41-X loose side)

Description	Part No.
MKS40-KPP41-L-L-X-S1 see table	

Type: dovetail, loose side, with tube connection Ø40, left

Material: material mix





Part No.	Description	with electrics [Pos. 1]	Ports [Pos. 2]	T ₁ [mm]	Safety lock [Pos. 3]
106970	MKS40-KPP41-L-L-P/E-S1	yes (6-pin)	Ø 8 mm (2x)	3	no
106967	MKS40-KPP41-L-L-S-S1	no	-	3,4	yes

Description	Part No.
MKS40-KPP41-L-R-X-S1 see table	

Type: loose side, with tube connection Ø40, right, with / without pneumatics

Material: material mix





Part No.	Description	with electrics [Pos. 1]	Ports [Pos. 2]	T ₁ [mm]	Safety lock [Pos. 3]
106969	MKS40-KPP41-L-R-P-S1	no	Ø 8 mm (2x)	3	no
106968	MKS40-KPP41-L-R-S-S1	no	-	3,4	yes

Description	Part No.
MKS40-KPP41-L-L-X-X see table	MKS40-KPP41-L-R-X-X/X see table

Type: dovetail, loose side, left

Material: material mix





Part No.	Description	Safety lock [Pos. 1]	Mounting, for MKS-EST19 [Pos. 2]	m [kg]
103262	MKS40-KPP41-L-L-P	no	no	0,45
103260	MKS40-KPP41-L-L-P/E	no	yes	0,48
103268	MKS40-KPP41-L-L-S-P	yes	no	0,47
103266	MKS40-KPP41-L-L-S-P/E	yes	yes	0,50

Description	Part No.
MKS40-KPP41-L-R-X-X/X see table	









Type: dovetail, loose side, right

Material: material mix



Part No.	Description	Safety lock [Pos. 1]	Mounting, for MKS-EST19 [Pos. 2]	m [kg]	Ports [Pos. 3]
103263	MKS40-KPP41-L-R-P	no	no	0,45	G1/8 (2x)
103261	MKS40-KPP41-L-R-P/E	no	yes	0,48	G1/8 (2x)
103269	MKS40-KPP41-L-R-S-P	yes	no	0,47	G1/8 (2x)
103267	MKS40-KPP41-L-R-S-P/E	yes	yes	0,50	G1/8 (2x)


Coupling (MKS40-KPP38-X loose side)

Description	Part No.	Description	Part No.																												
MKS40-KPP38-X-X-X	see table	MKS40-KPP38-2-L-P-E	104132																												
Type: dovetail, loose side, left, with safety lock		Type: dovetail, loose side																													
Material: material mix		Material: material mix																													
 		 																													
 		 																													
<table border="1"> <thead> <tr> <th>Part No.</th> <th>Description</th> <th>Ports [Pos. 1]</th> <th>Connector [Pos. 2]</th> <th>m [kg]</th> </tr> </thead> <tbody> <tr> <td>103199</td> <td>MKS40-KPP38-L</td> <td>no</td> <td>no</td> <td>0,58</td> </tr> <tr> <td>103200</td> <td>MKS40-KPP38-L-P</td> <td>Ø 8 mm (2x)</td> <td>no</td> <td>0,59</td> </tr> <tr> <td>103201</td> <td>MKS40-KPP38-L-P-E</td> <td>Ø 8 mm (2x)</td> <td>yes</td> <td>0,66</td> </tr> </tbody> </table>	Part No.	Description	Ports [Pos. 1]	Connector [Pos. 2]	m [kg]	103199	MKS40-KPP38-L	no	no	0,58	103200	MKS40-KPP38-L-P	Ø 8 mm (2x)	no	0,59	103201	MKS40-KPP38-L-P-E	Ø 8 mm (2x)	yes	0,66		<table border="1"> <thead> <tr> <th>Part No.</th> <th>Description</th> <th>m [kg]</th> <th>Ports [Pos. 1]</th> </tr> </thead> <tbody> <tr> <td>104132</td> <td>MKS40-KPP38-2-L-P-E</td> <td>1,57</td> <td>Ø 8 mm (2x)</td> </tr> </tbody> </table>	Part No.	Description	m [kg]	Ports [Pos. 1]	104132	MKS40-KPP38-2-L-P-E	1,57	Ø 8 mm (2x)	
Part No.	Description	Ports [Pos. 1]	Connector [Pos. 2]	m [kg]																											
103199	MKS40-KPP38-L	no	no	0,58																											
103200	MKS40-KPP38-L-P	Ø 8 mm (2x)	no	0,59																											
103201	MKS40-KPP38-L-P-E	Ø 8 mm (2x)	yes	0,66																											
Part No.	Description	m [kg]	Ports [Pos. 1]																												
104132	MKS40-KPP38-2-L-P-E	1,57	Ø 8 mm (2x)																												


Coupling (MKS40-KPP46-X loose side)

Description	Part No.
MKS-KPP46-L-X-X	see table

Type: dovetail, loose side, left, with safety lock



Material: material mix




Part No.	Description	Ports [Pos. 1]	Data disk [Pos. 2]	m [kg]
103998	MKS40-KPP46-L	no	no	0,72
103999	MKS40-KPP46-L-P	Ø 8 mm (2x)	no	0,73
104000	MKS40-KPP46-L-P-E	Ø 8 mm (2x)	yes	0,87

Loose Side of Coupling

Description	Part No.
MKS30-AK110-B250	19709

Type: adapter, for tubular


Material: steel



Description	Part No.
MKS30-AK114-200	100418

Type: adapter, with clamp fixed

Material: steel




Part No.	Description	m [kg]
19709	MKS30-AK110-B250	2,50

Part No.	Description	m [kg]
100418	MKS30-AK114-200	0,36

Description	Part No.
MKS30-AK115-400	100569

Type: adapter, rotatable


Material: steel



Description	Part No.
MKS30-AK106-200	100471

Type: tube angle, with clamp, with tube

Material: steel



Part No.	Description	m [kg]
100569	MKS30-AK115-400	1,72

Part No.	Description	m [kg]
100471	MKS30-AK106-200	0,68

Description	Part No.
MKS30-AK105-200	19981







Type: adapter for couplings

Material: steel



Part No.	Description	m [kg]
19981	MKS30-AK105-200	0,52

Coding Plate



Description	Part No.	Description	Part No.
MKS-AKW04-X	see table	MKS-KP02	14319
Type: seat for coding plate		Type: universal	
Material: see table		Material: aluminium	
			
			

Accessories for Coding Plate

Description	Part No.
MKSXX-ABK01-XXX	see table








Type: flange (square) with tube

Material: steel



Part No.	Description	D ₁ [mm]	L ₁ [mm]	T ₁ [mm]	m [kg]
11264	MKS20-ABK01-075	20	75	2,5	0,18
11265	MKS20-ABK01-100	20	100	2,5	0,24
11266	MKS20-ABK01-150	20	150	2,5	0,30
11267	MKS20-ABK01-200	20	200	2,5	0,36
11268	MKS20-ABK01-250	20	250	2,5	0,41
11269	MKS20-ABK01-300	20	300	2,5	0,47
11270	MKS20-ABK01-350	20	350	2,5	0,53
11271	MKS20-ABK01-400	20	400	2,5	0,59
11272	MKS20-ABK01-450	20	450	2,5	0,66
11273	MKS20-ABK01-500	20	500	2,5	0,73
12744	MKS20-ABK01-600	20	600	2,5	0,80
11254	MKS25-ABK01-075	25	75	2,5	0,24
11255	MKS25-ABK01-100	25	100	2,5	0,27
11256	MKS25-ABK01-150	25	150	2,5	0,34
11257	MKS25-ABK01-200	25	200	2,5	0,45
11258	MKS25-ABK01-250	25	250	2,5	0,48
11259	MKS25-ABK01-300	25	300	2,5	0,55
11260	MKS25-ABK01-350	25	350	2,5	0,62
11261	MKS25-ABK01-400	25	400	2,5	0,69
11262	MKS25-ABK01-450	25	450	2,5	0,76
11263	MKS25-ABK01-500	25	500	2,5	0,83
104358	MKS25-ABK01-550	25	550	2,5	0,90
12745	MKS25-ABK01-600	25	600	2,5	0,97
11228	MKS30-ABK01-075	30	75	3,0	0,22
11229	MKS30-ABK01-100	30	100	3,0	0,32
11230	MKS30-ABK01-150	30	150	3,0	0,42
11231	MKS30-ABK01-200	30	200	3,0	0,52
11232	MKS30-ABK01-250	30	250	3,0	0,63
11233	MKS30-ABK01-300	30	300	3,0	0,72
11234	MKS30-ABK01-350	30	350	3,0	0,82
11235	MKS30-ABK01-400	30	400	3,0	0,92
11236	MKS30-ABK01-450	30	450	3,0	1,01
11237	MKS30-ABK01-500	30	500	3,0	1,11
12746	MKS30-ABK01-600	30	600	3,0	1,31

Parts Rack


Description	Part No.	Description	Part No.																														
MKS-TAB01-1200	13623	MKS30-TAB23-X-1200	see table																														
Type: for empty station, base frame for vacancy station		Type: for empty station, base frame for vacancy station																															
Material: steel		Material: steel																															
 		 																															
<table border="1"> <thead> <tr> <th>Part No.</th> <th>Description</th> <th>m [kg]</th> </tr> </thead> <tbody> <tr> <td>13623</td> <td>MKS-TAB01-1200</td> <td>7,57</td> </tr> </tbody> </table>	Part No.	Description	m [kg]	13623	MKS-TAB01-1200	7,57		<table border="1"> <thead> <tr> <th>Part No.</th> <th>Description</th> <th>H₁ [mm]</th> <th>L₁ [mm]</th> <th>L₂ [mm]</th> <th>L₃ [mm]</th> <th>m [kg]</th> </tr> </thead> <tbody> <tr> <td>104011</td> <td>MKS30-TAB23-1-1200</td> <td>400</td> <td>1200</td> <td>360</td> <td>300</td> <td>7,59</td> </tr> <tr> <td>104012</td> <td>MKS30-TAB23-2-1200</td> <td>1200</td> <td>320</td> <td>320</td> <td>-</td> <td>7,27</td> </tr> </tbody> </table>	Part No.	Description	H ₁ [mm]	L ₁ [mm]	L ₂ [mm]	L ₃ [mm]	m [kg]	104011	MKS30-TAB23-1-1200	400	1200	360	300	7,59	104012	MKS30-TAB23-2-1200	1200	320	320	-	7,27				
Part No.	Description	m [kg]																															
13623	MKS-TAB01-1200	7,57																															
Part No.	Description	H ₁ [mm]	L ₁ [mm]	L ₂ [mm]	L ₃ [mm]	m [kg]																											
104011	MKS30-TAB23-1-1200	400	1200	360	300	7,59																											
104012	MKS30-TAB23-2-1200	1200	320	320	-	7,27																											
Description	Part No.	Description	Part No.																														
MKSXX-TAB15-0800	see table	MKS25-ZLSA01-1XXX	see table																														
Type: for empty station, base frame for vacancy station		Type: for vacancy rack, shared tube																															
Material: steel		Material: steel																															
 		 																															
<table border="1"> <thead> <tr> <th>Part No.</th> <th>Description</th> <th>D₁ [mm]</th> <th>B₁ [mm]</th> <th>m [kg]</th> </tr> </thead> <tbody> <tr> <td>15901</td> <td>MKS25-TAB15-0800</td> <td>25</td> <td>22,5</td> <td>4,19</td> </tr> <tr> <td>15736</td> <td>MKS30-TAB15-0800</td> <td>30</td> <td>25</td> <td>4,44</td> </tr> </tbody> </table>	Part No.	Description	D ₁ [mm]	B ₁ [mm]	m [kg]	15901	MKS25-TAB15-0800	25	22,5	4,19	15736	MKS30-TAB15-0800	30	25	4,44		<table border="1"> <thead> <tr> <th>Part No.</th> <th>Description</th> <th>L₁ [mm]</th> <th>L₂ [mm]</th> <th>m [kg]</th> </tr> </thead> <tbody> <tr> <td>106641</td> <td>MKS25-ZLSA01-1600</td> <td>1600</td> <td>800</td> <td>2,38</td> </tr> <tr> <td>106642</td> <td>MKS25-ZLSA01-1800</td> <td>1800</td> <td>900</td> <td>2,66</td> </tr> </tbody> </table>	Part No.	Description	L ₁ [mm]	L ₂ [mm]	m [kg]	106641	MKS25-ZLSA01-1600	1600	800	2,38	106642	MKS25-ZLSA01-1800	1800	900	2,66	
Part No.	Description	D ₁ [mm]	B ₁ [mm]	m [kg]																													
15901	MKS25-TAB15-0800	25	22,5	4,19																													
15736	MKS30-TAB15-0800	30	25	4,44																													
Part No.	Description	L ₁ [mm]	L ₂ [mm]	m [kg]																													
106641	MKS25-ZLSA01-1600	1600	800	2,38																													
106642	MKS25-ZLSA01-1800	1800	900	2,66																													

Parts Rack

Description	Part No.
MKS-ZAXX	see table

Type: vacancy pin with clamp






Material: steel



Description	Part No.
MKS25-ZAXX	see table

Type: vacancy pin with clamp

Material: steel



Part No.	Description	D ₁ [mm]	D ₂ [mm]	D ₃ [mm]	D ₄ [mm]	L ₁ [mm]	L ₂ [mm]	m [kg]
12643	MKS-ZA03	-	10	12	20	-	55	0,30
12651	MKS-ZA04	-	10	12	25	-	55	0,35
13103	MKS-ZA05	10,5	-	-	20	60	-	0,34
13104	MKS-ZA06	10,5	-	-	25	60	-	0,40

Part No.	Description	D ₁ [mm]	m [kg]
16383	MKS25-ZA09	20	0,33
16384	MKS25-ZA10	25	0,40

Robot Coupling for Square Tube (fixed side)

Description **Part No.**

MKS-KPP25-F-X see table

Type: for robot, fixed side, with hand lever, with locking bolt, for square tube 50x50





Material: steel

Description **Part No.**

MKS-KPP57-F 106713

Type: for robot, fixed side, with hand lever, with locking bolt, for square tube 50x50

Material: steel



Part No.	Description	m [kg]	Electrics and Pneumatics
101876	MKS-KPP25-F	4,55	with electric and pneumatic connection preparation
107684	MKS-KPP25-F-1	4,55	without electric and pneumatic connection preparation

Part No.	Description	m [kg]
106713	MKS-KPP57-F	7,80

Description **Part No.**

MKS-KPP55-F 106670

Type: for robot, fixed side, with hand lever, with locking bolt, for square tube 50x50





Material: steel

Description **Part No.**

MKS-KPP23-F-1 102633

Type: for robot, with locking bolt, with hand lever, for square tube 70x70

Material: steel



Part No.	Description	m [kg]
106670	MKS-KPP55-F	7,21



Part No.	Description	m [kg]
102633	MKS-KPP23-F-1	13,79

Description **Part No.**

MKS-KPP23-F 101803

Type: for robot, with locking bolt, fixed side, with hand lever, for square tube 70x70

Material: steel




Part No.	Description	m [kg]
101803	MKS-KPP23-F	14,39

Robot Coupling for Square Tube (loose side)

Description	Part No.
MKS40-GAKP28-P/E-DXXXX see table	

Type: for robot coupling, loose side





Material: steel



Description	Part No.
MKS50-GAKP27 103237	

Type: for robot coupling, loose side

Material: steel




Part No.	Description	L ₁ [mm]	m [kg]	Ports [Pos. 1]
104233	MKS40-GAKP28-P/E-D800	800	3,90	G1/8 (6x)
104234	MKS40-GAKP28-P/E-D1000	1000	4,36	G1/8 (6x)
104235	MKS40-GAKP28-P/E-D1200	1200	4,82	G1/8 (6x)

Part No.	Description	m [kg]
103237	MKS50-GAKP27	2,39

Description	Part No.
MKS50-GAKP27-2 103954	

Type: for robot coupling, loose side





Material: material mix



Description	Part No.
MKS50x50/40-GAKP29-C1800 107368	

Type: for robot coupling, loose side

Material: material mix



Part No.	Description	m [kg]	Ports [Pos. 1]
103954	MKS50-GAKP27-2	2,26	Ø 8 mm (2x)


Part No.	Description	m [kg]
107368	MKS50x50/40-GAKP29-C1800	5,16

Loose Side of Coupling

Description	Part No.	Description	Part No.
MKS-KPP59-X see table		MKS40-KPP63-L 108021	



Type: 1-channel, loose side

Material: material mix



Type: with tube connection, loose side

Material: aluminium



Part No.	Description	m [kg]	Connector [Pos. 1]
107360	MKS30-KPP59	0,95	without
107361	MKS30-KPP59-E	1,10	with

Part No.	Description	m [kg]
108021	MKS40-KPP63-L	1,12

Description	Part No.
MKS-KPP61-L	107376

Type: electric and compress air coupling, loose side

Material: material mix





Part No.	Description	m [kg]	Connector [Pos. 1]	Ports [Pos. 2]
107376	MKS-KPP61-L	2,51	20-pin	multiple coupling, for 12 hoses (2x)

Coupling (MKS-KPP54-F fixed & MKS20-AK130-X loose side)

Description	Part No.
MKS-KPP54-F	106385

Type: fixed side

Material: steel





Part No.	Description	m [kg]
106385	MKS-KPP54-F	1,62

Description	Part No.
MKS20-AK130	103919

Type: with clamp fixed, loose side

Material: steel






Part No.	Description	m [kg]
103919	MKS20-AK130	0,38

Description	Part No.
MKS20-AK130-1-SX	see table

Type: loose side

Material: steel




Part No.	Description	m [kg]	Screw [Pos. 1]
105396	MKS20-AK130-1-S1	0,53	no
106384	MKS20-AK130-1-S2	0,51	yes

Gripper Rail

Description	Part No.	Description	Part No.
MKS-GS70-...	see table	MKS-GS1-X-X-XXXX	see table



Type: rectangular profile with 2+1+1 T-grooves, customised dimensions and number of lock plates

Material: material mix



Description Part No.
MKS-GS1-X-X-XXXX see table

Type: rectangular profile with 2 lock plate, 2+1+1 T-grooves



Part No.	Description	L ₁ [mm]	L ₂ [mm]	L ₃ [mm]	L ₄ [mm]	m [kg]	Label [Pos. 1]
MKS-GS70-“L ₄ ”		-	-	-			with / without
MKS-GS70-“L ₄ ”-“L ₁ ”		-	-	-			with / without
MKS-GS70-“L ₄ ”-“L ₁ ”-“L ₂ ”			-				with / without
MKS-GS70-“L ₄ ”-“L ₁ ”-“L ₂ ”-“L ₃ ”							with / without

Example with 3 lock plates:


108772	MKS-GS70-1460-130-600-440	130	600	440	1460	3,22	with
--------	---------------------------	-----	-----	-----	------	------	------

Part No.	Description	L ₁ [mm]	L ₂ [mm]	L ₃ [mm]	left / right	m [kg]
102431	MKS-GS1-4-R-1560	1560	80	1080	right, as illustrated	3,19
102430	MKS-GS1-4-L-1560	1560	80	1080	left, symmetrical	3,19
102425	MKS-GS1-1-R-1560	1560	95	1065	right, as illustrated	3,19
102424	MKS-GS1-1-L-1560	1560	95	1065	left, symmetrical	3,19
102427	MKS-GS1-2-R-1560	1560	190	1070	right, as illustrated	3,19
102426	MKS-GS1-2-L-1560	1560	190	1070	left, symmetrical	3,19
102429	MKS-GS1-3-R-1860	1860	285	1075	right, as illustrated	3,77
102428	MKS-GS1-3-L-1860	1860	285	1075	left, symmetrical	3,77

Description	Part No.	Description	Part No.
MKS-GS46-5000	see table	MKS-GS64-X-XXXX	see table

Type: rectangular, 2+2 T-grooves




Material: aluminium



Description Part No.
MKS-GS64-X-XXXX see table

Type: rectangular with 2 / 3 lock plate, 2+1+1 T-grooves

Material: material mix







Part No.	Description	L ₁ [mm]	L ₂ [mm]	L ₃ [mm]	L ₄ [mm]	L ₅ [mm]	L ₆ [mm]	L ₇ [mm]	L ₈ [mm]	m [kg]
104194	MKS-GS46-750	137,5	1x450	425	25	-	-	137,5	750	1,60
102123	MKS-GS46-3000	125	6x475	475	-	-	-	25	3000	6,40
102124	MKS-GS46-4000	75	4x475	475	50	4x475	475	75	4000	8,55
102125	MKS-GS46-5000	100	5x475	475	50	5x475	475	100	5000	10,6

Part No.	Description	L ₁ [mm]	L ₂ [mm]	L ₃ [mm]	L ₄ [mm]	left / right	m [kg]
106628	MKS-GS64-R-550	550	100	200	-	right, as illustrated	1,28
106627	MKS-GS64-L-550	550	100	200	-	left, symmetrical	1,28
106630	MKS-GS64-R-860	860	130	600	-	right, as illustrated	1,87
106626	MKS-GS64-L-860	860	130	600	-	left, symmetrical	1,87
106625	MKS-GS64-R-1460	1460	130	600	440	right, as illustrated	3,15
106624	MKS-GS64-L-1460	1460	130	600	440	left, symmetrical	3,15

Slot Nut for Gripper Rail

Description	Part No.	Description	Part No.
MKS-NS12	104982	MKS-NS08	102040
Type: rectangular, with threaded hole, for T-grooves			Type: rectangular, with threaded hole
Material: steel			Material: steel



Part No.	Description	m [kg]
104982	MKS-NS12	0,05


Part No.	Description	m [kg]
102040	MKS-NS08	0,04

Description	Part No.
MKS-NSXX	see table

Description	Part No.
MKS-NS10	103051




Type: rectangular, with threaded hole

Material: steel



Type: square, with threaded hole

Material: steel



Part No.	Description	L ₁ [mm]	L ₂ [mm]	m [kg]
16998	MKS-NS03	23	30	0,04
101467	MKS-NS07	30	35	0,06


Part No.	Description	m [kg]
103051	MKS-NS10	0,03

Description	Part No.
MKS-NS09-X	see table

Description	Part No.
MKS-NS01	14359





Type: rectangular, with 2 threaded holes

Material: steel




Type: rectangular, with 2 threaded holes


Material: steel





Part No.	Description	M ₁ [mm]	m [kg]
102513	MKS-NS09	M6	0,11
110950	MKS-NS09-1	M8	0,11

Compatibility: Slot Nuts and Gripper Rails



Slot nut for gripper rail MKS...	for slot [1] or [2]	Part No.	Description	Thread
 ...GS51 ...GS53 ...GS63 ...GS64 ...GS65 ...GS70	1	16998	MKS-NS03	M8
	1	102040	MKS-NS08	M8
	1	110950	MKS-NS09-1	2xM8
	1	103051	MKS-NS10	M8
	1	104982	MKS-NS12	M8
	1	102513	MKS-NS09	2xM6
	2	105467	MKS-NS13	M4
	2	107045	MKS-NS13-1	M6

Slot nut for gripper rail MKS...	for slot [1] or [2]	Part No.	Description	Thread	Type
 ...GS46 ...GS52 ...GS57 ...GS62 ...GS66 ...GS67 ...GS68 ...GS69	1	76305	slot nut	M8	with spring
	1	74165	slot nut	M8	hammer nut
	1	76932	slot nut	M8	T-nut
	1	102513	MKS-NS09	2xM6	
	1	74166	slot nut	M6	hammer nut
	2	70258	slot nut	M6	with spring plunger
	2	70117	slot nut	M8	with spring loaded pressure piece

Slot nut for gripper rail MKS...	for slot [1] or [2]	Part No.	Description	Thread
 ...GS31 ...GS47 ...GS48 ...GS49 ...GS50	1	14359	MKS-NS01	2xM8
	1	16998	MKS-NS03	M8
	1	102040	MKS-NS08	M8

Slot nut for gripper rail MKS...	for slot [1] or [2]	Part No.	Description	Thread
 ...GS35 bis GS42	1	14359	MKS-NS01	2xM8
	1	16998	MKS-NS03	M8
	1	101467	MKS-NS07	M8

Locking Device for Gripper Rail


Description	Part No.	Description	Part No.																																																	
MKS-KPP50-X	see table	MKS-KPP50-X-X see table																																																		
Type: mounting retention, for gripper rail on transfer bar		Type: mounting retention, for gripper rail on transfer bar																																																		
Material: steel		Material: steel																																																		
																																																				
<table border="1"> <thead> <tr> <th>Part No.</th> <th>Description</th> <th>D₁ [mm]</th> <th>L₁ [mm]</th> <th>m [kg]</th> </tr> </thead> <tbody> <tr> <td>105476</td> <td>MKS-KPP50</td> <td>104</td> <td>160</td> <td>1,90</td> </tr> <tr> <td>106278</td> <td>MKS-KPP50-1</td> <td>104</td> <td>210</td> <td>1,90</td> </tr> <tr> <td>106471</td> <td>MKS-KPP50-2</td> <td>70</td> <td>160</td> <td>1,17</td> </tr> <tr> <td>107630</td> <td>MKS-KPP50-5</td> <td>70</td> <td>165</td> <td>1,18</td> </tr> </tbody> </table>		Part No.	Description	D ₁ [mm]	L ₁ [mm]	m [kg]	105476	MKS-KPP50	104	160	1,90	106278	MKS-KPP50-1	104	210	1,90	106471	MKS-KPP50-2	70	160	1,17	107630	MKS-KPP50-5	70	165	1,18	<table border="1"> <thead> <tr> <th>Part No.</th> <th>Description</th> <th>L₁ [mm]</th> <th>L₂ [mm]</th> <th>L₃ [mm]</th> <th>m [kg]</th> </tr> </thead> <tbody> <tr> <td>107467</td> <td>MKS-KPP50-4</td> <td>58,7</td> <td>215</td> <td>228</td> <td>1,09</td> </tr> <tr> <td>107631</td> <td>MKS-KPP50-6</td> <td>58,7</td> <td>165</td> <td>176,3</td> <td>1,07</td> </tr> <tr> <td>107801</td> <td>MKS-KPP50-6-1</td> <td>178,7</td> <td>165</td> <td>176,3</td> <td>1,25</td> </tr> </tbody> </table>		Part No.	Description	L ₁ [mm]	L ₂ [mm]	L ₃ [mm]	m [kg]	107467	MKS-KPP50-4	58,7	215	228	1,09	107631	MKS-KPP50-6	58,7	165	176,3	1,07	107801	MKS-KPP50-6-1	178,7	165	176,3	1,25
Part No.	Description	D ₁ [mm]	L ₁ [mm]	m [kg]																																																
105476	MKS-KPP50	104	160	1,90																																																
106278	MKS-KPP50-1	104	210	1,90																																																
106471	MKS-KPP50-2	70	160	1,17																																																
107630	MKS-KPP50-5	70	165	1,18																																																
Part No.	Description	L ₁ [mm]	L ₂ [mm]	L ₃ [mm]	m [kg]																																															
107467	MKS-KPP50-4	58,7	215	228	1,09																																															
107631	MKS-KPP50-6	58,7	165	176,3	1,07																																															
107801	MKS-KPP50-6-1	178,7	165	176,3	1,25																																															

Seat for Gripper Rail

Description	Part No.	Description	Part No.
MKS-GSZ07-01	14829	MKS-GSZ07-02	14830



Type: seat for gripper rail

Material: steel



Type: seat for gripper rail

Material: steel




Part No.	Description	m [kg]
14829	MKS-GSZ07-01	0,78

Part No.	Description	m [kg]
14830	MKS-GSZ07-02	0,78

Description	Part No.	Description	Part No.
MKS-GSZ06-01	14827	MKS-GSZ06-02	14828



Type: seat for gripper rail

Material: steel



Type: seat for gripper rail

Material: steel











Part No.	Description	m [kg]
14827	MKS-GSZ06-01	0,84



Part No.	Description	m [kg]
14828	MKS-GSZ06-02	0,84

3. Connection Elements





Index

	Mounting for Gripper Rail.....	102
	Mounting for Robot Arm	110
	Splitted Clamp and Clamp Fixed.....	112
	T-Connector.....	114
	Cross Connector	119
	Parallel Connector	121
	Ball Connector.....	122
	Rod Journal Clamp.....	124
	Hinge Connector.....	125
	Clamp Seat	128
	Adapter with Ball/Rod Journal.....	130

Mounting for Gripper Rail

Description	Part No.	Description	Part No.																																																																																																																																																																																																																																																																																																																																																					
MKSXX-AK23-2-DXXX	see table	MKSXX-AK23-XXX	see table																																																																																																																																																																																																																																																																																																																																																					
Type: flange with tube		Type: flange with tube																																																																																																																																																																																																																																																																																																																																																						
Material: steel		Material: steel																																																																																																																																																																																																																																																																																																																																																						
																																																																																																																																																																																																																																																																																																																																																								
<table border="1"> <thead> <tr> <th>Part No.</th> <th>Description</th> <th>D₁ [mm]</th> <th>L₁ [mm]</th> <th>m [kg]</th> </tr> </thead> <tbody> <tr><td>104816</td><td>MKS20-AK23-2-D100</td><td>20</td><td>100</td><td>0,29</td></tr> <tr><td>104817</td><td>MKS20-AK23-2-D150</td><td>20</td><td>150</td><td>0,34</td></tr> <tr><td>104818</td><td>MKS20-AK23-2-D200</td><td>20</td><td>200</td><td>0,40</td></tr> <tr><td>104819</td><td>MKS20-AK23-2-D250</td><td>20</td><td>250</td><td>0,45</td></tr> <tr><td>105073</td><td>MKS20-AK23-2-D300</td><td>20</td><td>300</td><td>0,50</td></tr> <tr><td>104222</td><td>MKS25-AK23-2-D100</td><td>25</td><td>100</td><td>0,34</td></tr> <tr><td>104223</td><td>MKS25-AK23-2-D150</td><td>25</td><td>150</td><td>0,41</td></tr> <tr><td>104224</td><td>MKS25-AK23-2-D200</td><td>25</td><td>200</td><td>0,48</td></tr> <tr><td>104225</td><td>MKS25-AK23-2-D250</td><td>25</td><td>250</td><td>0,55</td></tr> <tr><td>106528</td><td>MKS25-AK23-2-D300</td><td>25</td><td>300</td><td>0,62</td></tr> <tr><td>104824</td><td>MKS30-AK23-2-D100</td><td>30</td><td>100</td><td>0,39</td></tr> <tr><td>104825</td><td>MKS30-AK23-2-D150</td><td>30</td><td>150</td><td>0,48</td></tr> <tr><td>104826</td><td>MKS30-AK23-2-D200</td><td>30</td><td>200</td><td>0,56</td></tr> <tr><td>104827</td><td>MKS30-AK23-2-D250</td><td>30</td><td>250</td><td>0,65</td></tr> </tbody> </table>	Part No.	Description	D ₁ [mm]	L ₁ [mm]	m [kg]	104816	MKS20-AK23-2-D100	20	100	0,29	104817	MKS20-AK23-2-D150	20	150	0,34	104818	MKS20-AK23-2-D200	20	200	0,40	104819	MKS20-AK23-2-D250	20	250	0,45	105073	MKS20-AK23-2-D300	20	300	0,50	104222	MKS25-AK23-2-D100	25	100	0,34	104223	MKS25-AK23-2-D150	25	150	0,41	104224	MKS25-AK23-2-D200	25	200	0,48	104225	MKS25-AK23-2-D250	25	250	0,55	106528	MKS25-AK23-2-D300	25	300	0,62	104824	MKS30-AK23-2-D100	30	100	0,39	104825	MKS30-AK23-2-D150	30	150	0,48	104826	MKS30-AK23-2-D200	30	200	0,56	104827	MKS30-AK23-2-D250	30	250	0,65		<table border="1"> <thead> <tr> <th>Part No.</th> <th>Description</th> <th>D₁ [mm]</th> <th>L₁ [mm]</th> <th>L₂ [mm]</th> <th>L₃ [mm]</th> <th>m [kg]</th> </tr> </thead> <tbody> <tr><td>14308</td><td>MKS20-AK23-050</td><td>20</td><td>50</td><td>50</td><td>40</td><td>0,53</td></tr> <tr><td>14309</td><td>MKS20-AK23-075</td><td>20</td><td>75</td><td>50</td><td>40</td><td>0,56</td></tr> <tr><td>14310</td><td>MKS20-AK23-100</td><td>20</td><td>100</td><td>50</td><td>40</td><td>0,59</td></tr> <tr><td>14311</td><td>MKS20-AK23-150</td><td>20</td><td>150</td><td>50</td><td>40</td><td>0,65</td></tr> <tr><td>14312</td><td>MKS20-AK23-200</td><td>20</td><td>200</td><td>50</td><td>40</td><td>0,71</td></tr> <tr><td>14313</td><td>MKS20-AK23-250</td><td>20</td><td>250</td><td>50</td><td>40</td><td>0,78</td></tr> <tr><td>14314</td><td>MKS20-AK23-300</td><td>20</td><td>300</td><td>50</td><td>40</td><td>0,84</td></tr> <tr><td>14315</td><td>MKS20-AK23-350</td><td>20</td><td>350</td><td>50</td><td>40</td><td>0,90</td></tr> <tr><td>14316</td><td>MKS20-AK23-400</td><td>20</td><td>400</td><td>50</td><td>40</td><td>0,97</td></tr> <tr><td>14317</td><td>MKS20-AK23-450</td><td>20</td><td>450</td><td>50</td><td>40</td><td>1,03</td></tr> <tr><td>14318</td><td>MKS20-AK23-500</td><td>20</td><td>500</td><td>50</td><td>40</td><td>1,09</td></tr> <tr><td>12928</td><td>MKS25-AK23-100</td><td>25</td><td>100</td><td>50</td><td>40</td><td>0,65</td></tr> <tr><td>12930</td><td>MKS25-AK23-150</td><td>25</td><td>150</td><td>50</td><td>40</td><td>0,69</td></tr> <tr><td>12931</td><td>MKS25-AK23-175</td><td>25</td><td>175</td><td>50</td><td>40</td><td>0,73</td></tr> <tr><td>12932</td><td>MKS25-AK23-200</td><td>25</td><td>200</td><td>50</td><td>40</td><td>0,77</td></tr> <tr><td>12933</td><td>MKS25-AK23-225</td><td>25</td><td>225</td><td>50</td><td>40</td><td>0,81</td></tr> <tr><td>12934</td><td>MKS25-AK23-250</td><td>25</td><td>250</td><td>50</td><td>40</td><td>0,86</td></tr> <tr><td>17395</td><td>MKS25-AK23-300</td><td>25</td><td>300</td><td>50</td><td>40</td><td>0,98</td></tr> <tr><td>17623</td><td>MKS25-AK23-350</td><td>25</td><td>350</td><td>50</td><td>40</td><td>1,06</td></tr> <tr><td>100558</td><td>MKS25-AK23-400</td><td>25</td><td>400</td><td>50</td><td>40</td><td>1,14</td></tr> <tr><td>100072</td><td>MKS25-AK23-1-250</td><td>25</td><td>250</td><td>56</td><td>40</td><td>0,95</td></tr> <tr><td>100073</td><td>MKS25-AK23-1-300</td><td>25</td><td>300</td><td>56</td><td>40</td><td>1,03</td></tr> <tr><td>100074</td><td>MKS25-AK23-1-350</td><td>25</td><td>350</td><td>56</td><td>40</td><td>1,11</td></tr> <tr><td>16177</td><td>MKS30-AK23-075</td><td>30</td><td>75</td><td>50</td><td>40</td><td>0,66</td></tr> <tr><td>15153</td><td>MKS30-AK23-100</td><td>30</td><td>100</td><td>50</td><td>40</td><td>0,71</td></tr> <tr><td>15154</td><td>MKS30-AK23-125</td><td>30</td><td>125</td><td>50</td><td>40</td><td>0,76</td></tr> <tr><td>15155</td><td>MKS30-AK23-150</td><td>30</td><td>150</td><td>50</td><td>40</td><td>0,81</td></tr> <tr><td>15156</td><td>MKS30-AK23-200</td><td>30</td><td>200</td><td>50</td><td>40</td><td>0,91</td></tr> <tr><td>15157</td><td>MKS30-AK23-250</td><td>30</td><td>250</td><td>50</td><td>40</td><td>1,01</td></tr> <tr><td>100639</td><td>MKS30-AK23-300</td><td>30</td><td>300</td><td>50</td><td>40</td><td>1,11</td></tr> <tr><td>102084</td><td>MKS30-AK23-400</td><td>30</td><td>400</td><td>50</td><td>40</td><td>1,31</td></tr> <tr><td>102085</td><td>MKS30-AK23-500</td><td>30</td><td>500</td><td>50</td><td>40</td><td>1,51</td></tr> <tr><td>102086</td><td>MKS30-AK23-600</td><td>30</td><td>600</td><td>50</td><td>40</td><td>1,71</td></tr> <tr><td>102087</td><td>MKS30-AK23-700</td><td>30</td><td>700</td><td>50</td><td>40</td><td>1,91</td></tr> <tr><td>102088</td><td>MKS30-AK23-800</td><td>30</td><td>80</td><td>50</td><td>40</td><td>2,11</td></tr> <tr><td>102089</td><td>MKS30-AK23-900</td><td>30</td><td>900</td><td>50</td><td>40</td><td>2,31</td></tr> <tr><td>102090</td><td>MKS30-AK23-1000</td><td>30</td><td>1000</td><td>50</td><td>40</td><td>2,51</td></tr> </tbody> </table>	Part No.	Description	D ₁ [mm]	L ₁ [mm]	L ₂ [mm]	L ₃ [mm]	m [kg]	14308	MKS20-AK23-050	20	50	50	40	0,53	14309	MKS20-AK23-075	20	75	50	40	0,56	14310	MKS20-AK23-100	20	100	50	40	0,59	14311	MKS20-AK23-150	20	150	50	40	0,65	14312	MKS20-AK23-200	20	200	50	40	0,71	14313	MKS20-AK23-250	20	250	50	40	0,78	14314	MKS20-AK23-300	20	300	50	40	0,84	14315	MKS20-AK23-350	20	350	50	40	0,90	14316	MKS20-AK23-400	20	400	50	40	0,97	14317	MKS20-AK23-450	20	450	50	40	1,03	14318	MKS20-AK23-500	20	500	50	40	1,09	12928	MKS25-AK23-100	25	100	50	40	0,65	12930	MKS25-AK23-150	25	150	50	40	0,69	12931	MKS25-AK23-175	25	175	50	40	0,73	12932	MKS25-AK23-200	25	200	50	40	0,77	12933	MKS25-AK23-225	25	225	50	40	0,81	12934	MKS25-AK23-250	25	250	50	40	0,86	17395	MKS25-AK23-300	25	300	50	40	0,98	17623	MKS25-AK23-350	25	350	50	40	1,06	100558	MKS25-AK23-400	25	400	50	40	1,14	100072	MKS25-AK23-1-250	25	250	56	40	0,95	100073	MKS25-AK23-1-300	25	300	56	40	1,03	100074	MKS25-AK23-1-350	25	350	56	40	1,11	16177	MKS30-AK23-075	30	75	50	40	0,66	15153	MKS30-AK23-100	30	100	50	40	0,71	15154	MKS30-AK23-125	30	125	50	40	0,76	15155	MKS30-AK23-150	30	150	50	40	0,81	15156	MKS30-AK23-200	30	200	50	40	0,91	15157	MKS30-AK23-250	30	250	50	40	1,01	100639	MKS30-AK23-300	30	300	50	40	1,11	102084	MKS30-AK23-400	30	400	50	40	1,31	102085	MKS30-AK23-500	30	500	50	40	1,51	102086	MKS30-AK23-600	30	600	50	40	1,71	102087	MKS30-AK23-700	30	700	50	40	1,91	102088	MKS30-AK23-800	30	80	50	40	2,11	102089	MKS30-AK23-900	30	900	50	40	2,31	102090	MKS30-AK23-1000	30	1000	50	40	2,51	
Part No.	Description	D ₁ [mm]	L ₁ [mm]	m [kg]																																																																																																																																																																																																																																																																																																																																																				
104816	MKS20-AK23-2-D100	20	100	0,29																																																																																																																																																																																																																																																																																																																																																				
104817	MKS20-AK23-2-D150	20	150	0,34																																																																																																																																																																																																																																																																																																																																																				
104818	MKS20-AK23-2-D200	20	200	0,40																																																																																																																																																																																																																																																																																																																																																				
104819	MKS20-AK23-2-D250	20	250	0,45																																																																																																																																																																																																																																																																																																																																																				
105073	MKS20-AK23-2-D300	20	300	0,50																																																																																																																																																																																																																																																																																																																																																				
104222	MKS25-AK23-2-D100	25	100	0,34																																																																																																																																																																																																																																																																																																																																																				
104223	MKS25-AK23-2-D150	25	150	0,41																																																																																																																																																																																																																																																																																																																																																				
104224	MKS25-AK23-2-D200	25	200	0,48																																																																																																																																																																																																																																																																																																																																																				
104225	MKS25-AK23-2-D250	25	250	0,55																																																																																																																																																																																																																																																																																																																																																				
106528	MKS25-AK23-2-D300	25	300	0,62																																																																																																																																																																																																																																																																																																																																																				
104824	MKS30-AK23-2-D100	30	100	0,39																																																																																																																																																																																																																																																																																																																																																				
104825	MKS30-AK23-2-D150	30	150	0,48																																																																																																																																																																																																																																																																																																																																																				
104826	MKS30-AK23-2-D200	30	200	0,56																																																																																																																																																																																																																																																																																																																																																				
104827	MKS30-AK23-2-D250	30	250	0,65																																																																																																																																																																																																																																																																																																																																																				
Part No.	Description	D ₁ [mm]	L ₁ [mm]	L ₂ [mm]	L ₃ [mm]	m [kg]																																																																																																																																																																																																																																																																																																																																																		
14308	MKS20-AK23-050	20	50	50	40	0,53																																																																																																																																																																																																																																																																																																																																																		
14309	MKS20-AK23-075	20	75	50	40	0,56																																																																																																																																																																																																																																																																																																																																																		
14310	MKS20-AK23-100	20	100	50	40	0,59																																																																																																																																																																																																																																																																																																																																																		
14311	MKS20-AK23-150	20	150	50	40	0,65																																																																																																																																																																																																																																																																																																																																																		
14312	MKS20-AK23-200	20	200	50	40	0,71																																																																																																																																																																																																																																																																																																																																																		
14313	MKS20-AK23-250	20	250	50	40	0,78																																																																																																																																																																																																																																																																																																																																																		
14314	MKS20-AK23-300	20	300	50	40	0,84																																																																																																																																																																																																																																																																																																																																																		
14315	MKS20-AK23-350	20	350	50	40	0,90																																																																																																																																																																																																																																																																																																																																																		
14316	MKS20-AK23-400	20	400	50	40	0,97																																																																																																																																																																																																																																																																																																																																																		
14317	MKS20-AK23-450	20	450	50	40	1,03																																																																																																																																																																																																																																																																																																																																																		
14318	MKS20-AK23-500	20	500	50	40	1,09																																																																																																																																																																																																																																																																																																																																																		
12928	MKS25-AK23-100	25	100	50	40	0,65																																																																																																																																																																																																																																																																																																																																																		
12930	MKS25-AK23-150	25	150	50	40	0,69																																																																																																																																																																																																																																																																																																																																																		
12931	MKS25-AK23-175	25	175	50	40	0,73																																																																																																																																																																																																																																																																																																																																																		
12932	MKS25-AK23-200	25	200	50	40	0,77																																																																																																																																																																																																																																																																																																																																																		
12933	MKS25-AK23-225	25	225	50	40	0,81																																																																																																																																																																																																																																																																																																																																																		
12934	MKS25-AK23-250	25	250	50	40	0,86																																																																																																																																																																																																																																																																																																																																																		
17395	MKS25-AK23-300	25	300	50	40	0,98																																																																																																																																																																																																																																																																																																																																																		
17623	MKS25-AK23-350	25	350	50	40	1,06																																																																																																																																																																																																																																																																																																																																																		
100558	MKS25-AK23-400	25	400	50	40	1,14																																																																																																																																																																																																																																																																																																																																																		
100072	MKS25-AK23-1-250	25	250	56	40	0,95																																																																																																																																																																																																																																																																																																																																																		
100073	MKS25-AK23-1-300	25	300	56	40	1,03																																																																																																																																																																																																																																																																																																																																																		
100074	MKS25-AK23-1-350	25	350	56	40	1,11																																																																																																																																																																																																																																																																																																																																																		
16177	MKS30-AK23-075	30	75	50	40	0,66																																																																																																																																																																																																																																																																																																																																																		
15153	MKS30-AK23-100	30	100	50	40	0,71																																																																																																																																																																																																																																																																																																																																																		
15154	MKS30-AK23-125	30	125	50	40	0,76																																																																																																																																																																																																																																																																																																																																																		
15155	MKS30-AK23-150	30	150	50	40	0,81																																																																																																																																																																																																																																																																																																																																																		
15156	MKS30-AK23-200	30	200	50	40	0,91																																																																																																																																																																																																																																																																																																																																																		
15157	MKS30-AK23-250	30	250	50	40	1,01																																																																																																																																																																																																																																																																																																																																																		
100639	MKS30-AK23-300	30	300	50	40	1,11																																																																																																																																																																																																																																																																																																																																																		
102084	MKS30-AK23-400	30	400	50	40	1,31																																																																																																																																																																																																																																																																																																																																																		
102085	MKS30-AK23-500	30	500	50	40	1,51																																																																																																																																																																																																																																																																																																																																																		
102086	MKS30-AK23-600	30	600	50	40	1,71																																																																																																																																																																																																																																																																																																																																																		
102087	MKS30-AK23-700	30	700	50	40	1,91																																																																																																																																																																																																																																																																																																																																																		
102088	MKS30-AK23-800	30	80	50	40	2,11																																																																																																																																																																																																																																																																																																																																																		
102089	MKS30-AK23-900	30	900	50	40	2,31																																																																																																																																																																																																																																																																																																																																																		
102090	MKS30-AK23-1000	30	1000	50	40	2,51																																																																																																																																																																																																																																																																																																																																																		

Mounting for Gripper Rail


Description	Part No.	Description	Part No.																																																																																																																																																																																																																															
MKSXX-AK24-2-DXXX	see table	MKSXX-AK24-XXX	see table																																																																																																																																																																																																																															
Type: flange with tube		Type: flange with tube																																																																																																																																																																																																																																
Material: steel		Material: steel																																																																																																																																																																																																																																
																																																																																																																																																																																																																																		
<table border="1"> <thead> <tr> <th>Part No.</th> <th>Description</th> <th>D₁ [mm]</th> <th>L₁ [mm]</th> <th>m [kg]</th> </tr> </thead> <tbody> <tr><td>104812</td><td>MKS20-AK24-2-D100</td><td>20</td><td>100</td><td>0,24</td></tr> <tr><td>104813</td><td>MKS20-AK24-2-D150</td><td>20</td><td>150</td><td>0,30</td></tr> <tr><td>104814</td><td>MKS20-AK24-2-D200</td><td>20</td><td>200</td><td>0,35</td></tr> <tr><td>104815</td><td>MKS20-AK24-2-D250</td><td>20</td><td>250</td><td>0,40</td></tr> <tr><td>105074</td><td>MKS20-AK24-2-D300</td><td>20</td><td>300</td><td>0,46</td></tr> <tr><td>104820</td><td>MKS25-AK24-2-D100</td><td>25</td><td>100</td><td>0,26</td></tr> <tr><td>104821</td><td>MKS25-AK24-2-D150</td><td>25</td><td>150</td><td>0,32</td></tr> <tr><td>104822</td><td>MKS25-AK24-2-D200</td><td>25</td><td>200</td><td>0,40</td></tr> <tr><td>104823</td><td>MKS25-AK24-2-D250</td><td>25</td><td>250</td><td>0,47</td></tr> <tr><td>105075</td><td>MKS25-AK24-2-D300</td><td>25</td><td>300</td><td>0,54</td></tr> <tr><td>104828</td><td>MKS30-AK24-2-D100</td><td>30</td><td>100</td><td>0,28</td></tr> <tr><td>104829</td><td>MKS30-AK24-2-D150</td><td>30</td><td>150</td><td>0,37</td></tr> <tr><td>104830</td><td>MKS30-AK24-2-D200</td><td>30</td><td>200</td><td>0,45</td></tr> <tr><td>104831</td><td>MKS30-AK24-2-D250</td><td>30</td><td>250</td><td>0,54</td></tr> <tr><td>105076</td><td>MKS30-AK24-2-D300</td><td>30</td><td>300</td><td>0,62</td></tr> </tbody> </table>	Part No.	Description	D ₁ [mm]	L ₁ [mm]	m [kg]	104812	MKS20-AK24-2-D100	20	100	0,24	104813	MKS20-AK24-2-D150	20	150	0,30	104814	MKS20-AK24-2-D200	20	200	0,35	104815	MKS20-AK24-2-D250	20	250	0,40	105074	MKS20-AK24-2-D300	20	300	0,46	104820	MKS25-AK24-2-D100	25	100	0,26	104821	MKS25-AK24-2-D150	25	150	0,32	104822	MKS25-AK24-2-D200	25	200	0,40	104823	MKS25-AK24-2-D250	25	250	0,47	105075	MKS25-AK24-2-D300	25	300	0,54	104828	MKS30-AK24-2-D100	30	100	0,28	104829	MKS30-AK24-2-D150	30	150	0,37	104830	MKS30-AK24-2-D200	30	200	0,45	104831	MKS30-AK24-2-D250	30	250	0,54	105076	MKS30-AK24-2-D300	30	300	0,62	<table border="1"> <thead> <tr> <th>Part No.</th> <th>Description</th> <th>D₁ [mm]</th> <th>L₁ [mm]</th> <th>m [kg]</th> </tr> </thead> <tbody> <tr><td>14367</td><td>MKS20-AK24-100</td><td>20</td><td>100</td><td>0,50</td></tr> <tr><td>14368</td><td>MKS20-AK24-125</td><td>20</td><td>125</td><td>0,55</td></tr> <tr><td>14369</td><td>MKS20-AK24-150</td><td>20</td><td>150</td><td>0,58</td></tr> <tr><td>14370</td><td>MKS20-AK24-175</td><td>20</td><td>175</td><td>0,62</td></tr> <tr><td>14371</td><td>MKS20-AK24-200</td><td>20</td><td>200</td><td>0,66</td></tr> <tr><td>14372</td><td>MKS20-AK24-225</td><td>20</td><td>225</td><td>0,71</td></tr> <tr><td>14373</td><td>MKS20-AK24-250</td><td>20</td><td>250</td><td>0,75</td></tr> <tr><td>104359</td><td>MKS20-AK24-300</td><td>20</td><td>300</td><td>0,80</td></tr> <tr><td>106798</td><td>MKS20-AK24-400</td><td>20</td><td>400</td><td>0,85</td></tr> <tr><td>12935</td><td>MKS25-AK24-100</td><td>25</td><td>100</td><td>0,50</td></tr> <tr><td>12936</td><td>MKS25-AK24-125</td><td>25</td><td>125</td><td>0,54</td></tr> <tr><td>12937</td><td>MKS25-AK24-150</td><td>25</td><td>150</td><td>0,58</td></tr> <tr><td>12938</td><td>MKS25-AK24-175</td><td>25</td><td>175</td><td>0,62</td></tr> <tr><td>12939</td><td>MKS25-AK24-200</td><td>25</td><td>200</td><td>0,66</td></tr> <tr><td>12940</td><td>MKS25-AK24-225</td><td>25</td><td>225</td><td>0,70</td></tr> <tr><td>12941</td><td>MKS25-AK24-250</td><td>25</td><td>250</td><td>0,74</td></tr> <tr><td>16630</td><td>MKS25-AK24-300</td><td>25</td><td>300</td><td>0,83</td></tr> <tr><td>16908</td><td>MKS25-AK24-350</td><td>25</td><td>350</td><td>0,91</td></tr> <tr><td>16909</td><td>MKS25-AK24-400</td><td>25</td><td>400</td><td>0,99</td></tr> <tr><td>16910</td><td>MKS25-AK24-450</td><td>25</td><td>450</td><td>1,10</td></tr> <tr><td>16911</td><td>MKS25-AK24-500</td><td>25</td><td>500</td><td>1,15</td></tr> <tr><td>15158</td><td>MKS30-AK24-100</td><td>30</td><td>100</td><td>0,52</td></tr> <tr><td>15159</td><td>MKS30-AK24-125</td><td>30</td><td>125</td><td>0,57</td></tr> <tr><td>15160</td><td>MKS30-AK24-150</td><td>30</td><td>150</td><td>0,62</td></tr> <tr><td>15161</td><td>MKS30-AK24-200</td><td>30</td><td>200</td><td>0,72</td></tr> <tr><td>15162</td><td>MKS30-AK24-250</td><td>30</td><td>250</td><td>0,82</td></tr> <tr><td>104360</td><td>MKS30-AK24-300</td><td>30</td><td>300</td><td>0,92</td></tr> <tr><td>104700</td><td>MKS30-AK24-650</td><td>30</td><td>650</td><td>1,62</td></tr> </tbody> </table>	Part No.	Description	D ₁ [mm]	L ₁ [mm]	m [kg]	14367	MKS20-AK24-100	20	100	0,50	14368	MKS20-AK24-125	20	125	0,55	14369	MKS20-AK24-150	20	150	0,58	14370	MKS20-AK24-175	20	175	0,62	14371	MKS20-AK24-200	20	200	0,66	14372	MKS20-AK24-225	20	225	0,71	14373	MKS20-AK24-250	20	250	0,75	104359	MKS20-AK24-300	20	300	0,80	106798	MKS20-AK24-400	20	400	0,85	12935	MKS25-AK24-100	25	100	0,50	12936	MKS25-AK24-125	25	125	0,54	12937	MKS25-AK24-150	25	150	0,58	12938	MKS25-AK24-175	25	175	0,62	12939	MKS25-AK24-200	25	200	0,66	12940	MKS25-AK24-225	25	225	0,70	12941	MKS25-AK24-250	25	250	0,74	16630	MKS25-AK24-300	25	300	0,83	16908	MKS25-AK24-350	25	350	0,91	16909	MKS25-AK24-400	25	400	0,99	16910	MKS25-AK24-450	25	450	1,10	16911	MKS25-AK24-500	25	500	1,15	15158	MKS30-AK24-100	30	100	0,52	15159	MKS30-AK24-125	30	125	0,57	15160	MKS30-AK24-150	30	150	0,62	15161	MKS30-AK24-200	30	200	0,72	15162	MKS30-AK24-250	30	250	0,82	104360	MKS30-AK24-300	30	300	0,92	104700	MKS30-AK24-650	30	650	1,62
Part No.	Description	D ₁ [mm]	L ₁ [mm]	m [kg]																																																																																																																																																																																																																														
104812	MKS20-AK24-2-D100	20	100	0,24																																																																																																																																																																																																																														
104813	MKS20-AK24-2-D150	20	150	0,30																																																																																																																																																																																																																														
104814	MKS20-AK24-2-D200	20	200	0,35																																																																																																																																																																																																																														
104815	MKS20-AK24-2-D250	20	250	0,40																																																																																																																																																																																																																														
105074	MKS20-AK24-2-D300	20	300	0,46																																																																																																																																																																																																																														
104820	MKS25-AK24-2-D100	25	100	0,26																																																																																																																																																																																																																														
104821	MKS25-AK24-2-D150	25	150	0,32																																																																																																																																																																																																																														
104822	MKS25-AK24-2-D200	25	200	0,40																																																																																																																																																																																																																														
104823	MKS25-AK24-2-D250	25	250	0,47																																																																																																																																																																																																																														
105075	MKS25-AK24-2-D300	25	300	0,54																																																																																																																																																																																																																														
104828	MKS30-AK24-2-D100	30	100	0,28																																																																																																																																																																																																																														
104829	MKS30-AK24-2-D150	30	150	0,37																																																																																																																																																																																																																														
104830	MKS30-AK24-2-D200	30	200	0,45																																																																																																																																																																																																																														
104831	MKS30-AK24-2-D250	30	250	0,54																																																																																																																																																																																																																														
105076	MKS30-AK24-2-D300	30	300	0,62																																																																																																																																																																																																																														
Part No.	Description	D ₁ [mm]	L ₁ [mm]	m [kg]																																																																																																																																																																																																																														
14367	MKS20-AK24-100	20	100	0,50																																																																																																																																																																																																																														
14368	MKS20-AK24-125	20	125	0,55																																																																																																																																																																																																																														
14369	MKS20-AK24-150	20	150	0,58																																																																																																																																																																																																																														
14370	MKS20-AK24-175	20	175	0,62																																																																																																																																																																																																																														
14371	MKS20-AK24-200	20	200	0,66																																																																																																																																																																																																																														
14372	MKS20-AK24-225	20	225	0,71																																																																																																																																																																																																																														
14373	MKS20-AK24-250	20	250	0,75																																																																																																																																																																																																																														
104359	MKS20-AK24-300	20	300	0,80																																																																																																																																																																																																																														
106798	MKS20-AK24-400	20	400	0,85																																																																																																																																																																																																																														
12935	MKS25-AK24-100	25	100	0,50																																																																																																																																																																																																																														
12936	MKS25-AK24-125	25	125	0,54																																																																																																																																																																																																																														
12937	MKS25-AK24-150	25	150	0,58																																																																																																																																																																																																																														
12938	MKS25-AK24-175	25	175	0,62																																																																																																																																																																																																																														
12939	MKS25-AK24-200	25	200	0,66																																																																																																																																																																																																																														
12940	MKS25-AK24-225	25	225	0,70																																																																																																																																																																																																																														
12941	MKS25-AK24-250	25	250	0,74																																																																																																																																																																																																																														
16630	MKS25-AK24-300	25	300	0,83																																																																																																																																																																																																																														
16908	MKS25-AK24-350	25	350	0,91																																																																																																																																																																																																																														
16909	MKS25-AK24-400	25	400	0,99																																																																																																																																																																																																																														
16910	MKS25-AK24-450	25	450	1,10																																																																																																																																																																																																																														
16911	MKS25-AK24-500	25	500	1,15																																																																																																																																																																																																																														
15158	MKS30-AK24-100	30	100	0,52																																																																																																																																																																																																																														
15159	MKS30-AK24-125	30	125	0,57																																																																																																																																																																																																																														
15160	MKS30-AK24-150	30	150	0,62																																																																																																																																																																																																																														
15161	MKS30-AK24-200	30	200	0,72																																																																																																																																																																																																																														
15162	MKS30-AK24-250	30	250	0,82																																																																																																																																																																																																																														
104360	MKS30-AK24-300	30	300	0,92																																																																																																																																																																																																																														
104700	MKS30-AK24-650	30	650	1,62																																																																																																																																																																																																																														

Mounting for Gripper Rail

Description	Part No.
MKSXX-AK126-XXXX	see table

Type: flange with tube






Material: steel



Description	Part No.
MKS20-AK126-1-BXXX	see table

Type: flange with tube

Material: steel




Part No.	Description	D ₁ [mm]	L ₁ [mm]	m [kg]
102516	MKS20-AK126-E100	20	100	0,78
102517	MKS20-AK126-E150	20	150	0,84
102518	MKS20-AK126-E200	20	200	0,90
102519	MKS20-AK126-E300	20	300	1,03
106354	MKS25-AK126-E100	25	100	0,80
106355	MKS25-AK126-E150	25	150	0,88
106356	MKS25-AK126-E200	25	200	0,96
106357	MKS25-AK126-E300	25	300	1,13

Part No.	Description	L ₁ [mm]	m [kg]
106555	MKS20-AK126-1-B075	75	0,22
106472	MKS20-AK126-1-B100	100	0,24
106473	MKS20-AK126-1-B150	150	0,27
106474	MKS20-AK126-1-B200	200	0,31
106475	MKS20-AK126-1-B250	250	0,34

Description	Part No.
MKS20-AK129-XXXX	see table

Type: flange with tube






Material: steel



Description	Part No.
MKS20-AK54-XXX	see table

Type: flange with tube

Material: steel



Part No.	Description	L ₁ [mm]	m [kg]
103380	MKS20-AK129-E150	150	0,74
103036	MKS20-AK129-E180	180	0,78
106864	MKS20-AK129-E275	275	0,90

Part No.	Description	L ₁ [mm]	m [kg]
14322	MKS20-AK54-050	50	0,64
14323	MKS20-AK54-075	75	0,67
14324	MKS20-AK54-100	100	0,70
14325	MKS20-AK54-150	150	0,77
14326	MKS20-AK54-200	200	0,83
14327	MKS20-AK54-250	250	0,89
14328	MKS20-AK54-300	300	0,95
14329	MKS20-AK54-350	350	1,02
14330	MKS20-AK54-400	400	1,08
14331	MKS20-AK54-450	450	1,14
14332	MKS20-AK54-500	500	1,21


Mounting for Gripper Rail

Description		Part No.		Description		Part No.	
MKS20-AK53-XXX	see table			MKSXX-AK93-XXX	see table		
Type: angle with tube				Type: flange with tube angle			
Material: steel				Material: steel			
Part No.	Description	L ₁ [mm]	m [kg]	Part No.	Description	D ₁ [mm]	L ₁ [mm]
14469	MKS20-AK53-100	100	1,28	15565	MKS20-AK93-100	20	100
14470	MKS20-AK53-150	150	1,34	15566	MKS20-AK93-125	20	125
14471	MKS20-AK53-200	200	1,40	15567	MKS20-AK93-150	20	150
14472	MKS20-AK53-250	250	1,47	15568	MKS20-AK93-200	20	200
14473	MKS20-AK53-300	300	1,53	15569	MKS20-AK93-250	20	250
				15570	MKS25-AK93-100	25	100
				15560	MKS25-AK93-125	25	125
				15561	MKS25-AK93-150	25	150
				15562	MKS25-AK93-200	25	200
				15563	MKS25-AK93-250	25	250
				15571	MKS30-AK93-100	30	100
				15572	MKS30-AK93-125	30	125
				15573	MKS30-AK93-150	30	150
				15574	MKS30-AK93-200	30	200
				15575	MKS30-AK93-250	30	250

Description	Part No.
MKS20-AK21-XXX	see table

Type: flange with tube

Material: steel





Part No.	Description	L ₁ [mm]	m [kg]
10703	MKS20-AK21-100	100	0,31
10704	MKS20-AK21-125	125	0,34
10705	MKS20-AK21-150	150	0,37
10706	MKS20-AK21-175	175	0,40
10707	MKS20-AK21-200	200	0,43
10708	MKS20-AK21-225	225	0,46
10709	MKS20-AK21-250	250	0,49

Mounting for Gripper Rail

Description	Part No.	Description	Part No.
MKS30-AK24-KAR	103149	MKS30-AK121-X	see table

Type: flange with clamp seat

Material: steel



Part No.	Description	m [kg]
103149	MKS30-AK24-KAR	0,54

Part No.	Description	H ₁ [mm]	H ₂ [mm]	H ₃ [mm]	m [kg]
101921	MKS30-AK121	110	21,5	25	0,82
102621	MKS30-AK121-1	135	36,5	35	0,97

Description	Part No.	Description	Part No.
MKSXX-AK121	see table	MKS30-AK121-2	103242

Type: flange with clamp seat

Material: steel



Part No.	Description	D ₁ [mm]	L ₁ [mm]	m [kg]
105716	MKS20-AK121	20	63	0,69
101942	MKS25-AK121	25	73	0,77

Part No.	Description	m [kg]
103242	MKS30-AK121-2	0,83

Mounting for Gripper Rail

Description		Part No.		Description		Part No.					
MKSXX-AK05-X-XXX		see table		MKSXX-AK04-XXX		see table					
Type: flange with tube				Type: flange with tube							
Material: steel				Material: steel							
43	9					9	43				
Part No.	Description	D ₁ [mm]	B ₁ [mm]	B ₂ [mm]	B ₃ [mm]	H ₄ [mm]	L ₁ [mm]	m [kg]			
13397	MKS20-AK05-K-100	20	40	130	155	60	100	0,53			
13398	MKS20-AK05-K-150	20	40	130	155	60	150	0,56			
13399	MKS20-AK05-K-200	20	40	130	155	60	200	0,63			
13400	MKS20-AK05-K-250	20	40	130	155	60	250	0,70			
10723	MKS20-AK05-L/R-100	20	40	130	155	95	100	0,54			
10724	MKS20-AK05-L/R-150	20	40	130	155	95	150	0,60			
10725	MKS20-AK05-L/R-200	20	40	130	155	95	200	0,66			
10726	MKS20-AK05-L/R-250	20	40	130	155	95	250	0,74			
15421	MKS25-AK05-K-100	25	45	130	155	62,5	100	0,65			
15422	MKS25-AK05-K-150	25	45	130	155	62,5	150	0,73			
15423	MKS25-AK05-K-200	25	45	130	155	62,5	200	0,81			
15424	MKS25-AK05-K-250	25	45	130	155	62,5	250	0,89			
101238	MKS30-AK05-K-100	30	58	150	180	68	100	0,66			
101239	MKS30-AK05-K-150	30	58	150	180	68	150	0,76			
101240	MKS30-AK05-K-200	30	58	150	180	68	200	0,86			
101241	MKS30-AK05-K-250	30	58	150	180	68	250	0,96			
10731	MKS30-AK05-L/R-100	30	58	150	180	100	100	0,72			
10732	MKS30-AK05-L/R-150	30	58	150	180	100	150	0,82			
10733	MKS30-AK05-L/R-200	30	58	150	180	100	200	0,92			
10734	MKS30-AK05-L/R-250	30	58	150	180	100	250	1,02			

Mounting for Gripper Rail


Description	Part No.	Description	Part No.																																																																																																																																																																																																																																																																																																																																																																																																	
MKSXX-AK04-L/R-XXX	see table	MKSXX-AKXX-XXX	see table																																																																																																																																																																																																																																																																																																																																																																																																	
Type: flange with tube angle		Type: flange with tube																																																																																																																																																																																																																																																																																																																																																																																																		
Material: steel		Material: steel																																																																																																																																																																																																																																																																																																																																																																																																		
																																																																																																																																																																																																																																																																																																																																																																																																				
<table border="1"> <thead> <tr> <th>Part No.</th> <th>Description</th> <th>D₁ [mm]</th> <th>B₁ [mm]</th> <th>L₁ [mm]</th> <th>m [kg]</th> </tr> </thead> <tbody> <tr><td>10687</td><td>MKS20-AK04-L/R-100</td><td>20</td><td>40</td><td>100</td><td>0,55</td></tr> <tr><td>10688</td><td>MKS20-AK04-L/R-150</td><td>20</td><td>40</td><td>150</td><td>0,62</td></tr> <tr><td>10689</td><td>MKS20-AK04-L/R-200</td><td>20</td><td>40</td><td>200</td><td>0,66</td></tr> <tr><td>10690</td><td>MKS20-AK04-L/R-250</td><td>20</td><td>40</td><td>250</td><td>0,72</td></tr> <tr><td>10695</td><td>MKS30-AK04-L/R-100</td><td>30</td><td>50</td><td>100</td><td>0,79</td></tr> <tr><td>10696</td><td>MKS30-AK04-L/R-150</td><td>30</td><td>50</td><td>150</td><td>0,84</td></tr> <tr><td>10697</td><td>MKS30-AK04-L/R-200</td><td>30</td><td>50</td><td>200</td><td>0,89</td></tr> <tr><td>10698</td><td>MKS30-AK04-L/R-250</td><td>30</td><td>50</td><td>250</td><td>1,04</td></tr> <tr><td>100680</td><td>MKS30-AK04-L/R-300</td><td>30</td><td>50</td><td>300</td><td>1,09</td></tr> <tr><td>19985</td><td>MKS30-AK04-L/R-350</td><td>30</td><td>50</td><td>350</td><td>1,14</td></tr> </tbody> </table>	Part No.	Description	D ₁ [mm]	B ₁ [mm]	L ₁ [mm]	m [kg]	10687	MKS20-AK04-L/R-100	20	40	100	0,55	10688	MKS20-AK04-L/R-150	20	40	150	0,62	10689	MKS20-AK04-L/R-200	20	40	200	0,66	10690	MKS20-AK04-L/R-250	20	40	250	0,72	10695	MKS30-AK04-L/R-100	30	50	100	0,79	10696	MKS30-AK04-L/R-150	30	50	150	0,84	10697	MKS30-AK04-L/R-200	30	50	200	0,89	10698	MKS30-AK04-L/R-250	30	50	250	1,04	100680	MKS30-AK04-L/R-300	30	50	300	1,09	19985	MKS30-AK04-L/R-350	30	50	350	1,14		<table border="1"> <thead> <tr> <th>Part No.</th> <th>Description</th> <th>D₁ [mm]</th> <th>B₁ [mm]</th> <th>B₂ [mm]</th> <th>B₃ [mm]</th> <th>L₁ [mm]</th> <th>L₂ [mm]</th> <th>L₃ [mm]</th> <th>T₁ [mm]</th> <th>m [kg]</th> </tr> </thead> <tbody> <tr><td>10699</td><td>MKS20-AK05-100</td><td>20</td><td>40</td><td>130</td><td>155</td><td>100</td><td>43</td><td>9</td><td>8</td><td>0,52</td></tr> <tr><td>10700</td><td>MKS20-AK05-150</td><td>20</td><td>40</td><td>130</td><td>155</td><td>150</td><td>43</td><td>9</td><td>8</td><td>0,58</td></tr> <tr><td>10701</td><td>MKS20-AK05-200</td><td>20</td><td>40</td><td>130</td><td>155</td><td>200</td><td>43</td><td>9</td><td>8</td><td>0,65</td></tr> <tr><td>10702</td><td>MKS20-AK05-250</td><td>20</td><td>40</td><td>130</td><td>155</td><td>250</td><td>43</td><td>9</td><td>8</td><td>0,72</td></tr> <tr><td>101091</td><td>MKS20-AK05-300</td><td>20</td><td>40</td><td>130</td><td>155</td><td>300</td><td>43</td><td>9</td><td>8</td><td>0,78</td></tr> <tr><td>103475</td><td>MKS20-AK05-400</td><td>20</td><td>40</td><td>130</td><td>155</td><td>400</td><td>43</td><td>9</td><td>8</td><td>0,90</td></tr> <tr><td>101174</td><td>MKS20-AK05-1-100</td><td>20</td><td>58</td><td>180</td><td>200</td><td>100</td><td>43</td><td>9</td><td>6</td><td>0,45</td></tr> <tr><td>101175</td><td>MKS20-AK05-1-150</td><td>20</td><td>58</td><td>180</td><td>200</td><td>150</td><td>43</td><td>9</td><td>6</td><td>0,51</td></tr> <tr><td>101176</td><td>MKS20-AK05-1-200</td><td>20</td><td>58</td><td>180</td><td>200</td><td>200</td><td>43</td><td>9</td><td>6</td><td>0,56</td></tr> <tr><td>101177</td><td>MKS20-AK05-1-250</td><td>20</td><td>58</td><td>180</td><td>200</td><td>250</td><td>43</td><td>9</td><td>6</td><td>0,61</td></tr> <tr><td>102226</td><td>MKS20-AK122-E-100</td><td>20</td><td>40</td><td>120</td><td>135</td><td>100</td><td>43</td><td>8,5</td><td>6</td><td>0,36</td></tr> <tr><td>102227</td><td>MKS20-AK122-E-150</td><td>20</td><td>40</td><td>120</td><td>135</td><td>150</td><td>43</td><td>8,5</td><td>6</td><td>0,42</td></tr> <tr><td>102228</td><td>MKS20-AK122-E-200</td><td>20</td><td>40</td><td>120</td><td>135</td><td>200</td><td>43</td><td>8,5</td><td>6</td><td>0,48</td></tr> <tr><td>102229</td><td>MKS20-AK122-E-250</td><td>20</td><td>40</td><td>120</td><td>135</td><td>250</td><td>43</td><td>8,5</td><td>6</td><td>0,54</td></tr> <tr><td>104678</td><td>MKS20-AK133-E-100</td><td>20</td><td>38</td><td>58</td><td>80</td><td>100</td><td>40</td><td>8,5</td><td>6</td><td>0,30</td></tr> <tr><td>10710</td><td>MKS25-AK05-100</td><td>25</td><td>40</td><td>130</td><td>130</td><td>100</td><td>43</td><td>9</td><td>8</td><td>0,57</td></tr> <tr><td>10711</td><td>MKS25-AK05-150</td><td>25</td><td>40</td><td>130</td><td>130</td><td>150</td><td>43</td><td>9</td><td>8</td><td>0,65</td></tr> <tr><td>10712</td><td>MKS25-AK05-200</td><td>25</td><td>40</td><td>130</td><td>130</td><td>200</td><td>43</td><td>9</td><td>8</td><td>0,73</td></tr> <tr><td>10713</td><td>MKS25-AK05-250</td><td>25</td><td>40</td><td>130</td><td>130</td><td>250</td><td>43</td><td>9</td><td>8</td><td>0,81</td></tr> <tr><td>17280</td><td>MKS25-AK05-300</td><td>25</td><td>40</td><td>130</td><td>130</td><td>300</td><td>43</td><td>9</td><td>8</td><td>0,89</td></tr> <tr><td>103476</td><td>MKS25-AK05-400</td><td>25</td><td>40</td><td>130</td><td>130</td><td>400</td><td>43</td><td>9</td><td>8</td><td>1,06</td></tr> <tr><td>10714</td><td>MKS30-AK05-100</td><td>30</td><td>58</td><td>150</td><td>180</td><td>100</td><td>43</td><td>9</td><td>8</td><td>0,70</td></tr> <tr><td>10715</td><td>MKS30-AK05-150</td><td>30</td><td>58</td><td>150</td><td>180</td><td>150</td><td>43</td><td>9</td><td>8</td><td>0,81</td></tr> <tr><td>10716</td><td>MKS30-AK05-200</td><td>30</td><td>58</td><td>150</td><td>180</td><td>200</td><td>43</td><td>9</td><td>8</td><td>0,89</td></tr> <tr><td>10717</td><td>MKS30-AK05-250</td><td>30</td><td>58</td><td>150</td><td>180</td><td>250</td><td>43</td><td>9</td><td>8</td><td>0,99</td></tr> <tr><td>12747</td><td>MKS30-AK05-300</td><td>30</td><td>58</td><td>150</td><td>180</td><td>300</td><td>43</td><td>9</td><td>8</td><td>1,10</td></tr> <tr><td>12748</td><td>MKS30-AK05-350</td><td>30</td><td>58</td><td>150</td><td>180</td><td>350</td><td>43</td><td>9</td><td>8</td><td>1,20</td></tr> <tr><td>12749</td><td>MKS30-AK05-400</td><td>30</td><td>58</td><td>150</td><td>180</td><td>400</td><td>43</td><td>9</td><td>8</td><td>1,30</td></tr> </tbody> </table>	Part No.	Description	D ₁ [mm]	B ₁ [mm]	B ₂ [mm]	B ₃ [mm]	L ₁ [mm]	L ₂ [mm]	L ₃ [mm]	T ₁ [mm]	m [kg]	10699	MKS20-AK05-100	20	40	130	155	100	43	9	8	0,52	10700	MKS20-AK05-150	20	40	130	155	150	43	9	8	0,58	10701	MKS20-AK05-200	20	40	130	155	200	43	9	8	0,65	10702	MKS20-AK05-250	20	40	130	155	250	43	9	8	0,72	101091	MKS20-AK05-300	20	40	130	155	300	43	9	8	0,78	103475	MKS20-AK05-400	20	40	130	155	400	43	9	8	0,90	101174	MKS20-AK05-1-100	20	58	180	200	100	43	9	6	0,45	101175	MKS20-AK05-1-150	20	58	180	200	150	43	9	6	0,51	101176	MKS20-AK05-1-200	20	58	180	200	200	43	9	6	0,56	101177	MKS20-AK05-1-250	20	58	180	200	250	43	9	6	0,61	102226	MKS20-AK122-E-100	20	40	120	135	100	43	8,5	6	0,36	102227	MKS20-AK122-E-150	20	40	120	135	150	43	8,5	6	0,42	102228	MKS20-AK122-E-200	20	40	120	135	200	43	8,5	6	0,48	102229	MKS20-AK122-E-250	20	40	120	135	250	43	8,5	6	0,54	104678	MKS20-AK133-E-100	20	38	58	80	100	40	8,5	6	0,30	10710	MKS25-AK05-100	25	40	130	130	100	43	9	8	0,57	10711	MKS25-AK05-150	25	40	130	130	150	43	9	8	0,65	10712	MKS25-AK05-200	25	40	130	130	200	43	9	8	0,73	10713	MKS25-AK05-250	25	40	130	130	250	43	9	8	0,81	17280	MKS25-AK05-300	25	40	130	130	300	43	9	8	0,89	103476	MKS25-AK05-400	25	40	130	130	400	43	9	8	1,06	10714	MKS30-AK05-100	30	58	150	180	100	43	9	8	0,70	10715	MKS30-AK05-150	30	58	150	180	150	43	9	8	0,81	10716	MKS30-AK05-200	30	58	150	180	200	43	9	8	0,89	10717	MKS30-AK05-250	30	58	150	180	250	43	9	8	0,99	12747	MKS30-AK05-300	30	58	150	180	300	43	9	8	1,10	12748	MKS30-AK05-350	30	58	150	180	350	43	9	8	1,20	12749	MKS30-AK05-400	30	58	150	180	400	43	9	8	1,30	
Part No.	Description	D ₁ [mm]	B ₁ [mm]	L ₁ [mm]	m [kg]																																																																																																																																																																																																																																																																																																																																																																																															
10687	MKS20-AK04-L/R-100	20	40	100	0,55																																																																																																																																																																																																																																																																																																																																																																																															
10688	MKS20-AK04-L/R-150	20	40	150	0,62																																																																																																																																																																																																																																																																																																																																																																																															
10689	MKS20-AK04-L/R-200	20	40	200	0,66																																																																																																																																																																																																																																																																																																																																																																																															
10690	MKS20-AK04-L/R-250	20	40	250	0,72																																																																																																																																																																																																																																																																																																																																																																																															
10695	MKS30-AK04-L/R-100	30	50	100	0,79																																																																																																																																																																																																																																																																																																																																																																																															
10696	MKS30-AK04-L/R-150	30	50	150	0,84																																																																																																																																																																																																																																																																																																																																																																																															
10697	MKS30-AK04-L/R-200	30	50	200	0,89																																																																																																																																																																																																																																																																																																																																																																																															
10698	MKS30-AK04-L/R-250	30	50	250	1,04																																																																																																																																																																																																																																																																																																																																																																																															
100680	MKS30-AK04-L/R-300	30	50	300	1,09																																																																																																																																																																																																																																																																																																																																																																																															
19985	MKS30-AK04-L/R-350	30	50	350	1,14																																																																																																																																																																																																																																																																																																																																																																																															
Part No.	Description	D ₁ [mm]	B ₁ [mm]	B ₂ [mm]	B ₃ [mm]	L ₁ [mm]	L ₂ [mm]	L ₃ [mm]	T ₁ [mm]	m [kg]																																																																																																																																																																																																																																																																																																																																																																																										
10699	MKS20-AK05-100	20	40	130	155	100	43	9	8	0,52																																																																																																																																																																																																																																																																																																																																																																																										
10700	MKS20-AK05-150	20	40	130	155	150	43	9	8	0,58																																																																																																																																																																																																																																																																																																																																																																																										
10701	MKS20-AK05-200	20	40	130	155	200	43	9	8	0,65																																																																																																																																																																																																																																																																																																																																																																																										
10702	MKS20-AK05-250	20	40	130	155	250	43	9	8	0,72																																																																																																																																																																																																																																																																																																																																																																																										
101091	MKS20-AK05-300	20	40	130	155	300	43	9	8	0,78																																																																																																																																																																																																																																																																																																																																																																																										
103475	MKS20-AK05-400	20	40	130	155	400	43	9	8	0,90																																																																																																																																																																																																																																																																																																																																																																																										
101174	MKS20-AK05-1-100	20	58	180	200	100	43	9	6	0,45																																																																																																																																																																																																																																																																																																																																																																																										
101175	MKS20-AK05-1-150	20	58	180	200	150	43	9	6	0,51																																																																																																																																																																																																																																																																																																																																																																																										
101176	MKS20-AK05-1-200	20	58	180	200	200	43	9	6	0,56																																																																																																																																																																																																																																																																																																																																																																																										
101177	MKS20-AK05-1-250	20	58	180	200	250	43	9	6	0,61																																																																																																																																																																																																																																																																																																																																																																																										
102226	MKS20-AK122-E-100	20	40	120	135	100	43	8,5	6	0,36																																																																																																																																																																																																																																																																																																																																																																																										
102227	MKS20-AK122-E-150	20	40	120	135	150	43	8,5	6	0,42																																																																																																																																																																																																																																																																																																																																																																																										
102228	MKS20-AK122-E-200	20	40	120	135	200	43	8,5	6	0,48																																																																																																																																																																																																																																																																																																																																																																																										
102229	MKS20-AK122-E-250	20	40	120	135	250	43	8,5	6	0,54																																																																																																																																																																																																																																																																																																																																																																																										
104678	MKS20-AK133-E-100	20	38	58	80	100	40	8,5	6	0,30																																																																																																																																																																																																																																																																																																																																																																																										
10710	MKS25-AK05-100	25	40	130	130	100	43	9	8	0,57																																																																																																																																																																																																																																																																																																																																																																																										
10711	MKS25-AK05-150	25	40	130	130	150	43	9	8	0,65																																																																																																																																																																																																																																																																																																																																																																																										
10712	MKS25-AK05-200	25	40	130	130	200	43	9	8	0,73																																																																																																																																																																																																																																																																																																																																																																																										
10713	MKS25-AK05-250	25	40	130	130	250	43	9	8	0,81																																																																																																																																																																																																																																																																																																																																																																																										
17280	MKS25-AK05-300	25	40	130	130	300	43	9	8	0,89																																																																																																																																																																																																																																																																																																																																																																																										
103476	MKS25-AK05-400	25	40	130	130	400	43	9	8	1,06																																																																																																																																																																																																																																																																																																																																																																																										
10714	MKS30-AK05-100	30	58	150	180	100	43	9	8	0,70																																																																																																																																																																																																																																																																																																																																																																																										
10715	MKS30-AK05-150	30	58	150	180	150	43	9	8	0,81																																																																																																																																																																																																																																																																																																																																																																																										
10716	MKS30-AK05-200	30	58	150	180	200	43	9	8	0,89																																																																																																																																																																																																																																																																																																																																																																																										
10717	MKS30-AK05-250	30	58	150	180	250	43	9	8	0,99																																																																																																																																																																																																																																																																																																																																																																																										
12747	MKS30-AK05-300	30	58	150	180	300	43	9	8	1,10																																																																																																																																																																																																																																																																																																																																																																																										
12748	MKS30-AK05-350	30	58	150	180	350	43	9	8	1,20																																																																																																																																																																																																																																																																																																																																																																																										
12749	MKS30-AK05-400	30	58	150	180	400	43	9	8	1,30																																																																																																																																																																																																																																																																																																																																																																																										


Mounting for Gripper Rail





Description	Part No.	Description	Part No.
MKS30-AK08-XXX	see table	MKS20-AK139-KAR	106676

Type: flange with 2 tubes

Material: steel









Part No.	Description	L ₁ [mm]
13976	MKS30-AK08-075	75
13977	MKS30-AK08-100	100
13978	MKS30-AK08-150	150
13979	MKS30-AK08-200	200
13980	MKS30-AK08-250	250

Part No.	Description	m [kg]
106676	MKS20-AK139-KAR	0,76

Description	Part No.
MKSXX-AK06-L/R	see table

Type: flange with rod journal

Material: steel




Part No.	Description	D ₁ [mm]	H ₁ [mm]	L ₁ [mm]	L ₂ [mm]	L ₃ [mm]	L ₄ [mm]	m [kg]
12700	MKS30-AK06-L/R	30	76	180	40	152	88	0,86
12236	MKS40-AK06-L/R	40	90	230	45	202	98	1,14

Mounting for Robot Arm

Description	Part No.
MKS60-GRA14-1	15230

Type: for robot, fixed side, with clamp seat






Material: steel



Description	Part No.
MKS60-GRA14-2-AL	107623

Type: for robot, fixed side, with clamp seat

Material: steel



Part No.	Description	m [kg]
15230	MKS60-GRA14-1	5,18

Part No.	Description	m [kg]
107623	MKS60-GRA14-2-AL	1,71

Description	Part No.
MKS60-GRA16	17634

Type: for robot, fixed side, with clamp seat 90°





Material: steel



Description	Part No.
MKS60-GRA14-XX	see table

Type: for robot, fixed side, with clamp seat, light weight design

Material: see table




Part No.	Description	m [kg]
17634	MKS60-GRA16	4,85

Part No.	Description	B ₁ [mm]	m [kg]	Material
14636	MKS60-GRA14	92	3,53	D
15186	MKS60-GRA14-AL	89	1,33	B




Mounting for Robot Arm

Description	Part No.	Description	Part No.
MKS60-GRA15-XX	see table	MKS60-GAKP10	101462

Type: for robot, fixed side, with clamp seat
Material: see table



Type: splitted clamps with plate
Material: material mix





Part No.	Description	B ₁ [mm]	m [kg]	Material
16764	MKS60-GRA15	98	1,57	D
105272	MKS60-GRA15-AL	97	1,03	A






Part No.	Description	m [kg]
101462	MKS60-GAKP10	4,00

Description	Part No.	Description	Part No.
MKS60-GAKP18	15024	MKS40-GAKP10	17829

Type: splitted clamp with plate
Material: material mix



Type: splitted clamps with plate
Material: material mix

Part No.	Description	m [kg]
15024	MKS60-GAKP18	4,50


Part No.	Description	m [kg]
17829	MKS40-GAKP10	2,10

Splitter Clamp and Clamp Fixed

Description	Part No.
MKS60-KS12	19946

Type: for feeder tooling

Material: material mix





Part No.	Description	m [kg]
19946	MKS60-KS12	0,76

Description	Part No.
MKS40-KS17	101832

Type: for suction spider

Material: material mix



Description	Part No.
MKSXX-KS05	see table

Type: for vacuum mounting


Material: steel



Description	Part No.
MKS60-KS02	14794

Type: for gripper arm

Material: steel




Part No.	Description	D ₁ [mm]	H ₁ [mm]	L ₁ [mm]	m [kg]
15088	MKS20-KS05	20	40	40	0,11
15089	MKS25-KS05	25	45	45	0,12
15090	MKS30-KS05	30	50	50	0,14
15195	MKS40-KS05	40	60	65	0,21
15197	MKS60-KS05	60	80	80	0,25

Part No.	Description	m [kg]
14794	MKS60-KS02	2,35


Splitted Clamp and Clamp Fixed

Description	Part No.
MKSXX-RA03	see table

Type: clamp fixed with plate







Material: steel










Part No.	Description	D ₁ [mm]	H ₁ [mm]	B ₁ [mm]	B ₂ [mm]	L ₁ [mm]	L ₂ [mm]	m [kg]
14951	MKS20-RA03	20	35	35	28	19,5	44	0,14
17133	MKS25-RA03	25	40	40	33	24,5	49	0,20
15847	MKS30-RA03	30	45	45	38	24,5	52,5	0,25

T-Connector

Description		Part No.		Description		Part No.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																		
MKSXX/XX-TV03-XXXX	see table	MKS25/25-TV05-XXX	see table																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
Type: with clamp fixed 90°, straight, with tube				Type: with clamp splitted, straight, with tube																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
Material: steel				Material: steel																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																								
<table border="1"> <thead> <tr> <th>Part No.</th> <th>Description</th> <th>D₁ [mm]</th> <th>D₂ [mm]</th> <th>B₁ [mm]</th> <th>L₁ [mm]</th> <th>L₂ [mm]</th> <th>T₁ [mm]</th> <th>m [kg]</th> </tr> </thead> <tbody> <tr><td>10007</td><td>MKS20/20-TV03-100</td><td>20</td><td>20</td><td>28</td><td>100</td><td>22</td><td>2,5</td><td>0,19</td></tr> <tr><td>10009</td><td>MKS20/20-TV03-200</td><td>20</td><td>20</td><td>28</td><td>200</td><td>22</td><td>2,5</td><td>0,24</td></tr> <tr><td>10011</td><td>MKS20/20-TV03-300</td><td>20</td><td>20</td><td>28</td><td>300</td><td>22</td><td>2,5</td><td>0,40</td></tr> <tr><td>10013</td><td>MKS20/20-TV03-400</td><td>20</td><td>20</td><td>28</td><td>400</td><td>22</td><td>2,5</td><td>0,50</td></tr> <tr><td>10015</td><td>MKS20/20-TV03-500</td><td>20</td><td>20</td><td>28</td><td>500</td><td>22</td><td>2,5</td><td>0,61</td></tr> <tr><td>10017</td><td>MKS20/20-TV03-600</td><td>20</td><td>20</td><td>28</td><td>600</td><td>22</td><td>2,5</td><td>0,73</td></tr> <tr><td>11990</td><td>MKS25/20-TV03-D100</td><td>25</td><td>20</td><td>33</td><td>100</td><td>24,5</td><td>2,5</td><td>0,22</td></tr> <tr><td>11992</td><td>MKS25/20-TV03-D200</td><td>25</td><td>20</td><td>33</td><td>200</td><td>24,5</td><td>2,5</td><td>0,32</td></tr> <tr><td>11994</td><td>MKS25/20-TV03-D300</td><td>25</td><td>20</td><td>33</td><td>300</td><td>24,5</td><td>2,5</td><td>0,44</td></tr> <tr><td>11996</td><td>MKS25/20-TV03-D400</td><td>25</td><td>20</td><td>33</td><td>400</td><td>24,5</td><td>2,5</td><td>0,54</td></tr> <tr><td>11998</td><td>MKS25/20-TV03-D500</td><td>25</td><td>20</td><td>33</td><td>500</td><td>24,5</td><td>2,5</td><td>0,65</td></tr> <tr><td>12000</td><td>MKS25/20-TV03-D600</td><td>25</td><td>20</td><td>33</td><td>600</td><td>24,5</td><td>2,5</td><td>0,76</td></tr> <tr><td>10019</td><td>MKS25/25-TV03-100</td><td>25</td><td>25</td><td>33</td><td>100</td><td>24,5</td><td>2,5</td><td>0,25</td></tr> <tr><td>10021</td><td>MKS25/25-TV03-200</td><td>25</td><td>25</td><td>33</td><td>200</td><td>24,5</td><td>2,5</td><td>0,39</td></tr> <tr><td>10023</td><td>MKS25/25-TV03-300</td><td>25</td><td>25</td><td>33</td><td>300</td><td>24,5</td><td>2,5</td><td>0,53</td></tr> <tr><td>10025</td><td>MKS25/25-TV03-400</td><td>25</td><td>25</td><td>33</td><td>400</td><td>24,5</td><td>2,5</td><td>0,67</td></tr> <tr><td>10027</td><td>MKS25/25-TV03-500</td><td>25</td><td>25</td><td>33</td><td>500</td><td>24,5</td><td>2,5</td><td>0,81</td></tr> <tr><td>10029</td><td>MKS25/25-TV03-600</td><td>25</td><td>25</td><td>33</td><td>600</td><td>24,5</td><td>2,5</td><td>0,95</td></tr> <tr><td>103452</td><td>MKS25/25-TV03-700</td><td>25</td><td>25</td><td>33</td><td>700</td><td>24,5</td><td>2,5</td><td>1,09</td></tr> <tr><td>10031</td><td>MKS30/20-TV03-100</td><td>30</td><td>20</td><td>38</td><td>100</td><td>27</td><td>2,5</td><td>0,26</td></tr> <tr><td>10033</td><td>MKS30/20-TV03-200</td><td>30</td><td>20</td><td>38</td><td>200</td><td>27</td><td>2,5</td><td>0,37</td></tr> <tr><td>10035</td><td>MKS30/20-TV03-300</td><td>30</td><td>20</td><td>38</td><td>300</td><td>27</td><td>2,5</td><td>0,48</td></tr> <tr><td>10037</td><td>MKS30/20-TV03-400</td><td>30</td><td>20</td><td>38</td><td>400</td><td>27</td><td>2,5</td><td>0,58</td></tr> <tr><td>10039</td><td>MKS30/20-TV03-500</td><td>30</td><td>20</td><td>38</td><td>500</td><td>27</td><td>2,5</td><td>0,71</td></tr> <tr><td>10041</td><td>MKS30/20-TV03-600</td><td>30</td><td>20</td><td>38</td><td>600</td><td>27</td><td>2,5</td><td>0,80</td></tr> <tr><td>10043</td><td>MKS30/25-TV03-100</td><td>30</td><td>25</td><td>38</td><td>100</td><td>27</td><td>2,5</td><td>0,29</td></tr> <tr><td>10045</td><td>MKS30/25-TV03-200</td><td>30</td><td>25</td><td>38</td><td>200</td><td>27</td><td>2,5</td><td>0,43</td></tr> <tr><td>10047</td><td>MKS30/25-TV03-300</td><td>30</td><td>25</td><td>38</td><td>300</td><td>27</td><td>2,5</td><td>0,56</td></tr> <tr><td>10049</td><td>MKS30/25-TV03-400</td><td>30</td><td>25</td><td>38</td><td>400</td><td>27</td><td>2,5</td><td>0,70</td></tr> <tr><td>10051</td><td>MKS30/25-TV03-500</td><td>30</td><td>25</td><td>38</td><td>500</td><td>27</td><td>2,5</td><td>0,84</td></tr> <tr><td>10053</td><td>MKS30/25-TV03-600</td><td>30</td><td>25</td><td>38</td><td>600</td><td>27</td><td>2,5</td><td>0,98</td></tr> <tr><td>10055</td><td>MKS30/30-TV03-100</td><td>30</td><td>30</td><td>38</td><td>100</td><td>27</td><td>2,5</td><td>0,31</td></tr> <tr><td>10057</td><td>MKS30/30-TV03-200</td><td>30</td><td>30</td><td>38</td><td>200</td><td>27</td><td>2,5</td><td>0,48</td></tr> <tr><td>10059</td><td>MKS30/30-TV03-300</td><td>30</td><td>30</td><td>38</td><td>300</td><td>27</td><td>2,5</td><td>0,65</td></tr> <tr><td>10061</td><td>MKS30/30-TV03-400</td><td>30</td><td>30</td><td>38</td><td>400</td><td>27</td><td>2,5</td><td>0,82</td></tr> <tr><td>10063</td><td>MKS30/30-TV03-500</td><td>30</td><td>30</td><td>38</td><td>500</td><td>27</td><td>2,5</td><td>1,00</td></tr> <tr><td>10065</td><td>MKS30/30-TV03-600</td><td>30</td><td>30</td><td>38</td><td>600</td><td>27</td><td>2,5</td><td>1,16</td></tr> <tr><td>106110</td><td>MKS30/30-TV03-C100</td><td>30</td><td>30</td><td>38</td><td>100</td><td>27</td><td>2</td><td>0,28</td></tr> <tr><td>106114</td><td>MKS30/30-TV03-C200</td><td>30</td><td>30</td><td>38</td><td>200</td><td>27</td><td>2</td><td>0,42</td></tr> <tr><td>106116</td><td>MKS30/30-TV03-C300</td><td>30</td><td>30</td><td>38</td><td>300</td><td>27</td><td>2</td><td>0,56</td></tr> <tr><td>106118</td><td>MKS30/30-TV03-C400</td><td>30</td><td>30</td><td>38</td><td>400</td><td>27</td><td>2</td><td>0,70</td></tr> <tr><td>106120</td><td>MKS30/30-TV03-C500</td><td>30</td><td>30</td><td>38</td><td>500</td><td>27</td><td>2</td><td>0,83</td></tr> <tr><td>10067</td><td>MKS40/25-TV03-100</td><td>40</td><td>25</td><td>40</td><td>100</td><td>32</td><td>2,5</td><td>0,35</td></tr> <tr><td>10069</td><td>MKS40/25-TV03-200</td><td>40</td><td>25</td><td>40</td><td>200</td><td>32</td><td>2,5</td><td>0,43</td></tr> <tr><td>10071</td><td>MKS40/25-TV03-300</td><td>40</td><td>25</td><td>40</td><td>300</td><td>32</td><td>2,5</td><td>0,55</td></tr> <tr><td>10073</td><td>MKS40/25-TV03-400</td><td>40</td><td>25</td><td>40</td><td>400</td><td>32</td><td>2,5</td><td>0,67</td></tr> <tr><td>10075</td><td>MKS40/25-TV03-500</td><td>40</td><td>25</td><td>40</td><td>500</td><td>32</td><td>2,5</td><td>0,89</td></tr> <tr><td>10077</td><td>MKS40/25-TV03-600</td><td>40</td><td>25</td><td>40</td><td>600</td><td>32</td><td>2,5</td><td>0,98</td></tr> <tr><td>10079</td><td>MKS40/30-TV03-100</td><td>40</td><td>30</td><td>40</td><td>100</td><td>32</td><td>2,5</td><td>0,25</td></tr> <tr><td>10081</td><td>MKS40/30-TV03-200</td><td>40</td><td>30</td><td>40</td><td>200</td><td>32</td><td>2,5</td><td>0,46</td></tr> <tr><td>10083</td><td>MKS40/30-TV03-300</td><td>40</td><td>30</td><td>40</td><td>300</td><td>32</td><td>2,5</td><td>0,67</td></tr> <tr><td>10085</td><td>MKS40/30-TV03-400</td><td>40</td><td>30</td><td>40</td><td>400</td><td>32</td><td>2,5</td><td>0,88</td></tr> <tr><td>10087</td><td>MKS40/30-TV03-500</td><td>40</td><td>30</td><td>40</td><td>500</td><td>32</td><td>2,5</td><td>1,05</td></tr> <tr><td>10089</td><td>MKS40/30-TV03-600</td><td>40</td><td>30</td><td>40</td><td>600</td><td>32</td><td>2,5</td><td>1,22</td></tr> <tr><td>13577</td><td>MKS40/30-TV03-800</td><td>40</td><td>30</td><td>40</td><td>800</td><td>32</td><td>2,5</td><td>1,51</td></tr> </tbody> </table>	Part No.	Description	D ₁ [mm]	D ₂ [mm]	B ₁ [mm]	L ₁ [mm]	L ₂ [mm]	T ₁ [mm]	m [kg]	10007	MKS20/20-TV03-100	20	20	28	100	22	2,5	0,19	10009	MKS20/20-TV03-200	20	20	28	200	22	2,5	0,24	10011	MKS20/20-TV03-300	20	20	28	300	22	2,5	0,40	10013	MKS20/20-TV03-400	20	20	28	400	22	2,5	0,50	10015	MKS20/20-TV03-500	20	20	28	500	22	2,5	0,61	10017	MKS20/20-TV03-600	20	20	28	600	22	2,5	0,73	11990	MKS25/20-TV03-D100	25	20	33	100	24,5	2,5	0,22	11992	MKS25/20-TV03-D200	25	20	33	200	24,5	2,5	0,32	11994	MKS25/20-TV03-D300	25	20	33	300	24,5	2,5	0,44	11996	MKS25/20-TV03-D400	25	20	33	400	24,5	2,5	0,54	11998	MKS25/20-TV03-D500	25	20	33	500	24,5	2,5	0,65	12000	MKS25/20-TV03-D600	25	20	33	600	24,5	2,5	0,76	10019	MKS25/25-TV03-100	25	25	33	100	24,5	2,5	0,25	10021	MKS25/25-TV03-200	25	25	33	200	24,5	2,5	0,39	10023	MKS25/25-TV03-300	25	25	33	300	24,5	2,5	0,53	10025	MKS25/25-TV03-400	25	25	33	400	24,5	2,5	0,67	10027	MKS25/25-TV03-500	25	25	33	500	24,5	2,5	0,81	10029	MKS25/25-TV03-600	25	25	33	600	24,5	2,5	0,95	103452	MKS25/25-TV03-700	25	25	33	700	24,5	2,5	1,09	10031	MKS30/20-TV03-100	30	20	38	100	27	2,5	0,26	10033	MKS30/20-TV03-200	30	20	38	200	27	2,5	0,37	10035	MKS30/20-TV03-300	30	20	38	300	27	2,5	0,48	10037	MKS30/20-TV03-400	30	20	38	400	27	2,5	0,58	10039	MKS30/20-TV03-500	30	20	38	500	27	2,5	0,71	10041	MKS30/20-TV03-600	30	20	38	600	27	2,5	0,80	10043	MKS30/25-TV03-100	30	25	38	100	27	2,5	0,29	10045	MKS30/25-TV03-200	30	25	38	200	27	2,5	0,43	10047	MKS30/25-TV03-300	30	25	38	300	27	2,5	0,56	10049	MKS30/25-TV03-400	30	25	38	400	27	2,5	0,70	10051	MKS30/25-TV03-500	30	25	38	500	27	2,5	0,84	10053	MKS30/25-TV03-600	30	25	38	600	27	2,5	0,98	10055	MKS30/30-TV03-100	30	30	38	100	27	2,5	0,31	10057	MKS30/30-TV03-200	30	30	38	200	27	2,5	0,48	10059	MKS30/30-TV03-300	30	30	38	300	27	2,5	0,65	10061	MKS30/30-TV03-400	30	30	38	400	27	2,5	0,82	10063	MKS30/30-TV03-500	30	30	38	500	27	2,5	1,00	10065	MKS30/30-TV03-600	30	30	38	600	27	2,5	1,16	106110	MKS30/30-TV03-C100	30	30	38	100	27	2	0,28	106114	MKS30/30-TV03-C200	30	30	38	200	27	2	0,42	106116	MKS30/30-TV03-C300	30	30	38	300	27	2	0,56	106118	MKS30/30-TV03-C400	30	30	38	400	27	2	0,70	106120	MKS30/30-TV03-C500	30	30	38	500	27	2	0,83	10067	MKS40/25-TV03-100	40	25	40	100	32	2,5	0,35	10069	MKS40/25-TV03-200	40	25	40	200	32	2,5	0,43	10071	MKS40/25-TV03-300	40	25	40	300	32	2,5	0,55	10073	MKS40/25-TV03-400	40	25	40	400	32	2,5	0,67	10075	MKS40/25-TV03-500	40	25	40	500	32	2,5	0,89	10077	MKS40/25-TV03-600	40	25	40	600	32	2,5	0,98	10079	MKS40/30-TV03-100	40	30	40	100	32	2,5	0,25	10081	MKS40/30-TV03-200	40	30	40	200	32	2,5	0,46	10083	MKS40/30-TV03-300	40	30	40	300	32	2,5	0,67	10085	MKS40/30-TV03-400	40	30	40	400	32	2,5	0,88	10087	MKS40/30-TV03-500	40	30	40	500	32	2,5	1,05	10089	MKS40/30-TV03-600	40	30	40	600	32	2,5	1,22	13577	MKS40/30-TV03-800	40	30	40	800	32	2,5	1,51
Part No.	Description	D ₁ [mm]	D ₂ [mm]	B ₁ [mm]	L ₁ [mm]	L ₂ [mm]	T ₁ [mm]	m [kg]																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
10007	MKS20/20-TV03-100	20	20	28	100	22	2,5	0,19																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
10009	MKS20/20-TV03-200	20	20	28	200	22	2,5	0,24																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
10011	MKS20/20-TV03-300	20	20	28	300	22	2,5	0,40																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
10013	MKS20/20-TV03-400	20	20	28	400	22	2,5	0,50																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
10015	MKS20/20-TV03-500	20	20	28	500	22	2,5	0,61																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
10017	MKS20/20-TV03-600	20	20	28	600	22	2,5	0,73																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
11990	MKS25/20-TV03-D100	25	20	33	100	24,5	2,5	0,22																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
11992	MKS25/20-TV03-D200	25	20	33	200	24,5	2,5	0,32																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
11994	MKS25/20-TV03-D300	25	20	33	300	24,5	2,5	0,44																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
11996	MKS25/20-TV03-D400	25	20	33	400	24,5	2,5	0,54																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
11998	MKS25/20-TV03-D500	25	20	33	500	24,5	2,5	0,65																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
12000	MKS25/20-TV03-D600	25	20	33	600	24,5	2,5	0,76																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
10019	MKS25/25-TV03-100	25	25	33	100	24,5	2,5	0,25																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
10021	MKS25/25-TV03-200	25	25	33	200	24,5	2,5	0,39																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
10023	MKS25/25-TV03-300	25	25	33	300	24,5	2,5	0,53																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
10025	MKS25/25-TV03-400	25	25	33	400	24,5	2,5	0,67																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
10027	MKS25/25-TV03-500	25	25	33	500	24,5	2,5	0,81																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
10029	MKS25/25-TV03-600	25	25	33	600	24,5	2,5	0,95																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
103452	MKS25/25-TV03-700	25	25	33	700	24,5	2,5	1,09																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
10031	MKS30/20-TV03-100	30	20	38	100	27	2,5	0,26																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
10033	MKS30/20-TV03-200	30	20	38	200	27	2,5	0,37																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
10035	MKS30/20-TV03-300	30	20	38	300	27	2,5	0,48																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
10037	MKS30/20-TV03-400	30	20	38	400	27	2,5	0,58																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
10039	MKS30/20-TV03-500	30	20	38	500	27	2,5	0,71																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
10041	MKS30/20-TV03-600	30	20	38	600	27	2,5	0,80																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
10043	MKS30/25-TV03-100	30	25	38	100	27	2,5	0,29																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
10045	MKS30/25-TV03-200	30	25	38	200	27	2,5	0,43																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
10047	MKS30/25-TV03-300	30	25	38	300	27	2,5	0,56																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
10049	MKS30/25-TV03-400	30	25	38	400	27	2,5	0,70																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
10051	MKS30/25-TV03-500	30	25	38	500	27	2,5	0,84																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
10053	MKS30/25-TV03-600	30	25	38	600	27	2,5	0,98																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
10055	MKS30/30-TV03-100	30	30	38	100	27	2,5	0,31																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
10057	MKS30/30-TV03-200	30	30	38	200	27	2,5	0,48																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
10059	MKS30/30-TV03-300	30	30	38	300	27	2,5	0,65																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
10061	MKS30/30-TV03-400	30	30	38	400	27	2,5	0,82																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
10063	MKS30/30-TV03-500	30	30	38	500	27	2,5	1,00																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
10065	MKS30/30-TV03-600	30	30	38	600	27	2,5	1,16																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
106110	MKS30/30-TV03-C100	30	30	38	100	27	2	0,28																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
106114	MKS30/30-TV03-C200	30	30	38	200	27	2	0,42																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
106116	MKS30/30-TV03-C300	30	30	38	300	27	2	0,56																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
106118	MKS30/30-TV03-C400	30	30	38	400	27	2	0,70																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
106120	MKS30/30-TV03-C500	30	30	38	500	27	2	0,83																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
10067	MKS40/25-TV03-100	40	25	40	100	32	2,5	0,35																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
10069	MKS40/25-TV03-200	40	25	40	200	32	2,5	0,43																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
10071	MKS40/25-TV03-300	40	25	40	300	32	2,5	0,55																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
10073	MKS40/25-TV03-400	40	25	40	400	32	2,5	0,67																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
10075	MKS40/25-TV03-500	40	25	40	500	32	2,5	0,89																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
10077	MKS40/25-TV03-600	40	25	40	600	32	2,5	0,98																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
10079	MKS40/30-TV03-100	40	30	40	100	32	2,5	0,25																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
10081	MKS40/30-TV03-200	40	30	40	200	32	2,5	0,46																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
10083	MKS40/30-TV03-300	40	30	40	300	32	2,5	0,67																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
10085	MKS40/30-TV03-400	40	30	40	400	32	2,5	0,88																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
10087	MKS40/30-TV03-500	40	30	40	500	32	2,5	1,05																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
10089	MKS40/30-TV03-600	40	30	40	600	32	2,5	1,22																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
13577	MKS40/30-TV03-800	40	30	40	800	32	2,5	1,51																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																

T-Connector


Description		Part No.		Description		Part No.																																																																																																																																																																																																																																																																																																																																																																						
MKS25/25-TV11-XX°-L see table		MKS25/25-TV11-XX°-R see table																																																																																																																																																																																																																																																																																																																																																																										
Type: with hinged clamp, left, clamp seat				Type: with hinged clamp, right, clamp seat																																																																																																																																																																																																																																																																																																																																																																								
Material: steel				Material: steel																																																																																																																																																																																																																																																																																																																																																																								
																																																																																																																																																																																																																																																																																																																																																																												
<table border="1"> <thead> <tr> <th>Part No.</th> <th>Description</th> <th>B₁ [mm]</th> <th>L_F [mm]</th> <th>L₂ [mm]</th> <th>α [°]</th> <th>m [kg]</th> </tr> </thead> <tbody> <tr> <td>14232</td> <td>MKS25/25-TV11-30°-L</td> <td>59</td> <td>106</td> <td>58</td> <td>30</td> <td>0,41</td> </tr> <tr> <td>14234</td> <td>MKS25/25-TV11-45°-L</td> <td>69,4</td> <td>103</td> <td>55,6</td> <td>45</td> <td>0,40</td> </tr> <tr> <td>100265</td> <td>MKS25/25-TV11-60°-L</td> <td>66,5</td> <td>96</td> <td>52</td> <td>60</td> <td>0,30</td> </tr> </tbody> </table>	Part No.	Description	B ₁ [mm]	L _F [mm]	L ₂ [mm]	α [°]	m [kg]	14232	MKS25/25-TV11-30°-L	59	106	58	30	0,41	14234	MKS25/25-TV11-45°-L	69,4	103	55,6	45	0,40	100265	MKS25/25-TV11-60°-L	66,5	96	52	60	0,30		<table border="1"> <thead> <tr> <th>Part No.</th> <th>Description</th> <th>B₁ [mm]</th> <th>L_F [mm]</th> <th>L₂ [mm]</th> <th>α [°]</th> <th>m [kg]</th> </tr> </thead> <tbody> <tr> <td>14233</td> <td>MKS25/25-TV11-30°-R</td> <td>59</td> <td>106</td> <td>58</td> <td>30</td> <td>0,41</td> </tr> <tr> <td>14235</td> <td>MKS25/25-TV11-45°-R</td> <td>69,4</td> <td>103</td> <td>55,6</td> <td>45</td> <td>0,40</td> </tr> <tr> <td>100266</td> <td>MKS25/25-TV11-60°-R</td> <td>66,5</td> <td>96</td> <td>52</td> <td>60</td> <td>0,30</td> </tr> </tbody> </table>	Part No.	Description	B ₁ [mm]	L _F [mm]	L ₂ [mm]	α [°]	m [kg]	14233	MKS25/25-TV11-30°-R	59	106	58	30	0,41	14235	MKS25/25-TV11-45°-R	69,4	103	55,6	45	0,40	100266	MKS25/25-TV11-60°-R	66,5	96	52	60	0,30																																																																																																																																																																																																																																																																																																																		
Part No.	Description	B ₁ [mm]	L _F [mm]	L ₂ [mm]	α [°]	m [kg]																																																																																																																																																																																																																																																																																																																																																																						
14232	MKS25/25-TV11-30°-L	59	106	58	30	0,41																																																																																																																																																																																																																																																																																																																																																																						
14234	MKS25/25-TV11-45°-L	69,4	103	55,6	45	0,40																																																																																																																																																																																																																																																																																																																																																																						
100265	MKS25/25-TV11-60°-L	66,5	96	52	60	0,30																																																																																																																																																																																																																																																																																																																																																																						
Part No.	Description	B ₁ [mm]	L _F [mm]	L ₂ [mm]	α [°]	m [kg]																																																																																																																																																																																																																																																																																																																																																																						
14233	MKS25/25-TV11-30°-R	59	106	58	30	0,41																																																																																																																																																																																																																																																																																																																																																																						
14235	MKS25/25-TV11-45°-R	69,4	103	55,6	45	0,40																																																																																																																																																																																																																																																																																																																																																																						
100266	MKS25/25-TV11-60°-R	66,5	96	52	60	0,30																																																																																																																																																																																																																																																																																																																																																																						
Description		Part No.		Description		Part No.																																																																																																																																																																																																																																																																																																																																																																						
MKSXX/XX-TV11-XXXX see table		MKSXX/XX-TV11-XX°-L-XXXX see table																																																																																																																																																																																																																																																																																																																																																																										
Type: with hinged clamp splitted, straight, with clamp seat				Type: with hinged clamp splitted, left, with clamp seat																																																																																																																																																																																																																																																																																																																																																																								
Material: hybrid				Material: hybrid																																																																																																																																																																																																																																																																																																																																																																								
																																																																																																																																																																																																																																																																																																																																																																												
<table border="1"> <thead> <tr> <th>Part No.</th> <th>Description</th> <th>D₁ [mm]</th> <th>D₂ [mm]</th> <th>H₁ [mm]</th> <th>H₂ [mm]</th> <th>H₃ [mm]</th> <th>B₁ [mm]</th> <th>B₂ [mm]</th> <th>B₃ [mm]</th> <th>L_F [mm]</th> <th>L₂ [mm]</th> <th>m [kg]</th> </tr> </thead> <tbody> <tr> <td>16790</td> <td>MKS30/20-TV11</td> <td>30</td> <td>20</td> <td>48</td> <td>34</td> <td>26</td> <td>41</td> <td>35</td> <td>6</td> <td>72,5</td> <td>27</td> <td>0,26</td> </tr> <tr> <td>107290</td> <td>MKS30/20-TV11-OGRE</td> <td>30</td> <td>20</td> <td>48</td> <td>34</td> <td>26</td> <td>41</td> <td>35</td> <td>6</td> <td>72,5</td> <td>27</td> <td>0,26</td> </tr> <tr> <td>101565</td> <td>MKS40/20-TV11</td> <td>40</td> <td>20</td> <td>62</td> <td>35</td> <td>26</td> <td>41</td> <td>35</td> <td>6</td> <td>85</td> <td>32</td> <td>0,34</td> </tr> <tr> <td>106951</td> <td>MKS40/20-TV11-1</td> <td>40</td> <td>20</td> <td>62</td> <td>35</td> <td>26</td> <td>41</td> <td>35</td> <td>6</td> <td>85</td> <td>32</td> <td>0,34</td> </tr> <tr> <td>101468</td> <td>MKS30/25-TV11</td> <td>30</td> <td>25</td> <td>50</td> <td>38</td> <td>31</td> <td>44,5</td> <td>41</td> <td>3,5</td> <td>80</td> <td>27</td> <td>0,26</td> </tr> <tr> <td>104141</td> <td>MKS30/25-TV11-OGRE</td> <td>30</td> <td>25</td> <td>50</td> <td>38</td> <td>31</td> <td>44,5</td> <td>41</td> <td>3,5</td> <td>80</td> <td>27</td> <td>0,26</td> </tr> <tr> <td>12560</td> <td>MKS40/25-TV11</td> <td>40</td> <td>25</td> <td>58</td> <td>38</td> <td>31</td> <td>37,5</td> <td>44,5</td> <td>3,5</td> <td>85</td> <td>32</td> <td>0,34</td> </tr> <tr> <td>104872</td> <td>MKS40/25-TV11-OGRE</td> <td>40</td> <td>25</td> <td>58</td> <td>38</td> <td>31</td> <td>37,5</td> <td>44,5</td> <td>3,5</td> <td>85</td> <td>32</td> <td>0,34</td> </tr> <tr> <td>102741</td> <td>MKS40/40-TV11</td> <td>40</td> <td>40</td> <td>58</td> <td>49</td> <td>46</td> <td>55</td> <td>-</td> <td>-</td> <td>85</td> <td>32</td> <td>0,37</td> </tr> </tbody> </table>	Part No.	Description	D ₁ [mm]	D ₂ [mm]	H ₁ [mm]	H ₂ [mm]	H ₃ [mm]	B ₁ [mm]	B ₂ [mm]	B ₃ [mm]	L _F [mm]	L ₂ [mm]	m [kg]	16790	MKS30/20-TV11	30	20	48	34	26	41	35	6	72,5	27	0,26	107290	MKS30/20-TV11-OGRE	30	20	48	34	26	41	35	6	72,5	27	0,26	101565	MKS40/20-TV11	40	20	62	35	26	41	35	6	85	32	0,34	106951	MKS40/20-TV11-1	40	20	62	35	26	41	35	6	85	32	0,34	101468	MKS30/25-TV11	30	25	50	38	31	44,5	41	3,5	80	27	0,26	104141	MKS30/25-TV11-OGRE	30	25	50	38	31	44,5	41	3,5	80	27	0,26	12560	MKS40/25-TV11	40	25	58	38	31	37,5	44,5	3,5	85	32	0,34	104872	MKS40/25-TV11-OGRE	40	25	58	38	31	37,5	44,5	3,5	85	32	0,34	102741	MKS40/40-TV11	40	40	58	49	46	55	-	-	85	32	0,37		<table border="1"> <thead> <tr> <th>Art.-Nr.</th> <th>Description</th> <th>D₁ [mm]</th> <th>D₂ [mm]</th> <th>H₁ [mm]</th> <th>H₂ [mm]</th> <th>H₃ [mm]</th> <th>B₁ [mm]</th> <th>B₂ [mm]</th> <th>B₃ [mm]</th> <th>B₄ [mm]</th> <th>L_F [mm]</th> <th>L₂ [mm]</th> <th>α [°]</th> <th>m [kg]</th> </tr> </thead> <tbody> <tr> <td>107286</td> <td>MKS30/20-TV11-30°-L-OGRE</td> <td>30</td> <td>20</td> <td>53,5</td> <td>38,5</td> <td>31</td> <td>61</td> <td>41</td> <td>1</td> <td>37</td> <td>128,5</td> <td>50</td> <td>30</td> <td>0,36</td> </tr> <tr> <td>107288</td> <td>MKS30/20-TV11-45°-L-OGRE</td> <td>30</td> <td>20</td> <td>50,5</td> <td>38,5</td> <td>31</td> <td>70,6</td> <td>41</td> <td>3</td> <td>37</td> <td>124</td> <td>46,5</td> <td>45</td> <td>0,35</td> </tr> <tr> <td>101566</td> <td>MKS40/20-TV11-30°-L</td> <td>40</td> <td>20</td> <td>63</td> <td>35</td> <td>26</td> <td>60</td> <td>34,5</td> <td>5</td> <td>37</td> <td>136</td> <td>51</td> <td>30</td> <td>0,31</td> </tr> <tr> <td>106952</td> <td>MKS40/20-TV11-30°-L-1</td> <td>40</td> <td>20</td> <td>63</td> <td>35</td> <td>26</td> <td>60</td> <td>34,5</td> <td>5</td> <td>37</td> <td>136</td> <td>51</td> <td>30</td> <td>0,31</td> </tr> <tr> <td>101568</td> <td>MKS40/20-TV11-45°-L</td> <td>40</td> <td>20</td> <td>63</td> <td>35</td> <td>26</td> <td>69,5</td> <td>35</td> <td>3</td> <td>37</td> <td>131</td> <td>42</td> <td>45</td> <td>0,31</td> </tr> <tr> <td>106954</td> <td>MKS40/20-TV11-45°-L-1</td> <td>40</td> <td>20</td> <td>63</td> <td>35</td> <td>26</td> <td>69,5</td> <td>35</td> <td>3</td> <td>37</td> <td>131</td> <td>42</td> <td>45</td> <td>0,31</td> </tr> <tr> <td>105688</td> <td>MKS30/25-TV11-15°-L-OGRE</td> <td>30</td> <td>25</td> <td>53</td> <td>37,5</td> <td>31</td> <td>48,5</td> <td>41</td> <td>1,5</td> <td>37</td> <td>127</td> <td>50</td> <td>15</td> <td>0,32</td> </tr> <tr> <td>104169</td> <td>MKS30/25-TV11-30°-L-OGRE</td> <td>30</td> <td>25</td> <td>53</td> <td>37,5</td> <td>31</td> <td>60,5</td> <td>41</td> <td>1</td> <td>37</td> <td>128,5</td> <td>50</td> <td>30</td> <td>0,33</td> </tr> <tr> <td>104171</td> <td>MKS30/25-TV11-45°-L-OGRE</td> <td>30</td> <td>25</td> <td>53</td> <td>37,5</td> <td>31</td> <td>100,5</td> <td>41</td> <td>3</td> <td>37</td> <td>124,5</td> <td>46,5</td> <td>45</td> <td>0,3</td> </tr> <tr> <td>106806</td> <td>MKS40/25-TV11-15°-L-OGRE</td> <td>40</td> <td>25</td> <td>58</td> <td>38</td> <td>31</td> <td>48,5</td> <td>41</td> <td>2</td> <td>37</td> <td>138,5</td> <td>50</td> <td>15</td> <td>0,36</td> </tr> <tr> <td>100921</td> <td>MKS40/25-TV11-30°-L</td> <td>40</td> <td>25</td> <td>58</td> <td>38</td> <td>31</td> <td>61,5</td> <td>41</td> <td>2</td> <td>37</td> <td>138</td> <td>49</td> <td>30</td> <td>0,36</td> </tr> <tr> <td>105160</td> <td>MKS40/25-TV11-30°-L-OGRE</td> <td>40</td> <td>25</td> <td>58</td> <td>38</td> <td>31</td> <td>61,5</td> <td>41</td> <td>2</td> <td>37</td> <td>138</td> <td>49</td> <td>30</td> <td>0,36</td> </tr> <tr> <td>100923</td> <td>MKS40/25-TV11-45°-L</td> <td>40</td> <td>25</td> <td>58</td> <td>38</td> <td>31</td> <td>71</td> <td>41</td> <td>2</td> <td>37</td> <td>134,5</td> <td>48</td> <td>45</td> <td>0,36</td> </tr> <tr> <td>105162</td> <td>MKS40/25-TV11-45°-L-OGRE</td> <td>40</td> <td>25</td> <td>58</td> <td>38</td> <td>31</td> <td>71</td> <td>41</td> <td>2</td> <td>37</td> <td>134,5</td> <td>48</td> <td>45</td> <td>0,36</td> </tr> </tbody> </table>	Art.-Nr.	Description	D ₁ [mm]	D ₂ [mm]	H ₁ [mm]	H ₂ [mm]	H ₃ [mm]	B ₁ [mm]	B ₂ [mm]	B ₃ [mm]	B ₄ [mm]	L _F [mm]	L ₂ [mm]	α [°]	m [kg]	107286	MKS30/20-TV11-30°-L-OGRE	30	20	53,5	38,5	31	61	41	1	37	128,5	50	30	0,36	107288	MKS30/20-TV11-45°-L-OGRE	30	20	50,5	38,5	31	70,6	41	3	37	124	46,5	45	0,35	101566	MKS40/20-TV11-30°-L	40	20	63	35	26	60	34,5	5	37	136	51	30	0,31	106952	MKS40/20-TV11-30°-L-1	40	20	63	35	26	60	34,5	5	37	136	51	30	0,31	101568	MKS40/20-TV11-45°-L	40	20	63	35	26	69,5	35	3	37	131	42	45	0,31	106954	MKS40/20-TV11-45°-L-1	40	20	63	35	26	69,5	35	3	37	131	42	45	0,31	105688	MKS30/25-TV11-15°-L-OGRE	30	25	53	37,5	31	48,5	41	1,5	37	127	50	15	0,32	104169	MKS30/25-TV11-30°-L-OGRE	30	25	53	37,5	31	60,5	41	1	37	128,5	50	30	0,33	104171	MKS30/25-TV11-45°-L-OGRE	30	25	53	37,5	31	100,5	41	3	37	124,5	46,5	45	0,3	106806	MKS40/25-TV11-15°-L-OGRE	40	25	58	38	31	48,5	41	2	37	138,5	50	15	0,36	100921	MKS40/25-TV11-30°-L	40	25	58	38	31	61,5	41	2	37	138	49	30	0,36	105160	MKS40/25-TV11-30°-L-OGRE	40	25	58	38	31	61,5	41	2	37	138	49	30	0,36	100923	MKS40/25-TV11-45°-L	40	25	58	38	31	71	41	2	37	134,5	48	45	0,36	105162	MKS40/25-TV11-45°-L-OGRE	40	25	58	38	31	71	41	2	37	134,5	48	45	0,36							
Part No.	Description	D ₁ [mm]	D ₂ [mm]	H ₁ [mm]	H ₂ [mm]	H ₃ [mm]	B ₁ [mm]	B ₂ [mm]	B ₃ [mm]	L _F [mm]	L ₂ [mm]	m [kg]																																																																																																																																																																																																																																																																																																																																																																
16790	MKS30/20-TV11	30	20	48	34	26	41	35	6	72,5	27	0,26																																																																																																																																																																																																																																																																																																																																																																
107290	MKS30/20-TV11-OGRE	30	20	48	34	26	41	35	6	72,5	27	0,26																																																																																																																																																																																																																																																																																																																																																																
101565	MKS40/20-TV11	40	20	62	35	26	41	35	6	85	32	0,34																																																																																																																																																																																																																																																																																																																																																																
106951	MKS40/20-TV11-1	40	20	62	35	26	41	35	6	85	32	0,34																																																																																																																																																																																																																																																																																																																																																																
101468	MKS30/25-TV11	30	25	50	38	31	44,5	41	3,5	80	27	0,26																																																																																																																																																																																																																																																																																																																																																																
104141	MKS30/25-TV11-OGRE	30	25	50	38	31	44,5	41	3,5	80	27	0,26																																																																																																																																																																																																																																																																																																																																																																
12560	MKS40/25-TV11	40	25	58	38	31	37,5	44,5	3,5	85	32	0,34																																																																																																																																																																																																																																																																																																																																																																
104872	MKS40/25-TV11-OGRE	40	25	58	38	31	37,5	44,5	3,5	85	32	0,34																																																																																																																																																																																																																																																																																																																																																																
102741	MKS40/40-TV11	40	40	58	49	46	55	-	-	85	32	0,37																																																																																																																																																																																																																																																																																																																																																																
Art.-Nr.	Description	D ₁ [mm]	D ₂ [mm]	H ₁ [mm]	H ₂ [mm]	H ₃ [mm]	B ₁ [mm]	B ₂ [mm]	B ₃ [mm]	B ₄ [mm]	L _F [mm]	L ₂ [mm]	α [°]	m [kg]																																																																																																																																																																																																																																																																																																																																																														
107286	MKS30/20-TV11-30°-L-OGRE	30	20	53,5	38,5	31	61	41	1	37	128,5	50	30	0,36																																																																																																																																																																																																																																																																																																																																																														
107288	MKS30/20-TV11-45°-L-OGRE	30	20	50,5	38,5	31	70,6	41	3	37	124	46,5	45	0,35																																																																																																																																																																																																																																																																																																																																																														
101566	MKS40/20-TV11-30°-L	40	20	63	35	26	60	34,5	5	37	136	51	30	0,31																																																																																																																																																																																																																																																																																																																																																														
106952	MKS40/20-TV11-30°-L-1	40	20	63	35	26	60	34,5	5	37	136	51	30	0,31																																																																																																																																																																																																																																																																																																																																																														
101568	MKS40/20-TV11-45°-L	40	20	63	35	26	69,5	35	3	37	131	42	45	0,31																																																																																																																																																																																																																																																																																																																																																														
106954	MKS40/20-TV11-45°-L-1	40	20	63	35	26	69,5	35	3	37	131	42	45	0,31																																																																																																																																																																																																																																																																																																																																																														
105688	MKS30/25-TV11-15°-L-OGRE	30	25	53	37,5	31	48,5	41	1,5	37	127	50	15	0,32																																																																																																																																																																																																																																																																																																																																																														
104169	MKS30/25-TV11-30°-L-OGRE	30	25	53	37,5	31	60,5	41	1	37	128,5	50	30	0,33																																																																																																																																																																																																																																																																																																																																																														
104171	MKS30/25-TV11-45°-L-OGRE	30	25	53	37,5	31	100,5	41	3	37	124,5	46,5	45	0,3																																																																																																																																																																																																																																																																																																																																																														
106806	MKS40/25-TV11-15°-L-OGRE	40	25	58	38	31	48,5	41	2	37	138,5	50	15	0,36																																																																																																																																																																																																																																																																																																																																																														
100921	MKS40/25-TV11-30°-L	40	25	58	38	31	61,5	41	2	37	138	49	30	0,36																																																																																																																																																																																																																																																																																																																																																														
105160	MKS40/25-TV11-30°-L-OGRE	40	25	58	38	31	61,5	41	2	37	138	49	30	0,36																																																																																																																																																																																																																																																																																																																																																														
100923	MKS40/25-TV11-45°-L	40	25	58	38	31	71	41	2	37	134,5	48	45	0,36																																																																																																																																																																																																																																																																																																																																																														
105162	MKS40/25-TV11-45°-L-OGRE	40	25	58	38	31	71	41	2	37	134,5	48	45	0,36																																																																																																																																																																																																																																																																																																																																																														

T-Connector

Description	Part No.	Description	Part No.
MKSXX/XX-TV11-XX°-R-XXXX see table		MKS40/25-TV11-XX°-R-2 see table	



Type: with hinged clamp splitted, right, with clamp seat

Material: Hybrid



Type: with hinged clamp splitted, narrow, right, with clamp seat

Material: Hybrid

Art.-Nr.	Description	D ₁ [mm]	D ₂ [mm]	H ₁ [mm]	H ₂ [mm]	H ₃ [mm]	B ₁ [mm]	B ₂ [mm]	B ₃ [mm]	B ₄ [mm]	L _F [mm]	L ₂ [mm]	α [°]	m [kg]
107287	MKS30/20-TV11-30°-R-OGRE	30	20	53,5	38,5	31	61	41	1	37	128,5	50	30°	0,36
107289	MKS30/20-TV11-45°-R-OGRE	30	20	50,5	38,5	31	70,6	41	3	37	124	46,5	45°	0,35
101567	MKS40/20-TV11-30°-R	40	20	63	35	26	60	34,5	5	37	136	51	30°	0,31
106953	MKS40/20-TV11-30°-R-1	40	20	63	35	26	60	34,5	5	37	136	51	30°	0,31
101569	MKS40/20-TV11-45°-R	40	20	63	35	26	69,5	35	3	37	131	42	45°	0,31
106955	MKS40/20-TV11-45°-R-1	40	20	63	35	26	69,5	35	3	37	131	42	45°	0,31
105689	MKS30/25-TV11-15°-R-OGRE	30	25	53	37,5	31	48,5	41	1,5	37	127	50	15°	0,32
104170	MKS30/25-TV11-30°-R-OGRE	30	25	53	37,5	31	60,5	41	1	37	128,5	50	30°	0,33
104172	MKS30/25-TV11-45°-R-OGRE	30	25	53	37,5	31	100,5	41	3	37	124,5	46,5	45°	0,3
106807	MKS40/25-TV11-15°-R-OGRE	40	25	58	38	31	48,5	41	2	37	138,5	50	15°	0,36
100922	MKS40/25-TV11-30°-R	40	25	58	38	31	61,5	41	3	37	138	49	30°	0,36
105161	MKS40/25-TV11-30°-R-OGRE	40	25	58	38	31	61,5	41	3	37	138	49	30°	0,36
100924	MKS40/25-TV11-45°-R	40	25	58	38	31	71	41	3	37	134,5	48	45°	0,36
105163	MKS40/25-TV11-45°-R-OGRE	40	25	58	38	31	71	41	3	37	134,5	48	45°	0,36

Description	Part No.	Description	Part No.
MKS40/25-TV11-XX°-L-2 see table		MKS40/25-TV11-2 107112	


Type: with hinged clamp splitted, narrow, left, with clamp seat

Material: Hybrid



Type: with hinged clamp splitted, narrow, straight, with clamp seat

Material: Hybrid




Part No.	Description	B ₁ [mm]	L _F [mm]	L ₂ [mm]	α [°]	m [kg]
107136	MKS40/25-TV11-15°-L-2	47	136,5	57	15	0,28
107113	MKS40/25-TV11-30°-L-2	58	134,5	48	30	0,27
107115	MKS40/25-TV11-45°-L-2	67	130,5	55	45	0,27

Description	Part No.	Description	Part No.
MKS60/XX-TV02-LB see table		MKS60/60-TV02 15756	


Type: with clamp splitted, straight, with clamp seat

Material: steel



Type: with clamp splitted, wide, straight, with clamp seat

Material: steel





Part No.	Description	D ₂ [mm]	H ₂ [mm]	H ₃ [mm]	B ₂ [mm]	B ₃ [mm]	m [kg]
17664	MKS60/20-TV02-LB	20	30,2	25	42	7,5	0,55
17871	MKS60/25-TV02-LB	25	34,7	30	44,5	5	0,58

T-Connector

Description	Part No.
MKS60/25-TV06-V-CXXX	see table

Type: with clamp splitted 90°, straight, with tube

Material: steel





Part No.	Description	L _f [mm]	m [kg]
13781	MKS60/25-TV06-V-C100	100	0,84
13783	MKS60/25-TV06-V-C200	200	0,93
13785	MKS60/25-TV06-V-C300	300	1,02
13787	MKS60/25-TV06-V-C400	400	1,11
13789	MKS60/25-TV06-V-C500	500	1,20
13791	MKS60/25-TV06-V-C600	600	1,29
13793	MKS60/25-TV06-V-C750	750	1,43

Description **Part No.**

MKSXX/XX-TV01 see table

Type: with clamp fixed 90°, straight, with clamp seat

Material: steel




Part No.	Description	D ₁ [mm]	D ₂ [mm]	H ₁ [mm]	H ₂ [mm]	H ₃ [mm]	B ₁ [mm]	B ₂ [mm]	B ₃ [mm]	B ₄ [mm]	L _f [mm]	L ₂ [mm]	m [kg]
13703	MKS25/20-TV01	25	20	35,2	30,2	25	38,5	34,5	4	33	72,5	24,5	0,25
15674	MKS25/25-TV01	25	25	35	34	30	41	39,5	1,5	33	75	24,5	0,27
13701	MKS30/20-TV01	30	20	37	29,5	25	41	34,5	6,5	38	72,5	27	0,28
13702	MKS30/25-TV01	30	25	36,4	34	30	44,5	39,5	5	40	78,5	27	0,35
101849	MKS30/30-TV01	30	30	36	48	35	47	44,5	2,5	40	78,5	27	0,62
14597	MKS40/30-TV01	40	30	47	48	36	47	45	2	40	77,5	32	0,73
102467	MKS40/40-TV01	40	40	47	45,5	46	55	55	-	46	77,5	32	0,57
16480	MKS60/25-TV01	40	25	67	36,2	30	44,5	39,5	5	40	95	41,3	0,45

Description	Part No.
MKS60/XX-TV06-V-KAR	see table

Type: with clamp splitted 90°, straight, with clamp seat




Material: steel



Description	Part No.
MKS60/60-TV05-J500	14743

Type: with clamp splitted, wide, straight, with tube

Material: steel





Part No.	Description	D ₂ [mm]	H ₁ [mm]	H ₂ [mm]	H ₃ [mm]	B ₂ [mm]	B ₃ [mm]	B ₄ [mm]	L _f [mm]	AP ₁ [mm]	m [kg]
104155	MKS60/25-TV06-V-KAR	25	70,5	34,2	30	39,5	10	50	129,5	20,0	0,80
104123	MKS60/40-TV06-V-KAR	40	80	42,7	45	54,5	5	55	149,5	24,0	1,13

Part No.	Description	m [kg]
14743	MKS60/60-TV05-J500	5,44

Description	Part No.
MKS30-KSL01-XXX	see table

Type: with clamp splitted, straight, with plain bearing, reinforced type

Material: steel




Part No.	Description	L ₁ [mm]	m [kg]
14921	MKS30-KSL01-100	100	0,59
14922	MKS30-KSL01-200	200	0,75
14923	MKS30-KSL01-300	300	0,91
14936	MKS30-KSL01-400	400	1,07
14937	MKS30-KSL01-500	500	1,23

T-Connector

Description	Part No.
MKSXX/XX-TV04-XXXX-XXXX	see table

Type: with clamp fixed, straight, with tube double-sided




Material: steel



Description	Part No.
MKSXX/XX-TV07-V-XXXX	see table

Type: with clamp splitted 90°, straight, with tube double-sided

Material: steel




Part No.	Description	D ₁ [mm]	D ₂ [mm]	H ₁ [mm]	H ₂ [mm]	B ₁ [mm]	B ₂ [mm]	L ₁ [mm]	T ₁ [mm]	m [kg]
10163	MKS20/20-TV04-100-100	20	20	40	26	28	25	100	2,5	0,31
10165	MKS20/20-TV04-200-200	20	20	40	26	28	25	200	2,5	0,52
10167	MKS20/20-TV04-300-300	20	20	40	26	28	25	300	2,5	0,74
10169	MKS20/20-TV04-400-400	20	20	40	26	28	25	400	2,5	0,96
10175	MKS25/20-TV04-100-100	25	20	44	29	33	33	100	2,5	0,36
10181	MKS25/20-TV04-400-400	25	20	44	29	33	33	400	2,5	1,28
10187	MKS25/25-TV04-100-100	25	25	44	29	33	33	100	2,5	0,42
10189	MKS25/25-TV04-200-200	25	25	44	29	33	33	200	2,5	0,67
10191	MKS25/25-TV04-300-300	25	25	44	29	33	33	300	2,5	0,97
10193	MKS25/25-TV04-400-400	25	25	44	29	33	33	400	2,5	1,25
10197	MKS25/25-TV04-600-600	25	25	44	29	33	33	600	2,5	1,81
10201	MKS30/25-TV04-200-200	30	25	48	30,5	38	38	200	2,5	0,74
10203	MKS30/25-TV04-300-300	30	25	48	30,5	38	38	300	2,5	1,02
10205	MKS30/25-TV04-400-400	30	25	48	30,5	38	38	400	2,5	1,30
10207	MKS30/25-TV04-500-500	30	25	48	30,5	38	38	500	2,5	1,47
10211	MKS30/30-TV04-100-100	30	30	49,5	31	38	38	100	2,5	0,54
10213	MKS30/30-TV04-200-200	30	30	49,5	31	38	38	200	2,5	0,88
10215	MKS30/30-TV04-300-300	30	30	49,5	31	38	38	300	2,5	1,22
10217	MKS30/30-TV04-400-400	30	30	49,5	31	38	38	400	2,5	1,56
10221	MKS30/30-TV04-600-600	30	30	49,5	31	38	38	600	2,5	2,24
106126	MKS30/30-TV04-C200-C200	30	30	49,5	31	38	38	200	2	0,76
106130	MKS30/30-TV04-C400-C400	30	30	49,5	31	38	38	400	2	1,31

Description	Part No.
MKS30-AV06-S1-XXXX/XXXX	see table

Type: with clamp splitted 90°, straight, with clamp seat double-sided




Material: steel



Description	Part No.
MKS30-AV06-S1-XXXX/XXXX	see table

Type: with clamp splitted, for square tube, straight, reinforced type


Material: steel



Part No.	Description	D ₂ [mm]	H ₁ [mm]	H ₂ [mm]	H ₃ [mm]	B ₂ [mm]	B ₃ [mm]	B ₄ [mm]	L _F [mm]	AP ₁ [mm]	m [kg]
101891	MKS60/25-TV07-V-KAR	25	70,5	35	30	39,5	10	50	129,5	20,0	1,08
12590	MKS60/30-TV07-V-KAR	30	70,5	37,2	35	44,5	7,5	50	149,5	20,0	1,11
12873	MKS60/40-TV07-V-KAR	40	80	43,2	45	54,5	5	55	149,5	24,0	1,59


Part No.	Description	L ₁ [mm]	m [kg]
106718	MKS30-AV06-S1-E600/E600	600	3,42
106719	MKS30-AV06-S1-E800/E800	800	4,22

Cross Connector

Description	Part No.		Description	Part No.
MKSXX/XX-KV01-90°-XXXX	see table		MKSXX/XX-KV01-90°-XX	see table


Type: tube connection 1: clamp fixed
tube connection 2: clamp fixed, cast part, orientation: +90°

Material: steel




Part No.	Description	D ₁ [mm]	D ₂ [mm]	H ₁ [mm]	B ₁ [mm]	L ₂ [mm]	L ₃ [mm]	L ₄ [mm]	L ₅ [mm]	m [kg]
10320	MKS20/20-KV01-90°	20	20	31,2	31,2	22,5	22	22	66,5	0,17
10322	MKS25/25-KV01-90°	25	25	35,5	35,5	27,5	24,5	24,5	76,5	0,22
10324	MKS30/25-KV01-90°	30	25	38	37,2	30	27	24,5	81,5	0,25
10325	MKS30/30-KV01-90°	30	30	38	38	32,5	27	27	86,5	0,25

Part No.	Description	D ₁ [mm]	D ₂ [mm]	H ₁ [mm]	B ₁ [mm]	L ₂ [mm]	L ₃ [mm]	L ₄ [mm]	L ₅ [mm]	m [kg]	Material
102547	MKS20/20-KV01-90°-AL	20	20	38	38	22,5	22	66,5	0,10	A	
102548	MKS25/20-KV01-90°-AL	25	20	36,5	38,2	25	24,5	22	71,5	0,12	A
10321	MKS25/20-KV01-90°	25	20	35,5	31,2	25	24,5	22	71,5	0,19	D
102549	MKS25/25-KV01-90°-AL	25	25	36,5	36,5	27,5	24,5	24,5	76,5	0,12	A
102550	MKS30/20-KV01-90°-AL	30	20	40,5	40,7	27,5	27	22	76,5	0,13	A
10323	MKS30/20-KV01-90°	30	20	36,8	35	27,5	27	22	76,5	0,26	D
102551	MKS30/25-KV01-90°-AL	30	25	39	38,2	30	27	24,5	81,5	0,13	A
102552	MKS30/30-KV01-90°-AL	30	30	43,5	43,5	32,5	27	27	86,5	0,14	A
103065	MKS40/20-KV01-90°-AL	40	20	52,1	40,7	32,5	32	22	86,5	0,14	A
11654	MKS40/20-KV01-90°	40	20	46,5	35,2	32,5	32	22	86,5	0,28	D
106522	MKS40/25-KV01-90°-AL	40	25	47	38,2	35	32	24,5	91,5	0,15	A
11655	MKS40/25-KV01-90°	40	25	46,5	37,2	35	32	24,5	91,5	0,31	D
106866	MKS40/30-KV01-90°-AL	40	30	47	43,5	37,5	32	27	96,5	0,16	A
10326	MKS40/30-KV01-90°	40	30	46,5	37,2	37,5	32	27	96,5	0,37	D
106688	MKS40/40-KV01-90°-AL	40	40	47	47	42,5	32	32	106,5	0,17	A
12520	MKS40/40-KV01-90°	40	40	46,5	46,5	42,5	32	32	106,5	0,37	D
15280	MKS60/20-KV01-90°	60	20	66,5	40	42,5	42	22	106,5	0,34	D
11658	MKS60/25-KV01-90°	60	25	66,5	40	45	42	24,5	111,5	0,42	D
19122	MKS60/30-KV01-90°	60	30	66,5	40	47,5	42	27	116,5	0,47	D
15807	MKS60/40-KV01-90°	60	40	66,5	46,5	52,5	42	32	126,5	0,49	D

Description	Part No.		Description	Part No.
MKSXX/XX-KV02-X-90°	see table		MKS60/40-KV11-1-90°	100866

Type: tube connection 1: clamp fixed
tube connection 2: clamp splitted, orientation: +90°

Material: steel



Part No.	Description	D ₁ [mm]	D ₂ [mm]	H ₁ [mm]	B ₁ [mm]	L ₂ [mm]	L ₃ [mm]	L ₄ [mm]	L ₅ [mm]	m [kg]
15653	MKS40/25-KV02-90°	40	25	64	40	35	23,5	24,5	83	0,35
100455	MKS40/30-KV02-90°	40	30	64	40,7	37,5	23,5	27	88	0,40
101742	MKS60/25-KV02-90°	60	25	84	44	45	33,5	24	102,5	0,54
102582	MKS60/30-KV02-90°	60	30	84	44	47,5	33,5	27	108	0,59
104001	MKS60/40-KV02-1-90°	60	40	91	50	52,5	33	35	120,5	0,85

Part No.	Description	m [kg]
100866	MKS60/40-KV11-1-90°	1,51

Cross Connector

Description	Part No.
MKSXX/XX-KV13-90°-XXXX see table	


Type: tube connection 1: hinged clamp splitted
tube connection 2: clamp fixed, orientation: -90°

Material: Hybrid

Description	Part No.
MKS60/25-KV16-90°-AL 106660	

Type: tube connection 1: clamp splitted
tube connection 2: clamp fixed, long

Material: aluminium



Part No.	Description	D ₁ [mm]	D ₂ [mm]	H ₁ [mm]	B ₁ [mm]	L ₂ [mm]	L ₃ [mm]	L ₄ [mm]	L ₅ [mm]	m [kg]
101466	MKS30/20-KV13-90°	30	20	52	40,7	32,5	27	22	81,5	0,26
101908	MKS30/25-KV13-90°	30	25	52	40,7	35	27	24,5	86,5	0,28
101570	MKS40/20-KV13-90°	40	20	62	40,7	35	32	22	89	0,29
106956	MKS40/20-KV13-90°-1	40	20	62	41,2	35	32	22	89	0,29
101377	MKS40/25-KV13-90°	40	25	58	40,7	37	32	24,5	93,5	0,29
101954	MKS40/25-KV13-90°-52	40	25	58	40,7	52	32	24,5	108,5	0,33
101955	MKS40/25-KV13-90°-87	40	25	58	40,7	87	32	24,5	143,5	0,36
107279	MKS40/25-KV13-90°-OGRE	40	25	58	40,7	37	32	24,5	93,5	0,30

Part No.	Description	m [kg]
106660	MKS60/25-KV16-90°-AL	0,87

Description	Part No.
MKSXX/XX-KVV01-90° see table	



Type: tube connection 1: clamp fixed
tube connection 2: clamp splitted, staggered

Material: steel

Description	Part No.
MKS40/40-KV01-XXX-AL see table	

Type: tube connection 1: clamp fixed
tube connection 2: clamp fixed, rotated by angle α

Material: aluminium



Part No.	Description	D ₁ [mm]	D ₂ [mm]	H ₁ [mm]	B ₁ [mm]	L ₂ [mm]	L ₃ [mm]	L ₄ [mm]	L ₅ [mm]	m [kg]
14279	MKS20/20-KVV01-90°	20	20	44	52	22,5	12,5	22	57	0,19
14021	MKS25/20-KVV01-90°	25	20	49	52,7	25	15	22	62	0,23
10327	MKS25/25-KVV01-90°	25	25	49	56,2	27,5	15	24,5	67	0,28


Part No.	Description	α [°]	m [kg]
108104	MKS40/40-KV01-45-AL	45	0,20
108105	MKS40/40-KV01-135-AL	135	0,20

Parallel Connector

Description	Part No.	Description	Part No.
MKSXX/XX-PV01-XX-AL	see table	MKS20/20-PV01-XX-AL	see table

Type: tube connection 1: clamp fixed 90°
tube connection 2: clamp fixed 90°

Material: see table



Technical drawing of MKS20/20-PV01-XX-AL parallel connector showing front view, side view, and top view with dimensions D1, D2, H1, B1, L2, L3, L4, L5, m.


Part No.	Description	D ₁ [mm]	D ₂ [mm]	H ₁ [mm]	B ₁ [mm]	L ₂ [mm]	L ₃ [mm]	L ₄ [mm]	L ₅ [mm]	m [kg]	Material
10598	MKS20/20-PV01	20	20	29,5	25	22,5	22	22	66,5	0,17	D
11666	MKS25/20-PV01	25	20	33,8	30	25	24,5	22	71,5	0,20	D
11667	MKS25/25-PV01	25	25	33,8	30	27,5	24,5	24,5	76,5	0,24	D
11668	MKS30/20-PV01	30	20	36,3	30	27,5	27	22	76,5	0,23	D
11669	MKS30/25-PV01	30	25	36,3	30	30	27	24,5	81,5	0,24	D
11670	MKS30/30-PV01	30	30	36,5	38	32,5	27	27	86,5	0,32	D
101997	MKS40/40-PV01	40	40	46,5	38	42,5	32	32	106,5	0,44	D
106476	MKS30/20-PV01-50-AL	30	20	41,5	25	50	27	22	99	0,14	A
107614	MKS30/30-PV01-AL	30	30	38	38	32,5	27	27	86,5	0,13	A

Part No.	Description	B ₁ [mm]	L ₂ [mm]	L ₃ [mm]	L ₄ [mm]	L ₅ [mm]	m [kg]
106519	MKS20/20-PV01-AL	27	22,5	22	22	66,5	0,11
106516	MKS20/20-PV01-50-AL	25	50	20	20	94	0,13
106819	MKS20/20-PV01-75-AL	25	75	22	22	119	0,16

Description	Part No.	Description	Part No.
MKS60/30-PV02-AL	106285	MKSXX/XX-PV01	see table

Type: tube connection 1: clamp splitted
tube connection 2: clamp fixed 90°

Material: aluminium



Type: tube connection 1: clamp fixed 90°
tube connection 2: clamp fixed 90°

Material: steel

Part No.	Description	m [kg]
106285	MKS60/30-PV02-AL	0,46

Part No.	Description	D ₁ [mm]	D ₂ [mm]	H ₁ [mm]	B ₁ [mm]	L ₂ [mm]	L ₃ [mm]	L ₄ [mm]	L ₅ [mm]	m [kg]
13219	MKS40/20-PV01	40	20	55,3	30	32,5	23,3	22	77,8	0,20
10599	MKS40/25-PV01	40	25	55,3	30	35	23,3	24,5	82,8	0,23
17798	MKS40/30-PV01	40	30	55,3	30	45	23,3	27	95,3	0,33
18212	MKS60/25-PV01	60	25	75,3	40	45	33,3	24,5	102,8	0,45



Material
A → aluminium
D → steel

Ball Connector

Description	Part No.
MKSXX-KUVXX-XX	see table

Type: with hinged clamp, orientation ball mounting: 0° / 20°, with tube, mounting orientation: 90°

Material: steel



Part No.	Description	D ₁ [mm]	D ₂ [mm]	H ₁ [mm]	B ₁ [mm]	L ₁ [mm]	L ₂ [mm]	α [°]	T ₁ [mm]	m [kg]
10340	MKS20-KUV01-075	28,5	20	66	20	75	22	20	1,5	0,23
10341	MKS20-KUV01-100	28,5	20	66	20	100	22	20	1,5	0,25
10343	MKS20-KUV01-150	28,5	20	66	20	150	22	20	1,5	0,28
10345	MKS20-KUV01-200	28,5	20	66	20	200	22	20	1,5	0,32
10347	MKS20-KUV01-250	28,5	20	66	20	250	22	20	1,5	0,35
10349	MKS20-KUV01-300	28,5	20	66	20	300	22	20	1,5	0,38
10350	MKS20-KUV01-400	28,5	20	66	20	400	22	20	1,5	0,45
10351	MKS20-KUV01-500	28,5	20	66	20	500	22	20	1,5	0,51
10352	MKS20-KUV01-600	28,5	20	66	20	600	22	20	1,5	0,62
10366	MKS20-KUV03-100	28,5	20	66	20	100	22	20	2,5	0,28
16176	MKS20-KUV03-150	28,5	20	66	20	150	22	20	2,5	0,33
10367	MKS20-KUV03-200	28,5	20	66	20	200	22	20	2,5	0,39
101968	MKS20-KUV03-250	28,5	20	66	20	250	22	20	2,5	0,44
10368	MKS20-KUV03-300	28,5	20	66	20	300	22	20	2,5	0,49
10369	MKS20-KUV03-400	28,5	20	66	20	400	22	20	2,5	0,61
10370	MKS20-KUV03-500	28,5	20	66	20	500	22	20	2,5	0,71
10371	MKS20-KUV03-600	28,5	20	66	20	600	22	20	2,5	0,82
10396	MKS25-KUV02-100	28,5	25	66	20	100	22	20	1,5	0,27
13863	MKS25-KUV02-150	28,5	25	66	20	150	22	20	1,5	0,32
10397	MKS25-KUV02-200	28,5	25	66	20	200	22	20	1,5	0,36
13866	MKS25-KUV02-250	28,5	25	66	20	250	22	20	1,5	0,41
10398	MKS25-KUV02-300	28,5	25	66	20	300	22	20	1,5	0,45
101561	MKS25-KUV02-350	28,5	25	66	20	350	22	20	1,5	0,49
10399	MKS25-KUV02-400	28,5	25	66	20	400	22	20	1,5	0,54
101562	MKS25-KUV02-450	28,5	25	66	20	450	22	20	1,5	0,58
10400	MKS25-KUV02-500	28,5	25	66	20	500	22	20	1,5	0,63
10401	MKS25-KUV02-600	28,5	25	66	20	600	22	20	1,5	0,71
101383	MKS25-KUV02-800	28,5	25	66	20	800	22	20	1,5	0,88
10378	MKS25-KUV01-100	28,5	25	66	20	100	22	20	2	0,29
12832	MKS25-KUV01-125	28,5	25	66	20	125	22	20	2	0,31
12833	MKS25-KUV01-150	28,5	25	66	20	150	22	20	2	0,34
12834	MKS25-KUV01-175	28,5	25	66	20	175	22	20	2	0,37
10379	MKS25-KUV01-200	28,5	25	66	20	200	22	20	2	0,40
10380	MKS25-KUV01-300	28,5	25	66	20	300	22	20	2	0,51
16066	MKS25-KUV01-350	28,5	25	66	20	350	22	20	2	0,57
10381	MKS25-KUV01-400	28,5	25	66	20	400	22	20	2	0,63
10382	MKS25-KUV01-500	28,5	25	66	20	500	22	20	2	0,75
10383	MKS25-KUV01-600	28,5	25	66	20	600	22	20	2	0,86
15917	MKS25-KUV01-800	28,5	25	66	20	800	22	20	2	1,08
19079	MKS25-KUV03-150	28,5	25	66	20	150	22	20	2,5	0,38
10385	MKS25-KUV03-200	28,5	25	66	20	200	22	20	2,5	0,45


Part No.	Description	D ₁ [mm]	D ₂ [mm]	H ₁ [mm]	B ₁ [mm]	L ₁ [mm]	L ₂ [mm]	α [°]	T ₁ [mm]	m [kg]
19080	MKS25-KUV03-250	28,5	25	66	20	250	22	20	2,5	0,52
10386	MKS25-KUV03-300	28,5	25	66	20	300	22	20	2,5	0,59
10387	MKS25-KUV03-400	28,5	25	66	20	400	22	20	2,5	0,73
10388	MKS25-KUV03-500	28,5	25	66	20	500	22	20	2,5	0,87
10389	MKS25-KUV03-600	28,5	25	66	20	600	22	20	2,5	1,01
15904	MKS30-KUV01-300	28,5	30	66	20	300	22	20	1,5	0,51
15905	MKS30-KUV01-400	28,5	30	66	20	400	22	20	1,5	0,62
15907	MKS30-KUV01-600	28,5	30	66	20	600	22	20	1,5	0,84
100434	MKS30-KUV03-300	28,5	30	66	20	300	22	20	2,5	0,68
100436	MKS30-KUV03-400	28,5	30	66	20	400	22	20	2,5	0,85
100438	MKS30-KUV03-500	28,5	30	66	20	500	22	20	2,5	1,02
100440	MKS30-KUV03-600	28,5	30	66	20	600	22	20	2,5	1,19
14960	MKS20-KUV13-300	32	20	66	20	300	22	20	1,5	0,36
14962	MKS20-KUV13-400	32	20	66	20	400	22	20	1,5	0,43
14964	MKS20-KUV13-500	32	20	66	20	500	22	20	1,5	0,50
14966	MKS20-KUV13-600	32	20	66	20	600	22	20	1,5	0,57
105583	MKS20-KUV13-800	32	20	66	20	800	22	20	1,5	0,71
14976	MKS20-KUV07-300	32	20	66	20	300	22	20	2,5	0,47
14979	MKS20-KUV07-600	32	20	66	20	600	22	20	2,5	0,80
12082	MKS25-KUV13-250	32	25	66	20	250	22	20	1,5	0,38
12083	MKS25-KUV13-300	32	25	66	20	300	22	20	1,5	0,43
12085	MKS25-KUV13-400	32	25	66	20	400	22	20	1,5	0,51
12087	MKS25-KUV13-500	32	25	66	20	500	22	20	1,5	0,60
12089	MKS25-KUV13-600	32	25	66	20	600	22	20	1,5	0,69
14989	MKS25-KUV07-300	32	25	66	20	300	22	20	2,5	0,57
14990	MKS25-KUV07-400	32	25	66	20	400	22	20	2,5	0,71
14991	MKS25-KUV07-500	32	25	66	20	500	22	20	2,5	0,85
14992	MKS25-KUV07-600	32	25	66	20	600	22	20	2,5	0,98
10395	MKS30-KUV07-600	32	30	66	20	600	22	20	2,5	1,16
14294	MKS20-KUV05-300	36	20	68	22	300	23	0	2,5	0,51
14298	MKS20-KUV05-500	36	20	68	22	500	23	0	2,5	0,73
10408	MKS30-KUV05-100	36	30	68	22	100	23	0	2,5	0,34
17929	MKS30-KUV05-150	36	30	68	22	150	23	0	2,5	0,42
10409	MKS30-KUV05-200	36	30	68	22	200	23	0	2,5	0,52
100537	MKS30-KUV05-250	36	30	68	22	250	23	0	2,5	0,60
10410	MKS30-KUV05-300	36	30	68	22	300	23	0	2,5	0,69
10411	MKS30-KUV05-400	36	30	68	22	400	23	0	2,5	0,86
10412	MKS30-KUV05-500	36	30	68	22	500	23	0	2,5	1,03
10413	MKS30-KUV05-600	36	30	68	22	600	23	0	2,5	1,21
12218	MKS30-KUV05-750	36	30	68	22	750	23	0	2,5	1,44

Ball Connector

Description	Part No.
MKSXX-KUV1X-1-XXXX see table	

Type: with hinged clamp, orientation ball mounting: 20°, with tube, mounting orientation: parallel

Material: steel




Part No.	Description	D ₁ [mm]	D ₂ [mm]	H ₁ [mm]	L ₁ [mm]	T ₁ [mm]	A _P [mm]	m [kg]
16536	MKS25-KUV14-1-C300	28,5	25	62	300	2	51	0,53
19876	MKS25-KUV12-1-C600	32	25	61,5	600	2	51	0,85
103812	MKS25-KUV14-1-C700	28,5	25	62	700	2	51	0,98
100297	MKS30-KUV14-1-C600	28,5	30	66,5	600	2	53,5	1,02

Description	Part No.
MKSXX-KUV01-S1-XXXX see table	

Type: hinged clamp: top clamp out of aluminium, orientation ball mounting: 20°, with tube, mounting orientation: 90°

Material: Hybrid




Part No.	Description	D ₂ [mm]	H ₁ [mm]	L ₁ [mm]	L ₂ [mm]	m [kg]
107123	MKS20-KUV01-S1-A100	20	64	100	21	0,15
107124	MKS20-KUV01-S1-A200	20	64	200	21	0,20
107125	MKS20-KUV01-S1-A300	20	64	300	21	0,24
107126	MKS20-KUV01-S1-A400	20	64	400	21	0,29
107127	MKS20-KUV01-S1-A500	20	64	500	21	0,34
107128	MKS20-KUV01-S1-A600	20	64	600	21	0,38
107117	MKS25-KUV01-S1-A100	25	66	100	22	0,16
107118	MKS25-KUV01-S1-A200	25	66	200	22	0,22
107119	MKS25-KUV01-S1-A300	25	66	300	22	0,29
107120	MKS25-KUV01-S1-A400	25	66	400	22	0,34
107121	MKS25-KUV01-S1-A500	25	66	500	22	0,40
107122	MKS25-KUV01-S1-A600	25	66	600	22	0,46

Description	Part No.
MKSXX-KUVXX-KAR-XX see table	

Type: hinged clamp, orientation ball mounting: 0° / 20°, with clamp seat, mounting orientation: 90°


Material: see table



Description	Part No.
MKS40-KUV18-28,5 108182	

Type: with clamp fixed, with ball mounting

Material: aluminium



Part No.	Description	D ₁ [mm]	D ₂ [mm]	H ₁ [mm]	H ₂ [mm]	H ₃ [mm]	B ₁ [mm]	B ₂ [mm]	L ₁ [mm]	L ₂ [mm]	α [°]	m [kg]	Material
14302	MKS20-KUV11-KAR	28,5	20	66	35	25	37	20	86	22	20	0,33	D
14637	MKS25-KUV11-KAR	28,5	25	66	36	30	40,5	20	96	22	20	0,38	D
16509	MKS30-KUV11-KAR	28,5	30	66	37	35	44,5	20	94	22	20	0,39	D
10404	MKS20-KUV10-KAR	32	20	66	35	25	37	20	86	22	20	0,30	D
12488	MKS30-KUV08-KAR	32	30	66	37	35	44,5	20	94	22	20	0,39	D
12701	MKS20-KUV04-KAR	36	20	68,5	35	25	37,5	22	73	22	0	0,32	D
13610	MKS25-KUV04-KAR	36	25	68,5	36	30	41	22	82	22	0	0,37	D
10407	MKS30-KUV04-KAR	36	30	68,5	38	35	45,5	22	90	23	0	0,40	D
101554	MKS30-KUV04-KAR-AL	36	30	75	43	36	46	25	90	23	20	0,21	A


Part No.	Description	m [kg]
108182	MKS40-KUV18-28,5	0,42

Rod Journal Clamp

Description	Part No.
MKSXX-WK10-XXXX-AL	see table

Type: with tube, screw orientation: 20°



Material: steel



Description	Part No.
MKSXX-WK11-XXXX	see table

Type: with tube, screw orientation: 20°

Material: steel




Part No.	Description	D ₁ [mm]	H ₁ [mm]	L ₁ [mm]	L ₂ [mm]	m [kg]
12722	MKS20-WK10-B200	20	39,9	175,5	215	0,24
12724	MKS20-WK10-B300	20	39,9	275,5	315	0,30
12726	MKS20-WK10-B400	20	39,9	375,5	415	0,37
12730	MKS20-WK10-B600	20	39,9	575,5	615	0,48
12901	MKS25-WK10-B250	25	39,6	225,5	265	0,32
12902	MKS25-WK10-B300	25	39,6	275,5	315	0,36
12904	MKS25-WK10-B400	25	39,6	375,5	415	0,45
12908	MKS25-WK10-B600	25	39,6	575,5	615	0,62
106772	MKS25-WK10-B800	25	39,6	775,5	815	0,79

Part No.	Description	D ₁ [mm]	L ₁ [mm]	L ₂ [mm]	T ₁ [mm]	m [kg]
17086	MKS20-WK11-D300	20	276,5	320,4	2,5	0,46
17088	MKS20-WK11-D400	20	376,5	420,4	2,5	0,57
17092	MKS20-WK11-D600	20	576,5	620,4	2,5	0,78
15951	MKS25-WK11-D300	25	276,5	320,4	2,5	0,56
15953	MKS25-WK11-D400	25	376,5	420,4	2,5	0,70
15957	MKS25-WK11-D600	25	573,5	620,4	2,5	0,98
100029	MKS30-WK11-B300	30	276,5	320,4	1,5	0,46
100031	MKS30-WK11-B400	30	376,5	420,4	1,5	0,57
100035	MKS30-WK11-B600	30	576,5	620,4	1,5	0,78

Description	Part No.
MKS25-WKXX-XXX	see table

Type: with rod, screw orientation: 180°






Material: aluminium



Description	Part No.
MKS25-WK12-1-BXXX	see table

Type: with tube, screw orientation: 90°



Material: steel



Part No.	Description	H ₁ [mm]	L ₁ [mm]	m [kg]
102072	MKS25-WK13-100	42,5	100	0,20
102074	MKS25-WK13-200	42,5	200	0,34
102076	MKS25-WK13-300	42,5	300	0,47
102078	MKS25-WK13-400	42,5	400	0,61
103281	MKS25-WK13-500	42,5	500	0,73
102080	MKS25-WK13-600	42,5	600	0,87
106848	MKS25-WK15-100	40	115	0,12
106850	MKS25-WK15-200	40	215	0,26
106852	MKS25-WK15-300	40	315	0,40
106854	MKS25-WK15-400	40	415	0,54
106856	MKS25-WK15-500	40	515	0,68
106857	MKS25-WK15-600	40	615	0,75

Part No.	Description	L ₁ [mm]	L ₂ [mm]	m [kg]
102131	MKS25-WK12-1-B200	180	218,5	0,26
102133	MKS25-WK12-1-B300	280	318,5	0,35
102135	MKS25-WK12-1-B400	380	418,5	0,43
102137	MKS25-WK12-1-B500	480	518,5	0,52
102139	MKS25-WK12-1-B600	580	618,5	0,61

Hinge Connector

Description	Part No.	Description	Part No.																																																																																																									
MKS25-SCA02-285-XXX see table		MKS25-SCA01-285-XXX see table																																																																																																										
Type: tube connection: hinged clamp $\varnothing 25$ mm, swivelling (6x30°) ball mounting: hinged clamp $\varnothing 28,5$ mm, swivelling (6x30°)		Type: tube connection: clamp fixed $\varnothing 25$ mm, swivelling (6x30°) ball mounting: hinged clamp $\varnothing 28,5$ mm, swivelling (6x30°)																																																																																																										
Material: aluminium		Material: aluminium																																																																																																										
																																																																																																												
<table border="1"> <thead> <tr> <th>Part No.</th> <th>Description</th> <th>L₁ [mm]</th> <th>m [kg]</th> </tr> </thead> <tbody> <tr> <td>106500</td> <td>MKS25-SCA02-285-75</td> <td>75</td> <td>0,23</td> </tr> <tr> <td>106501</td> <td>MKS25-SCA02-285-100</td> <td>100</td> <td>0,26</td> </tr> <tr> <td>106502</td> <td>MKS25-SCA02-285-125</td> <td>125</td> <td>0,29</td> </tr> <tr> <td>106503</td> <td>MKS25-SCA02-285-150</td> <td>150</td> <td>0,32</td> </tr> </tbody> </table>	Part No.	Description	L ₁ [mm]	m [kg]	106500	MKS25-SCA02-285-75	75	0,23	106501	MKS25-SCA02-285-100	100	0,26	106502	MKS25-SCA02-285-125	125	0,29	106503	MKS25-SCA02-285-150	150	0,32		<table border="1"> <thead> <tr> <th>Part No.</th> <th>Description</th> <th>L₁ [mm]</th> <th>L₂ [mm]</th> <th>m [kg]</th> </tr> </thead> <tbody> <tr> <td>106216</td> <td>MKS25-SCA01-285-075</td> <td>75</td> <td>114</td> <td>0,22</td> </tr> <tr> <td>105718</td> <td>MKS25-SCA01-285-100</td> <td>100</td> <td>139</td> <td>0,25</td> </tr> <tr> <td>105719</td> <td>MKS25-SCA01-285-125</td> <td>125</td> <td>164</td> <td>0,28</td> </tr> <tr> <td>106217</td> <td>MKS25-SCA01-285-150</td> <td>150</td> <td>189</td> <td>0,31</td> </tr> </tbody> </table>	Part No.	Description	L ₁ [mm]	L ₂ [mm]	m [kg]	106216	MKS25-SCA01-285-075	75	114	0,22	105718	MKS25-SCA01-285-100	100	139	0,25	105719	MKS25-SCA01-285-125	125	164	0,28	106217	MKS25-SCA01-285-150	150	189	0,31																																																													
Part No.	Description	L ₁ [mm]	m [kg]																																																																																																									
106500	MKS25-SCA02-285-75	75	0,23																																																																																																									
106501	MKS25-SCA02-285-100	100	0,26																																																																																																									
106502	MKS25-SCA02-285-125	125	0,29																																																																																																									
106503	MKS25-SCA02-285-150	150	0,32																																																																																																									
Part No.	Description	L ₁ [mm]	L ₂ [mm]	m [kg]																																																																																																								
106216	MKS25-SCA01-285-075	75	114	0,22																																																																																																								
105718	MKS25-SCA01-285-100	100	139	0,25																																																																																																								
105719	MKS25-SCA01-285-125	125	164	0,28																																																																																																								
106217	MKS25-SCA01-285-150	150	189	0,31																																																																																																								
Description MKS25/20-SCA03-075 107725		Description MKSXX/XX-GV01-DXXX-KAR see table																																																																																																										
Type: tube connection 1: clamp fixed swivelling (6x30°) tube connection 2: clamp fixed swivelling (6x30°)		Type: with tube und clamp seat, degree of freedom 190°																																																																																																										
Material: aluminium		Material: steel																																																																																																										
<table border="1"> <thead> <tr> <th>Part No.</th> <th>Description</th> <th>m [kg]</th> </tr> </thead> <tbody> <tr> <td>107725</td> <td>MKS25/20-SCA03-075</td> <td>0,24</td> </tr> </tbody> </table>	Part No.	Description	m [kg]	107725	MKS25/20-SCA03-075	0,24		<table border="1"> <thead> <tr> <th>Part No.</th> <th>Description</th> <th>D₁ [mm]</th> <th>D₂ [mm]</th> <th>D₃ [mm]</th> <th>H₁ [mm]</th> <th>L₁ [mm]</th> <th>L₂ [mm]</th> <th>m [kg]</th> </tr> </thead> <tbody> <tr> <td>104299</td> <td>MKS25/25-GV01-D100-KAR</td> <td>25</td> <td>25</td> <td>30</td> <td>35,7</td> <td>100</td> <td>97</td> <td>0,39</td> </tr> <tr> <td>104300</td> <td>MKS25/25-GV01-D125-KAR</td> <td>25</td> <td>25</td> <td>30</td> <td>35,7</td> <td>125</td> <td>97</td> <td>0,42</td> </tr> <tr> <td>104301</td> <td>MKS25/25-GV01-D150-KAR</td> <td>25</td> <td>25</td> <td>30</td> <td>35,7</td> <td>150</td> <td>97</td> <td>0,46</td> </tr> <tr> <td>104302</td> <td>MKS25/25-GV01-D200-KAR</td> <td>25</td> <td>25</td> <td>30</td> <td>35,7</td> <td>200</td> <td>97</td> <td>0,53</td> </tr> <tr> <td>104298</td> <td>MKS25/25-GV01-D75-KAR</td> <td>25</td> <td>25</td> <td>30</td> <td>35,7</td> <td>75</td> <td>97</td> <td>0,35</td> </tr> <tr> <td>106532</td> <td>MKS30/30-GV01-D100-KAR</td> <td>30</td> <td>30</td> <td>35</td> <td>37,2</td> <td>100</td> <td>98</td> <td>0,52</td> </tr> <tr> <td>106535</td> <td>MKS30/30-GV01-D125-KAR</td> <td>30</td> <td>30</td> <td>35</td> <td>37,2</td> <td>125</td> <td>98</td> <td>0,56</td> </tr> <tr> <td>106536</td> <td>MKS30/30-GV01-D150-KAR</td> <td>30</td> <td>30</td> <td>35</td> <td>37,2</td> <td>150</td> <td>98</td> <td>0,60</td> </tr> <tr> <td>106537</td> <td>MKS30/30-GV01-D200-KAR</td> <td>30</td> <td>30</td> <td>35</td> <td>37,2</td> <td>200</td> <td>98</td> <td>0,69</td> </tr> <tr> <td>106534</td> <td>MKS30/30-GV01-D75-KAR</td> <td>30</td> <td>30</td> <td>35</td> <td>37,2</td> <td>75</td> <td>98</td> <td>0,52</td> </tr> </tbody> </table>	Part No.	Description	D ₁ [mm]	D ₂ [mm]	D ₃ [mm]	H ₁ [mm]	L ₁ [mm]	L ₂ [mm]	m [kg]	104299	MKS25/25-GV01-D100-KAR	25	25	30	35,7	100	97	0,39	104300	MKS25/25-GV01-D125-KAR	25	25	30	35,7	125	97	0,42	104301	MKS25/25-GV01-D150-KAR	25	25	30	35,7	150	97	0,46	104302	MKS25/25-GV01-D200-KAR	25	25	30	35,7	200	97	0,53	104298	MKS25/25-GV01-D75-KAR	25	25	30	35,7	75	97	0,35	106532	MKS30/30-GV01-D100-KAR	30	30	35	37,2	100	98	0,52	106535	MKS30/30-GV01-D125-KAR	30	30	35	37,2	125	98	0,56	106536	MKS30/30-GV01-D150-KAR	30	30	35	37,2	150	98	0,60	106537	MKS30/30-GV01-D200-KAR	30	30	35	37,2	200	98	0,69	106534	MKS30/30-GV01-D75-KAR	30	30	35	37,2	75	98	0,52	
Part No.	Description	m [kg]																																																																																																										
107725	MKS25/20-SCA03-075	0,24																																																																																																										
Part No.	Description	D ₁ [mm]	D ₂ [mm]	D ₃ [mm]	H ₁ [mm]	L ₁ [mm]	L ₂ [mm]	m [kg]																																																																																																				
104299	MKS25/25-GV01-D100-KAR	25	25	30	35,7	100	97	0,39																																																																																																				
104300	MKS25/25-GV01-D125-KAR	25	25	30	35,7	125	97	0,42																																																																																																				
104301	MKS25/25-GV01-D150-KAR	25	25	30	35,7	150	97	0,46																																																																																																				
104302	MKS25/25-GV01-D200-KAR	25	25	30	35,7	200	97	0,53																																																																																																				
104298	MKS25/25-GV01-D75-KAR	25	25	30	35,7	75	97	0,35																																																																																																				
106532	MKS30/30-GV01-D100-KAR	30	30	35	37,2	100	98	0,52																																																																																																				
106535	MKS30/30-GV01-D125-KAR	30	30	35	37,2	125	98	0,56																																																																																																				
106536	MKS30/30-GV01-D150-KAR	30	30	35	37,2	150	98	0,60																																																																																																				
106537	MKS30/30-GV01-D200-KAR	30	30	35	37,2	200	98	0,69																																																																																																				
106534	MKS30/30-GV01-D75-KAR	30	30	35	37,2	75	98	0,52																																																																																																				

Hinge Connector

Description	Part No.	Description	Part No.
MKS40/25-GV01-KAR-KAL	107612	MKSXX/XX-GV01-KAR-KAL	see table





Type: with clamp seat double-sided, degree of freedom 170°

Material: steel



Type: with clamp seat double-sided, degree of freedom 190°

Material: steel




Part No.	Description	m [kg]
107612	MKS4025-GV01-KAR-KAL	0,70

Part No.	Description	D ₁ [mm]	D ₂ [mm]	H ₁ [mm]	L ₁ [mm]	L ₂ [mm]	L ₃ [mm]	m [kg]
105563	MKS25/25-GV01-KAR-KAL	25	30	35,7	97	97	115,6	0,53
106557	MKS30/30-GV01-KAR-KAL	30	35	35,7	98	98	118	0,59

Description	Part No.
MKS25-GV01-DXXX	see table






Type: with tube

Material: steel



Type: with clamp seat, left

Material: steel




Part No.	Description	D ₁ [mm]	L ₁ [mm]	m [kg]
104304	MKS25-GV01-D075	25	75	0,08
104305	MKS25-GV01-D100	25	100	0,11
104306	MKS25-GV01-D125	25	125	0,15
104307	MKS25-GV01-D150	25	150	0,18
104308	MKS25-GV01-D200	25	200	0,25
106539	MKS30-GV01-D075	30	75	0,17
106540	MKS30-GV01-D100	30	100	0,22
106541	MKS30-GV01-D125	30	125	0,26
106542	MKS30-GV01-D150	30	150	0,30
106543	MKS30-GV01-D200	30	200	0,39

Part No.	Description	D ₁ [mm]	L ₁ [mm]	L ₂ [mm]	L ₃ [mm]	m [kg]
105562	MKS25-GV01-KAL	25	97	113	40,5	0,26
106556	MKS30-GV01-KAL	30	98	114	44,5	0,30


Hinge Connector

Description	Part No.
MKSXX-GV01-KAR	see table

Type: with clamp seat, right



Material: steel




Part No.	Description	D ₁ [mm]	L ₁ [mm]	L ₂ [mm]	L ₃ [mm]	m [kg]
104303	MKS25-GV01-KAR	25	97	113	40,5	0,26
106538	MKS30-GV01-KAR	30	98	114	44,5	0,30
107619	MKS40-GV01-KAR	40	119	135	54,5	0,43

Clamp Seat

Description	Part No.
MKSXX/XX-KAR07-XX° see table	

Type: with tube angled, right




Material: steel



Description	Part No.
MKSXX/XX-KAL07-XX° see table	

Type: with tube angled, left

Material: steel




Part No.	Description	D ₁ [mm]	D ₂ [mm]	H ₁ [mm]	B ₁ [mm]	L ₁ [mm]	L ₂ [mm]	L ₃ [mm]	α [°]	T ₁ [mm]	m [kg]
102035	MKS20/20-KAR07-30°	20	20	34,7	35,5	90	70	60	30	50	0,28
102036	MKS20/20-KAR07-45°	20	20	34,7	35,5	90	70	60	45	50	0,28
107899	MKS20/20-KAR07-90°	20	20	34,7	35,5	140	81,6	60	90	50	0,33
101693	MKS25/25-KAR07-30°	25	25	35,7	40,5	90	83	70	30	60	0,34
101694	MKS25/25-KAR07-45°	25	25	35,7	40,5	90	83	70	45	60	0,36
102731	MKS25/25-KAR07-90°	25	25	35,7	40,5	140	92	70	90	60	0,44
106977	MKS25/25-KAR07-90°-190	25	25	35,7	40,5	190	92	70	90	60	0,52

Part No.	Description	D ₁ [mm]	D ₂ [mm]	H ₁ [mm]	B ₁ [mm]	L ₁ [mm]	L ₂ [mm]	L ₃ [mm]	α [°]	T ₁ [mm]	m [kg]
102988	MKS20/20-KAL07-30°	20	20	34,7	35,5	90	70	60	30	50	0,28
102989	MKS20/20-KAL07-45°	20	20	34,7	35,5	90	70	60	45	50	0,28
102756	MKS25/25-KAL07-30°	25	25	35,7	40,5	90	83	70	30	60	0,35
102757	MKS25/25-KAL07-45°	25	25	35,7	40,5	90	83	70	45	60	0,35

Description	Part No.
MKSXX-KAL01-XX see table	

Type: weldable, left




Material: steel



Description	Part No.
MKSXX-KAR01-XX see table	

Type: weldable, right






Material: steel



Part No.	Description	D ₁ [mm]	B ₁ [mm]	B ₂ [mm]	B ₃ [mm]	L ₁ [mm]	m [kg]
11626	MKS20-KAL01-60	20	15	35,5	30,2	60	0,12
11628	MKS25-KAL01-70	25	18,5	40,5	35,7	70	0,16
11630	MKS30-KAL01-90	30	21	45,5	38,2	90	0,72

Part No.	Description	D ₁ [mm]	B ₁ [mm]	B ₂ [mm]	B ₃ [mm]	L ₁ [mm]	m [kg]
11627	MKS20-KAR01-60	20	15,5	35,5	34,7	60	0,12
11629	MKS25-KAR01-70	25	18,5	40,5	35,7	70	0,16
11631	MKS30-KAR01-90	30	21	45,5	38,2	90	0,22

Clamp Seat


Description	Part No.	Description	Part No.
MKS30-KAR09-100-AL	106159	MKSXX-RAX1-X00	see table
Type: clamp seat double-sided		Type: with plate	
Material: aluminium		Material: steel	
			
			

Adapter with Ball/Rod Journal

Description	Part No.
MKSXX-AKU10	see table

Type: with ball, with clamp fixed




Material: steel



Description	Part No.
MKS25-GB132-2-XX	see table

Type: with ball, with clamp fixed







Material: see table



Part No.	Description	D ₁ [mm]	H ₁ [mm]	B ₁ [mm]	L ₁ [mm]	L ₂ [mm]	L ₃ [mm]	m [kg]
10510	MKS20-AKU10	20	32	28	39	15	73,4	0,18
10511	MKS25-AKU10	25	35,5	33	41	17,5	77,9	0,22

Part No.	Description	m [kg]	Material
103209	MKS25-GB132-2	0,24	D
103212	MKS25-GB132-2-AL	0,10	A

Adapter with Ball/Rod Journal

Description	Part No.	Description	Part No.																																																																																																																																																																																																																																																																																																																																																																																																																																																																								
MKS-AKUXX-X-XX	see table	MKS-AKU36-X	see table																																																																																																																																																																																																																																																																																																																																																																																																																																																																								
Type: with ball, with mounting, with thread or hole			Type: with ball, with flange 90°																																																																																																																																																																																																																																																																																																																																																																																																																																																																								
Material: see table			Material: aluminium																																																																																																																																																																																																																																																																																																																																																																																																																																																																								
 	 																																																																																																																																																																																																																																																																																																																																																																																																																																																																										
<table border="1"> <thead> <tr> <th>Part No.</th> <th>Description</th> <th>D₁ [mm]</th> <th>D₂ [mm]</th> <th>D₃ [mm]</th> <th>L₁ [mm]</th> <th>L₂ [mm]</th> <th>L₃ [mm]</th> <th>L₄ [mm]</th> <th>m [kg]</th> <th>Material</th> </tr> </thead> <tbody> <tr><td>12688</td><td>MKS-AKU22-1</td><td>28,5</td><td>20,5</td><td>36</td><td>22</td><td>46</td><td>64</td><td>76,4</td><td>0,16</td><td>D</td></tr> <tr><td>12879</td><td>MKS-AKU23</td><td>28,5</td><td>M18x1,5</td><td>35</td><td>19</td><td>43</td><td>60,5</td><td>73</td><td>0,15</td><td>D</td></tr> <tr><td>13902</td><td>MKS-AKU28</td><td>32</td><td>M20x1,5</td><td>36</td><td>22</td><td>48</td><td>66</td><td>79,5</td><td>0,21</td><td>D</td></tr> <tr><td>13903</td><td>MKS-AKU28-1</td><td>32</td><td>20,5</td><td>36</td><td>22</td><td>48</td><td>66</td><td>79,5</td><td>0,20</td><td>D</td></tr> <tr><td>15207</td><td>MKS-AKU39</td><td>32</td><td>30,5</td><td>48</td><td>24</td><td>50</td><td>74</td><td>87,5</td><td>0,23</td><td>D</td></tr> <tr><td>15575</td><td>MKS-AKU22</td><td>28,5</td><td>M20x1,5</td><td>36</td><td>22</td><td>46</td><td>64</td><td>76,4</td><td>0,16</td><td>D</td></tr> <tr><td>15838</td><td>MKS-AKU39-2</td><td>28,5</td><td>30,5</td><td>48</td><td>24</td><td>48</td><td>72</td><td>84,4</td><td>0,19</td><td>D</td></tr> <tr><td>19893</td><td>MKS-AKU22-2</td><td>36</td><td>M20x1,5</td><td>36</td><td>22</td><td>51</td><td>69</td><td>84</td><td>0,26</td><td>D</td></tr> <tr><td>100769</td><td>MKS-AKU39-3</td><td>28,5</td><td>M30x1,5</td><td>48</td><td>24</td><td>48</td><td>72</td><td>84,4</td><td>0,19</td><td>D</td></tr> <tr><td>100770</td><td>MKS-AKU39-4</td><td>32</td><td>M30x1,5</td><td>48</td><td>24</td><td>50</td><td>74</td><td>87,5</td><td>0,24</td><td>D</td></tr> <tr><td>102577</td><td>MKS-AKU22-3</td><td>36</td><td>20,5</td><td>36</td><td>22</td><td>51</td><td>69</td><td>84</td><td>0,26</td><td>D</td></tr> <tr><td>104103</td><td>MKS-AKU39-5</td><td>36</td><td>30,5</td><td>48</td><td>24</td><td>53</td><td>77</td><td>92</td><td>0,29</td><td>D</td></tr> <tr><td>104104</td><td>MKS-AKU39-6</td><td>36</td><td>M30x1,5</td><td>48</td><td>24</td><td>53</td><td>77</td><td>92</td><td>0,30</td><td>D</td></tr> <tr><td>104105</td><td>MKS-AKU95</td><td>28,5</td><td>18,5</td><td>36</td><td>22</td><td>46</td><td>64</td><td>76,4</td><td>0,16</td><td>D</td></tr> <tr><td>104106</td><td>MKS-AKU95-1</td><td>28,5</td><td>M18x1</td><td>36</td><td>22</td><td>46</td><td>64</td><td>76,4</td><td>0,17</td><td>D</td></tr> <tr><td>104107</td><td>MKS-AKU95-2</td><td>32</td><td>18,5</td><td>36</td><td>22</td><td>48</td><td>66</td><td>79,5</td><td>0,21</td><td>D</td></tr> <tr><td>104108</td><td>MKS-AKU95-3</td><td>32</td><td>M18x1</td><td>36</td><td>22</td><td>48</td><td>66</td><td>79,5</td><td>0,21</td><td>D</td></tr> <tr><td>104109</td><td>MKS-AKU95-4</td><td>36</td><td>18,5</td><td>36</td><td>22</td><td>51</td><td>69</td><td>84</td><td>0,26</td><td>D</td></tr> <tr><td>104110</td><td>MKS-AKU95-5</td><td>36</td><td>M18x1</td><td>36</td><td>22</td><td>51</td><td>69</td><td>84</td><td>0,27</td><td>D</td></tr> <tr><td>105381</td><td>MKS-AKU28-2</td><td>32</td><td>22</td><td>36</td><td>22</td><td>48</td><td>66</td><td>79,5</td><td>0,20</td><td>D</td></tr> <tr><td>105756</td><td>MKS-AKU95-1-AL</td><td>28,5</td><td>18,5</td><td>36</td><td>22</td><td>46</td><td>64</td><td>76,4</td><td>0,06</td><td>A</td></tr> <tr><td>105757</td><td>MKS-AKU95-1-AL</td><td>28,5</td><td>M18x1</td><td>36</td><td>22</td><td>46</td><td>64</td><td>76,4</td><td>0,06</td><td>A</td></tr> <tr><td>105758</td><td>MKS-AKU95-2-AL</td><td>32</td><td>18,5</td><td>36</td><td>22</td><td>48</td><td>66</td><td>79,5</td><td>0,07</td><td>A</td></tr> <tr><td>105759</td><td>MKS-AKU95-3-AL</td><td>32</td><td>M18x1</td><td>36</td><td>22</td><td>48</td><td>66</td><td>79,5</td><td>0,07</td><td>A</td></tr> <tr><td>105760</td><td>MKS-AKU95-4-AL</td><td>36</td><td>18,5</td><td>36</td><td>22</td><td>51</td><td>69</td><td>84</td><td>0,09</td><td>A</td></tr> <tr><td>105761</td><td>MKS-AKU95-5-AL</td><td>36</td><td>M18x1</td><td>36</td><td>22</td><td>51</td><td>69</td><td>84</td><td>0,09</td><td>A</td></tr> <tr><td>105762</td><td>MKS-AKU22-1-AL</td><td>28,5</td><td>20,5</td><td>36</td><td>22</td><td>46</td><td>64</td><td>76,4</td><td>0,06</td><td>A</td></tr> <tr><td>105763</td><td>MKS-AKU22-2-AL</td><td>28,5</td><td>M20x1,5</td><td>36</td><td>22</td><td>46</td><td>64</td><td>76,4</td><td>0,06</td><td>A</td></tr> <tr><td>105764</td><td>MKS-AKU22-2-AL</td><td>36</td><td>M20x1,5</td><td>36</td><td>22</td><td>51</td><td>69</td><td>84</td><td>0,09</td><td>A</td></tr> <tr><td>105765</td><td>MKS-AKU22-3-AL</td><td>36</td><td>20,5</td><td>36</td><td>22</td><td>51</td><td>69</td><td>84</td><td>0,09</td><td>A</td></tr> <tr><td>105766</td><td>MKS-AKU39-AL</td><td>32</td><td>30,5</td><td>48</td><td>24</td><td>50</td><td>74</td><td>87,5</td><td>0,08</td><td>A</td></tr> <tr><td>105767</td><td>MKS-AKU39-2-AL</td><td>28,5</td><td>30,5</td><td>48</td><td>24</td><td>48</td><td>72</td><td>84,4</td><td>0,07</td><td>A</td></tr> <tr><td>105768</td><td>MKS-AKU39-3-AL</td><td>28,5</td><td>M30x1,5</td><td>48</td><td>24</td><td>48</td><td>72</td><td>84,4</td><td>0,07</td><td>A</td></tr> <tr><td>105769</td><td>MKS-AKU39-4-AL</td><td>32</td><td>M30x1,5</td><td>48</td><td>24</td><td>50</td><td>74</td><td>87,5</td><td>0,08</td><td>A</td></tr> <tr><td>105770</td><td>MKS-AKU39-5-AL</td><td>36</td><td>30,5</td><td>48</td><td>24</td><td>53</td><td>77</td><td>92</td><td>0,10</td><td>A</td></tr> <tr><td>105771</td><td>MKS-AKU39-6-AL</td><td>36</td><td>M30x1,5</td><td>48</td><td>24</td><td>53</td><td>77</td><td>92</td><td>0,10</td><td>A</td></tr> <tr><td>105772</td><td>MKS-AKU28-AL</td><td>32</td><td>M20x1,5</td><td>36</td><td>22</td><td>48</td><td>66</td><td>79,5</td><td>0,07</td><td>A</td></tr> <tr><td>105773</td><td>MKS-AKU28-1-AL</td><td>32</td><td>20,5</td><td>36</td><td>22</td><td>48</td><td>66</td><td>79,5</td><td>0,07</td><td>A</td></tr> <tr><td>105774</td><td>MKS-AKU28-2-AL</td><td>32</td><td>22</td><td>36</td><td>22</td><td>48</td><td>66</td><td>79,5</td><td>0,07</td><td>A</td></tr> </tbody> </table>	Part No.	Description	D ₁ [mm]	D ₂ [mm]	D ₃ [mm]	L ₁ [mm]	L ₂ [mm]	L ₃ [mm]	L ₄ [mm]	m [kg]	Material	12688	MKS-AKU22-1	28,5	20,5	36	22	46	64	76,4	0,16	D	12879	MKS-AKU23	28,5	M18x1,5	35	19	43	60,5	73	0,15	D	13902	MKS-AKU28	32	M20x1,5	36	22	48	66	79,5	0,21	D	13903	MKS-AKU28-1	32	20,5	36	22	48	66	79,5	0,20	D	15207	MKS-AKU39	32	30,5	48	24	50	74	87,5	0,23	D	15575	MKS-AKU22	28,5	M20x1,5	36	22	46	64	76,4	0,16	D	15838	MKS-AKU39-2	28,5	30,5	48	24	48	72	84,4	0,19	D	19893	MKS-AKU22-2	36	M20x1,5	36	22	51	69	84	0,26	D	100769	MKS-AKU39-3	28,5	M30x1,5	48	24	48	72	84,4	0,19	D	100770	MKS-AKU39-4	32	M30x1,5	48	24	50	74	87,5	0,24	D	102577	MKS-AKU22-3	36	20,5	36	22	51	69	84	0,26	D	104103	MKS-AKU39-5	36	30,5	48	24	53	77	92	0,29	D	104104	MKS-AKU39-6	36	M30x1,5	48	24	53	77	92	0,30	D	104105	MKS-AKU95	28,5	18,5	36	22	46	64	76,4	0,16	D	104106	MKS-AKU95-1	28,5	M18x1	36	22	46	64	76,4	0,17	D	104107	MKS-AKU95-2	32	18,5	36	22	48	66	79,5	0,21	D	104108	MKS-AKU95-3	32	M18x1	36	22	48	66	79,5	0,21	D	104109	MKS-AKU95-4	36	18,5	36	22	51	69	84	0,26	D	104110	MKS-AKU95-5	36	M18x1	36	22	51	69	84	0,27	D	105381	MKS-AKU28-2	32	22	36	22	48	66	79,5	0,20	D	105756	MKS-AKU95-1-AL	28,5	18,5	36	22	46	64	76,4	0,06	A	105757	MKS-AKU95-1-AL	28,5	M18x1	36	22	46	64	76,4	0,06	A	105758	MKS-AKU95-2-AL	32	18,5	36	22	48	66	79,5	0,07	A	105759	MKS-AKU95-3-AL	32	M18x1	36	22	48	66	79,5	0,07	A	105760	MKS-AKU95-4-AL	36	18,5	36	22	51	69	84	0,09	A	105761	MKS-AKU95-5-AL	36	M18x1	36	22	51	69	84	0,09	A	105762	MKS-AKU22-1-AL	28,5	20,5	36	22	46	64	76,4	0,06	A	105763	MKS-AKU22-2-AL	28,5	M20x1,5	36	22	46	64	76,4	0,06	A	105764	MKS-AKU22-2-AL	36	M20x1,5	36	22	51	69	84	0,09	A	105765	MKS-AKU22-3-AL	36	20,5	36	22	51	69	84	0,09	A	105766	MKS-AKU39-AL	32	30,5	48	24	50	74	87,5	0,08	A	105767	MKS-AKU39-2-AL	28,5	30,5	48	24	48	72	84,4	0,07	A	105768	MKS-AKU39-3-AL	28,5	M30x1,5	48	24	48	72	84,4	0,07	A	105769	MKS-AKU39-4-AL	32	M30x1,5	48	24	50	74	87,5	0,08	A	105770	MKS-AKU39-5-AL	36	30,5	48	24	53	77	92	0,10	A	105771	MKS-AKU39-6-AL	36	M30x1,5	48	24	53	77	92	0,10	A	105772	MKS-AKU28-AL	32	M20x1,5	36	22	48	66	79,5	0,07	A	105773	MKS-AKU28-1-AL	32	20,5	36	22	48	66	79,5	0,07	A	105774	MKS-AKU28-2-AL	32	22	36	22	48	66	79,5	0,07	A	<table border="1"> <thead> <tr> <th>Part No.</th> <th>Description</th> <th>D₁ [mm]</th> <th>H₁ [mm]</th> <th>H₂ [mm]</th> <th>m [kg]</th> </tr> </thead> <tbody> <tr><td>15050</td><td>MKS-AKU36</td><td>36</td><td>29</td><td>44</td><td>0,37</td></tr> <tr><td>15709</td><td>MKS-AKU36-1</td><td>28,5</td><td>26</td><td>38,4</td><td>0,27</td></tr> </tbody> </table>	Part No.	Description	D ₁ [mm]	H ₁ [mm]	H ₂ [mm]	m [kg]	15050	MKS-AKU36	36	29	44	0,37	15709	MKS-AKU36-1	28,5	26	38,4	0,27
Part No.	Description	D ₁ [mm]	D ₂ [mm]	D ₃ [mm]	L ₁ [mm]	L ₂ [mm]	L ₃ [mm]	L ₄ [mm]	m [kg]	Material																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
12688	MKS-AKU22-1	28,5	20,5	36	22	46	64	76,4	0,16	D																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
12879	MKS-AKU23	28,5	M18x1,5	35	19	43	60,5	73	0,15	D																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
13902	MKS-AKU28	32	M20x1,5	36	22	48	66	79,5	0,21	D																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
13903	MKS-AKU28-1	32	20,5	36	22	48	66	79,5	0,20	D																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
15207	MKS-AKU39	32	30,5	48	24	50	74	87,5	0,23	D																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
15575	MKS-AKU22	28,5	M20x1,5	36	22	46	64	76,4	0,16	D																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
15838	MKS-AKU39-2	28,5	30,5	48	24	48	72	84,4	0,19	D																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
19893	MKS-AKU22-2	36	M20x1,5	36	22	51	69	84	0,26	D																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
100769	MKS-AKU39-3	28,5	M30x1,5	48	24	48	72	84,4	0,19	D																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
100770	MKS-AKU39-4	32	M30x1,5	48	24	50	74	87,5	0,24	D																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
102577	MKS-AKU22-3	36	20,5	36	22	51	69	84	0,26	D																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
104103	MKS-AKU39-5	36	30,5	48	24	53	77	92	0,29	D																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
104104	MKS-AKU39-6	36	M30x1,5	48	24	53	77	92	0,30	D																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
104105	MKS-AKU95	28,5	18,5	36	22	46	64	76,4	0,16	D																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
104106	MKS-AKU95-1	28,5	M18x1	36	22	46	64	76,4	0,17	D																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
104107	MKS-AKU95-2	32	18,5	36	22	48	66	79,5	0,21	D																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
104108	MKS-AKU95-3	32	M18x1	36	22	48	66	79,5	0,21	D																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
104109	MKS-AKU95-4	36	18,5	36	22	51	69	84	0,26	D																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
104110	MKS-AKU95-5	36	M18x1	36	22	51	69	84	0,27	D																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
105381	MKS-AKU28-2	32	22	36	22	48	66	79,5	0,20	D																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
105756	MKS-AKU95-1-AL	28,5	18,5	36	22	46	64	76,4	0,06	A																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
105757	MKS-AKU95-1-AL	28,5	M18x1	36	22	46	64	76,4	0,06	A																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
105758	MKS-AKU95-2-AL	32	18,5	36	22	48	66	79,5	0,07	A																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
105759	MKS-AKU95-3-AL	32	M18x1	36	22	48	66	79,5	0,07	A																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
105760	MKS-AKU95-4-AL	36	18,5	36	22	51	69	84	0,09	A																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
105761	MKS-AKU95-5-AL	36	M18x1	36	22	51	69	84	0,09	A																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
105762	MKS-AKU22-1-AL	28,5	20,5	36	22	46	64	76,4	0,06	A																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
105763	MKS-AKU22-2-AL	28,5	M20x1,5	36	22	46	64	76,4	0,06	A																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
105764	MKS-AKU22-2-AL	36	M20x1,5	36	22	51	69	84	0,09	A																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
105765	MKS-AKU22-3-AL	36	20,5	36	22	51	69	84	0,09	A																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
105766	MKS-AKU39-AL	32	30,5	48	24	50	74	87,5	0,08	A																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
105767	MKS-AKU39-2-AL	28,5	30,5	48	24	48	72	84,4	0,07	A																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
105768	MKS-AKU39-3-AL	28,5	M30x1,5	48	24	48	72	84,4	0,07	A																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
105769	MKS-AKU39-4-AL	32	M30x1,5	48	24	50	74	87,5	0,08	A																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
105770	MKS-AKU39-5-AL	36	30,5	48	24	53	77	92	0,10	A																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
105771	MKS-AKU39-6-AL	36	M30x1,5	48	24	53	77	92	0,10	A																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
105772	MKS-AKU28-AL	32	M20x1,5	36	22	48	66	79,5	0,07	A																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
105773	MKS-AKU28-1-AL	32	20,5	36	22	48	66	79,5	0,07	A																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
105774	MKS-AKU28-2-AL	32	22	36	22	48	66	79,5	0,07	A																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
Part No.	Description	D ₁ [mm]	H ₁ [mm]	H ₂ [mm]	m [kg]																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
15050	MKS-AKU36	36	29	44	0,37																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
15709	MKS-AKU36-1	28,5	26	38,4	0,27																																																																																																																																																																																																																																																																																																																																																																																																																																																																						


Material
A → aluminium
D → steel

Adapter with Ball/Rod Journal

Description	Part No.	Description	Part No.
MKS-AKU47	15433	MKS-AKU31	14625




Type: with ball, with flange

Material: steel



Type: with ball, with weld-on angle

Material: steel



Part No.	Description	m [kg]
15433	MKS-AKU47	0,12


Part No.	Description	m [kg]
14625	MKS-AKU31	0,12

Description Part No.

MKS-AWXX see table

Type: with rod journal, with flange


Material: steel




Part No.	Description	D ₁ [mm]	H ₁ [mm]	H ₂ [mm]	H ₃ [mm]	L ₁ [mm]	L ₂ [mm]	m [kg]
15382	MKS-AW01	20	12	21,5	4	31,5	30,5	0,10
15688	MKS-AW22	25	18	26,5	8	40	39,5	0,17

4. Tooling Tubes

Index



Tube 134





Tube Angle 137

Tube

Description	Part No.
MKSXX-PRXX-X-XXXX	see table

Type: universal

Material: see table



Part No.	Description	D ₁ [mm]	D ₂ [mm]	L ₁ [mm]	Material	m [kg]
16332	MKS20-PR01-0400	20	15	400	D	0,43
15066	MKS20-PR01-0500	20	15	500	D	0,54
100934	MKS20-PR01-0600	20	15	600	D	0,65
15068	MKS20-PR01-0700	20	15	700	D	0,76
15069	MKS20-PR01-0800	20	15	800	D	0,86
16357	MKS20-PR01-1000	20	15	1000	D	1,08
11675	MKS20-PR01-1200	20	15	1200	D	1,29
15577	MKS20-PR01-1500	20	15	1500	D	1,62
15071	MKS20-PR01-2000	20	15	2000	D	2,16
15884	MKS20-PR01-3000	20	15	3000	D	3,24
16912	MKS20-PR01-D0100	20	15	100	D	0,11
102370	MKS20-PR01-D0150	20	15	150	D	0,16
104623	MKS20-PR01-D0200	20	15	200	D	0,22
104624	MKS20-PR01-D0250	20	15	250	D	0,27
17466	MKS20-PR01-D0300	20	15	300	D	0,32
107789	MKS20-PR02-0300	20	16	300	D	0,27
11679	MKS20-PR02-1200	20	16	1200	D	1,07
15578	MKS20-PR02-1500	20	16	1500	D	1,33
17058	MKS20-PR02-2000	20	16	2000	D	1,78
15885	MKS20-PR02-3000	20	16	3000	D	2,66
17706	MKS20-PR03-1000	20	17	1000	D	0,68
15886	MKS20-PR03-3000	20	17	300	D	0,21
15888	MKS20-PR04-3000	20	14	3000	D	3,77
100917	MKS25-PR01-0100	25	20	100	D	0,14
100900	MKS25-PR01-0200	25	20	200	D	0,28
17779	MKS25-PR01-0300	25	20	300	D	0,42
15062	MKS25-PR01-0400	25	20	400	D	0,55
15063	MKS25-PR01-0500	25	20	500	D	0,69
15064	MKS25-PR01-0580	25	20	580	D	0,80
17576	MKS25-PR01-0600	25	20	600	D	0,83
17577	MKS25-PR01-0750	25	20	750	D	1,04
16352	MKS25-PR01-1000	25	20	1000	D	1,39
11676	MKS25-PR01-1200	25	20	1200	D	1,66
16353	MKS25-PR01-1400	25	20	1400	D	1,94
15580	MKS25-PR01-1500	25	20	1500	D	2,08
17886	MKS25-PR01-1600	25	20	1600	D	2,22
15065	MKS25-PR01-2000	25	20	2000	D	2,77
16354	MKS25-PR01-2400	25	20	2400	D	3,33
15889	MKS25-PR01-3000	25	20	3000	D	4,16
107302	MKS25-PR01-A0500	25	23	500	D	0,30
107303	MKS25-PR01-A0750	25	23	750	D	0,44
107304	MKS25-PR01-A1500	25	23	1500	D	0,89
107437	MKS25-PR01-A3000	25	23	3000	D	1,78
102127	MKS25-PR02-0200	25	21	200	D	0,23
102055	MKS25-PR02-0300	25	21	300	D	0,34
11680	MKS25-PR02-1200	25	21	1200	D	1,36

Part No.	Description	D ₁ [mm]	D ₂ [mm]	L ₁ [mm]	Material	m [kg]
15581	MKS25-PR02-1500	25	21	1500	D	1,70
17059	MKS25-PR02-2000	25	21	2000	D	2,27
15890	MKS25-PR02-3000	25	21	3000	D	3,40
17286	MKS25-PR03-0400	25	22	400	D	0,35
16419	MKS25-PR03-0580	25	22	580	D	0,50
15059	MKS25-PR03-1000	25	22	1000	D	0,87
11683	MKS25-PR03-1200	25	22	1200	D	1,04
14256	MKS25-PR03-1500	25	22	1500	D	1,30
15891	MKS25-PR03-3000	25	22	3000	D	2,61
102247	MKS25-PR04-0200	25	19	200	D	0,33
15892	MKS25-PR04-1200	25	19	1200	D	1,95
13934	MKS25-PR04-1500	25	19	1500	D	2,44
104033	MKS25-PR04-1995	25	19	1995	D	3,25
15893	MKS25-PR04-3000	25	19	3000	D	4,88
107659	MKS25-R01-AL-0125	25	15	125	A	0,11
103282	MKS25-R01-AL-1000	25	15	1000	A	0,85
106797	MKS25-R01-AL-1200	25	15	1200	A	1,02
106820	MKS25-R01-AL-1500	25	15	1500	A	1,27
101163	MKS25-R01-AL-3000	25	15	3000	A	2,54
102313	MKS30-PR01-0150	30	25	150	D	0,25
101370	MKS30-PR01-0200	30	25	200	D	0,34
101634	MKS30-PR01-0300	30	25	300	D	0,51
101635	MKS30-PR01-0400	30	25	400	D	0,68
16545	MKS30-PR01-0500	30	25	500	D	0,85
16420	MKS30-PR01-0575	30	25	575	D	0,97
100506	MKS30-PR01-0600	30	25	600	D	1,02
100936	MKS30-PR01-0700	30	25	700	D	1,19
15061	MKS30-PR01-0800	30	25	800	D	1,36
16421	MKS30-PR01-0825	30	25	825	D	1,40
101941	MKS30-PR01-0900	30	25	900	D	1,53
16355	MKS30-PR01-1000	30	25	1000	D	1,70
16422	MKS30-PR01-1075	30	25	1075	D	1,82
11677	MKS30-PR01-1200	30	25	1200	D	2,03
16423	MKS30-PR01-1325	30	25	1325	D	2,25
11678	MKS30-PR01-1500	30	25	1500	D	2,54
105852	MKS30-PR01-1600	30	25	1600	D	2,71
16503	MKS30-PR01-1800	30	25	1800	D	3,05
16105	MKS30-PR01-2000	30	25	2000	D	3,39
14814	MKS30-PR01-3000	30	25	3000	D	5,09
18076	MKS30-PR02-0400	30	26	400	D	0,55
102616	MKS30-PR02-0450	30	26	450	D	0,62
104032	MKS30-PR02-0500	30	26	500	D	0,69
11681	MKS30-PR02-1200	30	26	1200	D	1,66
14815	MKS30-PR02-1500	30	26	1500	D	2,07
17943	MKS30-PR02-2000	30	26	2000	D	2,76
104191	MKS30-PR02-3000	30	26	3000	D	4,14

Tube


Part No.	Description	D ₁ [mm]	D ₂ [mm]	L ₁ [mm]	Material	m [kg]
102703	MKS30-PRO3-0250	30	27	250	D	0,26
17707	MKS30-PRO3-1000	30	27	1000	D	1,05
11684	MKS30-PRO3-1200	30	27	1200	D	1,27
15582	MKS30-PRO3-1500	30	27	1500	D	1,58
18039	MKS30-PRO4-0400	30	24	400	D	0,80
13748	MKS30-PRO4-0750	30	24	750	D	1,50
11693	MKS30-PRO4-1200	30	24	1200	D	2,40
16415	MKS30-PRO4-1500	30	24	1500	D	3,00
16788	MKS30-PRO4-1800	30	24	1800	D	3,60
16510	MKS30-PRO4-2000	30	24	2000	D	4,00
101796	MKS30-PRO4-3000	30	24	3000	D	5,99
107284	MKS40-PRO1-1000	40	35	1000	D	2,31
100456	MKS40-PRO1-1500	40	35	1500	D	3,47
17282	MKS40-PRO1-1700	40	35	1700	D	3,93
107765	MKS40-PRO1-2000	40	35	2000	D	4,62
16356	MKS40-PRO1-2200	40	35	2200	D	5,09
13933	MKS40-PRO1-3000	40	35	3000	D	6,94
107581	MKS40-PRO1-A3000	40	38	3000	D	2,89
106589	MKS40-PRO2-0250	40	36	250	D	0,47
17033	MKS40-PRO2-0500	40	36	500	D	0,94
17982	MKS40-PRO2-0600	40	36	600	D	1,12
17721	MKS40-PRO2-1000	40	36	1000	D	1,87
12874	MKS40-PRO2-1200	40	36	1200	D	2,25
12925	MKS40-PRO2-1500	40	36	1500	D	2,81
16175	MKS40-PRO2-2000	40	36	2000	D	3,75
17121	MKS40-PRO2-2500	40	36	2500	D	4,69
17034	MKS40-PRO2-3000	40	36	3000	D	5,62
105726	MKS40-R03-AL-0400	40	34	400	A	0,38
105727	MKS40-R03-AL-0600	40	34	600	A	0,56
103417	MKS40-R03-AL-0640	40	34	640	A	0,60
105728	MKS40-R03-AL-0800	40	34	800	A	0,75
105729	MKS40-R03-AL-1000	40	34	1000	A	0,94
107793	MKS40-R03-AL-1150	40	34	1150	A	1,08
105730	MKS40-R03-AL-1200	40	34	1200	A	1,13
104008	MKS40-R03-AL-1300	40	34	1300	A	1,22
105731	MKS40-R03-AL-1400	40	34	1400	A	1,32
103416	MKS40-R03-AL-1430	40	34	1430	A	1,35
101835	MKS40-R03-AL-1600	40	34	1600	A	1,51
106576	MKS40-R03-AL-3000	40	34	3000	A	2,82
16067	MKS60-PRO1-0750-R	60	55	750	D	2,66
15793	MKS60-PRO1-1000-R	60	55	1000	D	3,55
15794	MKS60-PRO1-1200-R	60	55	1200	D	4,25
15795	MKS60-PRO1-1400-R	60	55	1400	D	4,96
106724	MKS60-PRO1-1600-R	60	55	1600	D	5,67
106727	MKS60-PRO1-1700-R	60	55	1700	D	6,03
106879	MKS60-PRO1-1800-R	60	55	1800	D	6,38
15796	MKS60-PRO1-2000-R	60	55	2000	D	7,09
15797	MKS60-PRO1-2500-R	60	55	2500	D	8,86
15798	MKS60-PRO1-3000-R	60	55	3000	D	10,64
16425	MKS60-PRO2-1000	60	55	1000	D	3,55
16418	MKS60-PRO2-1200	60	55	1200	D	4,25
107024	MKS60-PRO2-1500	60	55	1500	D	5,32
14725	MKS60-R01-AL-1000	60	50	1000	A	2,33
103283	MKS60-R01-AL-1200	60	50	1200	A	2,80
107553	MKS60-R01-AL-1500	60	50	1500	A	3,50
108265	MKS60-R01-AL-2000	60	50	2000	A	4,67
105424	MKS60-R01-AL-2250	60	50	2250	A	5,25
103394	MKS60-R02-AL-1000	60	48	1000	A	2,75
104030	MKS60-R02-AL-1500	60	48	1500	A	4,12
104148	MKS76-R01-AL-1000	76	68	1000	A	2,44
104149	MKS76-R01-AL-1500	76	68	1500	A	3,66
104152	MKS76-R01-AL-2000	76	68	2000	A	4,88
101500	MKS60-PRO1-0300	60	55	300	D	1,07
101502	MKS60-PRO1-0400	60	55	400	D	1,42

Material
A → aluminium
D → steel


Tube

Description	Part No.
MKS60-PROX-X-X-XXXXX	see table

Type: for robot, loose side



Material: steel





Part No.	Description	D ₁ [mm]	D ₂ [mm]	L ₁ [mm]	L ₂ [mm]	Number of long holes	m [kg]
16200	MKS60-PRO1-0500	60	55	500	450	1	1,68
16201	MKS60-PRO1-0600	60	55	600	450	1	2,10
16202	MKS60-PRO1-0700	60	55	700	450	2	2,42
14301	MKS60-PRO1-0800	60	55	800	450	2	2,78
16203	MKS60-PRO1-0900	60	55	900	450	3	3,10
13750	MKS60-PRO1-1000	60	55	1000	450	3	3,47
16204	MKS60-PRO1-1100	60	55	1100	450	4	3,89
13751	MKS60-PRO1-1200	60	55	1200	450	4	3,98
16205	MKS60-PRO1-1300	60	55	1300	450	5	4,46
14634	MKS60-PRO1-1400	60	55	1400	450	5	4,95
12583	MKS60-PRO1-1500	60	55	1500	450	6	5,16
106726	MKS60-PRO1-1600	60	55	1600	450	6	5,50
15393	MKS60-PRO1-1700	60	55	1700	450	7	5,82
16424	MKS60-PRO1-1750	60	55	1800	450	7	6,00
13752	MKS60-PRO1-2000	60	55	2000	450	8	5,78
13753	MKS60-PRO1-2500	60	55	2500	450	11	6,83
13754	MKS60-PRO1-3000	60	55	3000	450	13	10,20
17534	MKS60-PRO4-1-1200	60	54	1200	850	2	4,57
17535	MKS60-PRO4-1-1300	60	54	1300	850	3	5,00
17536	MKS60-PRO4-1-1400	60	54	1400	850	3	5,42
17531	MKS60-PRO4-1-1500	60	54	1500	850	4	5,84
17537	MKS60-PRO4-1-1750	60	54	1750	850	5	6,90
17532	MKS60-PRO4-1-2000	60	54	2000	850	6	7,95
17538	MKS60-PRO4-1-2500	60	54	2500	850	9	10,06
17533	MKS60-PRO4-1-3000	60	54	3000	850	11	12,17
17375	MKS60-PRO4-1-1200	60	54	1200	450	4	4,80
17376	MKS60-PRO4-1-1300	60	54	1300	450	5	5,22
17377	MKS60-PRO4-1-1400	60	54	1400	450	5	5,64
17128	MKS60-PRO4-1-1500	60	54	1500	450	6	6,06
17378	MKS60-PRO4-1-1750	60	54	1750	450	7	7,09
100605	MKS60-PRO4-1-1800	60	54	1800	450	7	7,30
17129	MKS60-PRO4-1-2000	60	54	2000	450	8	8,10
17379	MKS60-PRO4-1-2500	60	54	2500	450	11	10,21
17130	MKS60-PRO4-1-3000	60	54	3000	450	13	12,05
104346	MKS60-PRO4-3-E0600	60	54	600	200	2	2,43
104347	MKS60-PRO4-3-E0700	60	54	700	200	3	2,85
104348	MKS60-PRO4-3-E0800	60	54	800	200	3	3,25
104349	MKS60-PRO4-3-E0900	60	54	900	200	4	3,65
104350	MKS60-PRO4-3-E1000	60	54	1000	200	4	4,06
104351	MKS60-PRO4-3-E1100	60	54	1100	200	5	4,46
103897	MKS60-PRO4-3-E1200	60	54	1200	200	5	4,89
103898	MKS60-PRO4-3-E1400	60	54	1400	200	6	5,69
103899	MKS60-PRO4-3-E1600	60	54	1600	200	7	6,50
103900	MKS60-PRO4-3-E1800	60	54	1800	200	8	7,31
103901	MKS60-PRO4-3-E2000	60	54	2000	200	9	8,12
103902	MKS60-PRO4-3-E2400	60	54	2400	200	11	9,74
103903	MKS60-PRO4-3-E3000	60	54	3000	200	14	12,16
103965	MKS60-PRO4-4-E1400	60	54	1400	200	1	5,88

Tube Angle

Description	Part No.
MKSXX/XX-RW01-DXXX/DXXX-XX	see table

Type: tube double-sided, angle 90°


















Material: steel









Part No.	Description	D ₁ [mm]	L ₁ [mm]	L ₂ [mm]	m [kg]
11694	MKS20/20-RW01-D75/75	20	85	85	0,17
11695	MKS20/20-RW01-D100/100	20	110	110	0,22
11696	MKS20/20-RW01-D150/150	20	160	160	0,33
11697	MKS20/20-RW01-D200/200	20	210	210	0,43
11698	MKS20/20-RW01-D250/250	20	260	260	0,54
11699	MKS20/20-RW01-D300/300	20	310	310	0,62
105709	MKS20/20-RW01-D500/500	20	510	510	1,02
15658	MKS25/25-RW01-D75/D75	25	87,5	87,5	0,22
15659	MKS25/25-RW01-D100/D100	25	112,5	112,5	0,28
15660	MKS25/25-RW01-D150/D150	25	162,5	162,5	0,42
15661	MKS25/25-RW01-D200/D200	25	212,5	212,5	0,57
15662	MKS25/25-RW01-D250/D250	25	262,5	262,5	0,70
15663	MKS25/25-RW01-D300/D300	25	312,5	312,5	0,83
106898	MKS25/25-RW01-D350/D350	25	362,5	362,5	0,97
11706	MKS30/30-RW01-D75/D75	30	90	90	0,27
11707	MKS30/30-RW01-D100/D100	30	115	115	0,34
11708	MKS30/30-RW01-D150/D150	30	165	165	0,52
11709	MKS30/30-RW01-D200/D200	30	215	215	0,69
11710	MKS30/30-RW01-D250/D250	30	265	265	0,85
11711	MKS30/30-RW01-D300/D300	30	315	315	1,02
104675	MKS30/30-RW01-D300/D500	30	315	515	1,35
106494	MKS30/30-RW01-D400/D400	30	415	415	1,35

5. Suction Cups and Connections, Ejectors, Spring Plungers and Accessories

Index


			Bellow Suction Cup.....	141
			Flat Suction Cup	142
			Bell Jar Suction Cup	144
			Suction Cup Accessories	146
			Suction Cup Mounting with Ball	147
			Suction Cup Mounting with Rod Journal	151
			Ejector.....	155
			Suction Cup Mounting swivelling.....	156
			Suction Cup Mounting with additional Stroke.....	157
			Suction Cup Mounting with Stroke	158
			Spring Plunger	159

5. Suction Cups and Connections, Ejectors, Spring Plungers and Accessories

			Spring Plunger Accessories	166
			Suction Cup Mounting swivelling spring-loaded.....	169
			Suction Cup Mounting swivelling.....	170
			Suction Cup Seat with Ball/Rod Journal/Tube	171
			Distribution Block.....	172

Bellow Suction Cup

Description	Part No.			Description	Part No.
MKS-BS03-XX	see table			MKS-BS03-XXX	see table
Type: round, Ø22mm - Ø40mm Material: suction cup: NBR connection: brass				Type: round, Ø50mm - Ø125mm Material: suction cup: NBR connection: aluminium	




Part No.	Description	D max. [mm]	H ₁ [mm]	m [kg]	Material hardness (suction cup) [Shore A]
101287	MKS-BS03-22	24	41	0,04	60
13478	MKS-BS03-30	34	44	0,05	60
13479	MKS-BS03-40	45	44,8	0,05	60

Part No.	Description	D max. [mm]	H ₁ [mm]	m [kg]	Material hardness (suction cup) [Shore A]
13480	MKS-BS03-50	56	36,9	0,06	60
13481	MKS-BS03-60	67	41,3	0,04	60
13482	MKS-BS03-80	89	49,9	0,06	60
13483	MKS-BS03-100	110	56,6	0,10	60
13484	MKS-BS03-125	135	67,8	0,17	60

Description	Part No.
MKS-BS02-XXX	see table
Type: round with square adapter, Ø30mm-Ø125mm Material: suction cup: NBR connection: aluminium	


Description	Part No.
MKS-BS03-XX-XXX	see table
Type: oval, 30x60mm - 70x140mm Material: suction cup: NBR connection: see table	



Part No.	Description	D max. [mm]	H ₁ [mm]	m [kg]	Material hardness (suction cup) [Shore A]
11719	MKS-BS02-30	34	31,2	0,03	60
11720	MKS-BS02-40	45	31,2	0,03	60
11721	MKS-BS02-50	56	36,6	0,04	60
11722	MKS-BS02-60	67	41	0,05	60
11723	MKS-BS02-80	89	49,6	0,07	60
11724	MKS-BS02-100	110	56,3	0,10	60
11725	MKS-BS02-125	135	67,5	0,17	60

Part No.	Description	B max. [mm]	L max. [mm]	H ₁ [mm]	m [kg]	Material hardness (suction cup) [Shore A]	Connection material
13485	MKS-BS002-30x60	33	63	35	0,06	60	steel
13486	MKS-BS002-40x80	43	83	37,7	0,06	60	steel
13487	MKS-BS002-55x110	59	114	43,5	0,11	60	brass
13488	MKS-BS002-70x140	75	146	47,5	0,12	60	brass

Description	Part No.
MKS-BS002-XXxXXX	see table
Type: oval with square adapter, 30x60mm - 70x140mm Material: suction cup: NBR connection: aluminium	




Part No.	Description	B max. [mm]	L max. [mm]	H ₁ [mm]	m [kg]	Material hardness (suction cup) [Shore A]
11731	MKS-BS002-30x60	33	63	30	0,04	60
11732	MKS-BS002-40x80	43	83	32,7	0,04	60
11733	MKS-BS002-55x110	59	114	38,5	0,08	60
11734	MKS-BS002-70x140	75	146	42,5	0,12	60

Flat Suction Cup



Description	Part No.
MKS-FS03-XX-XX	see table

Type: round, Ø30mm - Ø40mm

Material: suction cup: NBR
connection: brass

Description	Part No.
MKS-FS03-XX-XXX	see table

Type: round, Ø50mm - Ø125mm


Material: suction cup: NBR
connection: aluminium

Part No.	Description	D max. [mm]	H ₁ [mm]	m [kg]	Material hardness (suction cup) [Shore A]
13462	MKS-FS03-30	34	36	0,04	60
13463	MKS-FS03-40	46	38	0,05	60
15105	MKS-FS03-45-30	34	36	0,04	45
15106	MKS-FS03-45-40	46	38	0,04	45

Part No.	Description	D max. [mm]	H ₁ [mm]	m [kg]	Material hardness (suction cup) [Shore A]
13468	MKS-FS03-50	56	28	0,05	60
13469	MKS-FS03-60	67	31	0,04	60
13470	MKS-FS03-80	89	35	0,06	60
13396	MKS-FS03-100	110	36	0,07	60
13471	MKS-FS03-125	135	43	0,14	60
15107	MKS-FS03-45-50	56	28	0,03	45
15108	MKS-FS03-45-60	67	31	0,04	45
15109	MKS-FS03-45-80	89	35	0,05	45
15110	MKS-FS03-45-100	110	36	0,07	45
15111	MKS-FS03-45-125	135	43	0,15	45




Description	Part No.
MKS-FS02-XX-XXX	see table

Type: round with square adapter, Ø30mm - Ø125mm

Material: suction cup: NBR
connection: aluminium

Description	Part No.
MKS-FS03-XX-XXxXXX	see table

Type: oval, 16x50mm - 70x140mm

Material: suction cup: NBR
connection: brass

Part No.	Description	D max. [mm]	H ₁ [mm]	m [kg]	Material hardness (suction cup) [Shore A]
15098	MKS-FS02-45-30	34	23,2	0,03	45
15099	MKS-FS02-45-40	46	25	0,03	45
15100	MKS-FS02-45-50	56	27,5	0,04	45
15101	MKS-FS02-45-60	67	30,5	0,05	45
15102	MKS-FS02-45-80	89	34,5	0,06	45
15103	MKS-FS02-45-100	110	35,5	0,07	45
15104	MKS-FS02-45-125	135	42,5	0,16	45
11742	MKS-FS02-30	34	23,2	0,03	60
11743	MKS-FS02-40	46	25	0,03	60
11744	MKS-FS02-50	56	27,5	0,04	60
11745	MKS-FS02-60	67	30,5	0,05	60
11746	MKS-FS02-80	89	34,5	0,07	60
11747	MKS-FS02-100	110	35,5	0,08	60
11748	MKS-FS02-125	135	42,5	0,16	60

Part No.	Description	B max. [mm]	L max. [mm]	H ₁ [mm]	m [kg]	Material hardness (suction cup) [Shore A]
13847	MKS-FS03-16x50	18	52	34	0,02	60
13472	MKS-FS03-20x60	25	64	26	0,04	60
13473	MKS-FS03-30x90	34	94	27	0,02	60
13474	MKS-FS03-40x80	43	85	28	0,07	60
13475	MKS-FS03-50x100	54	106	30,5	0,10	60
13476	MKS-FS03-60x120	65	128	32,5	0,05	60
13477	MKS-FS03-70x140	76	149	33,5	0,06	60
15128	MKS-FS03-45-16x50	18	52	34	0,05	45
15129	MKS-FS03-45-20x60	25	64	26	0,04	45
15130	MKS-FS03-45-30x90	34	94	27	0,06	45
15131	MKS-FS03-45-40x80	43	85	28	0,06	45
15132	MKS-FS03-45-50x100	54	106	30	0,09	45
15133	MKS-FS03-45-60x120	65	128	32	0,10	45
15134	MKS-FS03-45-70x140	76	149	33	0,11	45


Flat Suction Cup

Description	Part No.
MKS-FSO02-XX-XXX	see table

Type: oval with square adapter, 16x50mm - 70x140mm



Material: suction cup: NBR
connection: aluminium




Part No.	Description	B max. [mm]	L max. [mm]	H [mm]	m [kg]	Material hardness (suction cup) [Shore A]
15121	MKS-FSO02-45-16x50	18	52	29	0,03	45
15122	MKS-FSO02-45-20x60	25	64	21	0,03	45
15123	MKS-FSO02-45-30x90	34	94	22	0,05	45
15124	MKS-FSO02-45-40x80	43	85	23	0,04	45
15125	MKS-FSO02-45-50x100	54	106	25	0,07	45
15126	MKS-FSO02-45-60x120	65	128	27	0,09	45
15127	MKS-FSO02-45-70x140	76	149	28	0,09	45
13846	MKS-FSO02-16x50	18	52	29	0,03	60
11759	MKS-FSO02-20x60	25	64	21	0,03	60
11760	MKS-FSO02-30x90	34	94	22	0,05	60
11761	MKS-FSO02-40x80	43	85	23	0,04	60
11762	MKS-FSO02-50x100	54	106	25	0,07	60
11763	MKS-FSO02-60x120	65	128	27	0,09	60
11764	MKS-FSO02-70x140	76	149	28	0,09	60



Bell Jar Suction Cup

Description	Part No.	Description	Part No.
MKS-GSR03-XXXX-XXX	see table	MKS-GSR03-S-XX	see table

Type: round, Ø30mm - Ø115mm

Material: suction cup: see table
connection: aluminium

Type: round, Ø60mm - Ø80mm

Material: suction cup: NBR
connection: aluminium

Part No.	Description	D max. [mm]	H ₁ [mm]	m [kg]	Material hardness (suction cup) [Shore A]	Suction cup material
101157	MKS-GSR03-S-45	51,5	40,5	0,01	60	NBR
103477	MKS-GSR03-SAXM-30	35,2	35	0,02	85	Elastodur
103478	MKS-GSR03-SAXM-40	45,4	37,6	0,03	85	Elastodur
103479	MKS-GSR03-SAXM-50	58,4	42,8	0,04	85	Elastodur
103480	MKS-GSR03-SAXM-60	69,7	45,3	0,05	85	Elastodur
103481	MKS-GSR03-SAXM-80	92,2	48,3	0,05	85	Elastodur
103482	MKS-GSR03-SAXM-100	111,1	57,2	0,08	85	Elastodur
103483	MKS-GSR03-SAXM-115	129,4	60,1	0,09	85	Elastodur

Part No.	Description	D max. [mm]	H ₁ [mm]	m [kg]	Material hardness (suction cup) [Shore A]
100445	MKS-GSR03-S-60	70,5	31	0,02	60
100447	MKS-GSR03-S-80	90,7	35	0,05	60

Description	Part No.
MKS-GSR02-XXXX-XXX	see table

Type: round with square adapter, Ø30-Ø115mm



Material: suction cup: see table
connection: aluminium

Part No.	Description	D max. [mm]	H ₁ [mm]	m [kg]	Material hardness (suction cup) [Shore A]	Suction cup material
100444	MKS-GSR02-S-45	51,5	27,7	0,03	60	NBR
100446	MKS-GSR02-S-60	70,5	30,7	0,04	60	NBR
100451	MKS-GSR02-S-80	90,7	34,7	0,05	60	NBR
104226	MKS-GSR02-SAXM-30	35,2	27,3	0,03	85	Elastodur
104227	MKS-GSR02-SAXM-40	45,4	29,9	0,03	85	Elastodur
104228	MKS-GSR02-SAXM-50	58,4	35,1	0,04	85	Elastodur
104229	MKS-GSR02-SAXM-60	69,7	37,6	0,04	85	Elastodur
104230	MKS-GSR02-SAXM-80	92,2	40,6	0,05	85	Elastodur
104231	MKS-GSR02-SAXM-100	111,1	48,7	0,08	85	Elastodur
104232	MKS-GSR02-SAXM-115	129,4	51,6	0,11	85	Elastodur

Bell Jar Suction Cup

Description	Part No.
MKS-GSO03-XXXX-XX-XXX	see table



Type: oval, 20x60mm - 40x100mm

Material: suction cup: see table
connection: see table

Part No.	Description	B max. [mm]	L max. [mm]	H ₁ [mm]	m [kg]	Material hardness (suction cup) [Shore A]	Connection material	Suction cup material
100109	MKS-GSO03-20x60	26	66	29,5	0,04	45	brass	NBR
17927	MKS-GSO03-30x80	36	86	32,5	0,03	45	brass	NBR
17928	MKS-GSO03-40x95	46	102	35,5	0,05	45	brass	NBR
101158	MKS-GSO03-S-20x60	25,8	65,8	28,5	0,01	60	brass	NBR
101159	MKS-GSO03-S-30x80	37,5	86,5	29,5	0,02	60	brass	NBR
101160	MKS-GSO03-S-40x95	46	101	29,5	0,02	60	brass	NBR
105659	MKS-GSO03-SAXM-20x60	24	67	38,5	0,03	85	aluminium	Elastodur
105660	MKS-GSO03-SAXM-30x80	41,5	88	39,1	0,04	85	aluminium	Elastodur
106550	MKS-GSO03-SAXM-40x100	51	109	45,7	0,07	85	aluminium	Elastodur

Description	Part No.
MKS-GSO02-XXXX-XX-XXX	see table

Type: oval, 20x60mm - 40x100mm

Material: suction cup: see table
connection: aluminium

Part No.	Description	B max. [mm]	L max. [mm]	H [mm]	m [kg]	Material hardness (suction cup) [Shore A]	Suction cup material
19866	MKS-GSO02-20x60	26	66	24,5	0,03	45	NBR
17258	MKS-GSO02-30x80	36	86	27,5	0,04	45	NBR
17259	MKS-GSO02-40x95	46	102	30,5	0,05	45	NBR
100448	MKS-GSO02-S-20x60	25,8	65,8	23,5	0,03	60	NBR
100449	MKS-GSO02-S-30x80	37,5	86,5	24,5	0,04	60	NBR
100450	MKS-GSO02-S-40x95	46	101	24,5	0,05	60	NBR
105752	MKS-GSO02-SAXM-20x60	24	67	30,8	0,03	85	Elastodur
105753	MKS-GSO02-SAXM-30x80	41,5	88	31,4	0,05	85	Elastodur
106338	MKS-GSO02-SAXM-40x100	51	109	38,2	0,06	85	Elastodur

Suction Cup Accessories

Description	Part No.
MKS-KMXX	see table

Type: for suction cup, counter nut, incl. O-ring






Material: see table



Description	Part No.
MKS-ISI-1-AG-X/X"	see table

Type: square adapter for suction cup mounting, incl. O-ring

Material: aluminium




Part No.	Description	D ₁ [mm]	H ₁ [mm]	SW [mm]	m [kg]	Material
15137	MKS-KM01	G 3/8	9	22	0,02	copper
15760	MKS-KM02	G 1/4	7	17	0,01	steel

Part No.	Description	D ₁ [mm]	D ₂ [mm]	L ₁ [mm]	L ₂ [mm]	L ₃ [mm]	m [kg]
15295	MKS-ISI-1-AG-1/4"	G1/4	6	27,5	15	4,7	0,02
15294	MKS-ISI-1-AG-3/8"	G3/8	8	22	14	4,7	0,02

Description	Part No.
MKS-RN05-M10x1,5	105936

Type: extension for suction cup seat





Material: steel



Description	Part No.
MKS-RN02-MXXxX	see table

Type: for suction cup seat

Material: copper



Part No.	Description	m [kg]
105936	MKS-RN05-M10x1-25	0,07


Part No.	Description	D ₁ [mm]	m [kg]
14588	MKS-RN02-M8	M8	0,02
14589	MKS-RN02-M10	M10	0,02
17874	MKS-RN02-M10x1,25	M10x1,25	0,02

Suction Cup Mounting with Ball

Description	Part No.	Description	Part No.
MKS-SAR33-XXAG-X	see table	MKS-SAR33-X-X	see table






Type: for ejector, adapter with ball and external thread

Material: aluminium



Type: adapter with ball

Material: aluminium



Part No.	Description	D ₁ [mm]	L ₁ [mm]	m [kg]
100550	MKS-SAR33-14AG-L	G1/4	25	0,10
100163	MKS-SAR33-14AG-K	G1/4	11	0,10
100165	MKS-SAR33-38AG-K	G3/8	12	0,10
100164	MKS-SAR33-38AG-L	G3/8	25	0,10


Part No.	Description	D ₁ [mm]	m [kg]
100167	MKS-SAR33-G-14IG	G1/4	0,10
100166	MKS-SAR33-G-18,5	18,5	0,09
101034	MKS-SAR33-G-M18x1,5IG	M18x1,5	0,90
101035	MKS-SAR33-G-M18x1IG	M18x1	0,90
103997	MKS-SAR33-G-M20x1,5IG	M20x1,5	0,90

Description Part No.

MKS-AKU15-1 16518

Type: ball and internal thread

Material: steel








Description Part No.

MKS-AKU19 12516

Type: ball and external thread

Material: steel



Part No.	Description	m [kg]
16518	MKS-AKU15-1	0,12


Part No.	Description	m [kg]
12516	MKS-AKU19	0,07

Suction Cup Mounting with Ball

Description	Part No.
MKS-AKUXX-XXX-XXXX-X	see table

Type: ball with external thread, angled, vacuum connection above




Material: aluminium



Description	Part No.
MKS-AKUXX-XXX-XXXX-X-X	see table

Type: ball with external thread, angled, vacuum connection beside

Material: aluminium



Part No.	Description	D ₁ [mm]	D ₂ [mm]	D ₃ [mm]	D ₄ [mm]	m [kg]	with counter nut and O-ring
100973	MKS-AKU44-3	8	28,5	8	G1/4	0,07	no
107015	MKS-AKU83-32-38AG-L-1	G1/4	32	6	G3/8	0,09	yes
103941	MKS-AKU83-32-M10IG-1	G1/4	32	M10	20	0,08	no
100711	MKS-AKU83-32-38AG-L	G1/4	32	6	G3/8	0,08	no
100673	MKS-AKU83-285-38AG-L	G1/4	28,5	6	G3/8	0,07	no
100671	MKS-AKU83-285-14AG-L	G1/4	28,5	5	G1/4	0,07	no
15359	MKS-AKU44-2	6	28,5	6	G1/4	0,07	no
15358	MKS-AKU44-1	4	28,5	4	G1/4	0,07	no



Part No.	Description	D ₁ [mm]	D ₂ [mm]	D ₃ [mm]	D ₄ [mm]	D ₅ [mm]	D ₆ [mm]	H ₁ [mm]	m [kg]
101208	MKS-AKU83-285-14AG-L-1	G1/8	5	G1/4	28,5	15	5	35,5	0,08
101209	MKS-AKU83-285-14AG-L-2	G1/4	5	G1/4	28,5	19	5	35,5	0,08
101207	MKS-AKU83-285-38AG-L-2	G1/4	6	G3/8	28,5	19	6	38,5	0,08
101206	MKS-AKU83-285-38AG-L-1	G1/8	6	G3/8	28,5	15	6	38,5	0,08
102997	MKS-AKU83-32-38AG-L-2	G1/4	6	G3/8	32	19	6	38,5	0,08

Description Part No.

MKS-AKU100 107751

Type: adapter with ball and external thread, with counter nut

Material: steel




Part No.	Description	m [kg]
107751	MKS-AKU100	0,25

Suction Cup Mounting with Ball

Description	Part No.	Description	Part No.
MKS-EKU09-XXAG-0-L see table		MKS-EKU09-XXAG-0-R see table	





Type: with ball, left, with ejector

Material: material mix



Type: with ball, right, with ejector

Material: material mix




Part No.	Description	D ₁ [mm]	D ₂ [mm]	m [kg]
17959	MKS-EKU09-14AG-0-L	G1/4	5	0,19
17958	MKS-EKU09-38AG-0-L	G3/8	6	0,19

Part No.	Description	D ₁ [mm]	D ₂ [mm]	m [kg]
17208	MKS-EKU09-14AG-0-R	G1/4	5	0,19
19702	MKS-EKU09-38AG-0-R	G3/8	6	0,22

Description	Part No.
MKS-EKUXX-X-L-XX see table	

Type: with ball, left, with square seat, with ejector





Material: material mix



Description	Part No.
MKS-EKUXX-X-R-XX see table	

Type: with ball, right, with square seat, with ejector

Material: material mix




Part No.	Description	D ₁ [mm]	Ejector is dirt protected
18672	MKS-EKU08-0-L	28,5	no
104731	MKS-EKU08-0-L-S1	28,5	yes
100698	MKS-EKU11-2-L	32	no

Part No.	Description	D ₁ [mm]	Ejector is dirt protected
18691	MKS-EKU08-0-R	28,5	no
104732	MKS-EKU08-0-R-S1	28,5	yes
100699	MKS-EKU11-0-R	32	no

Description	Part No.
MKS-EKU08-X-L-S4 see table	





Type: with ball, with ejector, with vacuum switch, with square seat, left

Material: material mix



Type: with ball, with ejector, with vacuum switch, with square seat, right

Material: material mix




Part No.	Description	Port	m [kg]
107777	MKS-EKU08-2-L-S4	Ø 8mm (2x), metal fitting	0,22
107779	MKS-EKU08-3-L-S4	Ø 8mm (2x), composite fitting	0,22

Part No.	Description	Port	m [kg]
107778	MKS-EKU08-2-R-S4	Ø 8mm (2x), metal fitting	0,22
107780	MKS-EKU08-3-R-S4	Ø 8mm (2x), composite fitting	0,22


Suction Cup Mounting with Ball

Description	Part No.
MKS-SAR33-14IG	17778

Type: ball with square seat, angled



Material: aluminium




Part No.	Description	m [kg]
17778	MKS-SAR33-14IG	0,14

Suction Cup Mounting with Rod Journal

Description	Part No.	Description	Part No.
MKS-AW29-W19-X-X	see table	MKS-SAR02	15576


Type: adapter with rod journal

Material: aluminium



Type: rod journal with internal thread, angled

Material: aluminium




Part No.	Description	D ₁ [mm]	m [kg]
101040	MKS-AW29-W19-B-13,2	13,2	0,04
103807	MKS-AW29-W19-M10IG	M10 and G1/4	0,04
100675	MKS-AW29-W19-14IG	G1/4	0,04

Part No.	Description	m [kg]
15576	MKS-SAR02	0,04

Description	Part No.	Description	Part No.
MKS-AW29-W20-X-X	see table	MKS-AWXX-WXX-XXAG-L	see table


Type: adapter with rod journal

Material: aluminium



Type: adapter with rod journal and external thread

Material: aluminium



Part No.	Description	D ₁ [mm]	m [kg]
100678	MKS-AW29-W20-14IG	G1/4	0,04
101242	MKS-AW29-W20-B-13,2	13,2	0,04


Part No.	Description	Rod journal type	D ₁ [mm]	D ₂ [mm]	D ₃ [mm]	L ₁ [mm]	m [kg]
100674	MKS-AW29-W19-14AG-L	A	G1/4	G1/4	5	25	0,05
107728	MKS-AW46-W16-38AG-L	B	G3/8	G1/4	6	15	0,05
100676	MKS-AW29-W19-38AG-L	A	G3/8	G1/4	6	28	0,06

Suction Cup Mounting with Rod Journal

Description	Part No.
MKS-AW29-W19-X-L-X	see table

Type: adapter with rod journal


Material: aluminium



Description	Part No.
MKS-AW29-W20-XXAG-L	see table

Type: adapter with rod journal and external thread

Material: aluminium




Part No.	Description	D ₁ [mm]	D ₂ [mm]	D ₃ [mm]	D ₄ [mm]	L ₁ [mm]	m [kg]
101204	MKS-AW29-W19-14AG-L-1	G1/4	5	5	G1/8	25	
101205	MKS-AW29-W19-14AG-L-2	G1/4	5	5	G1/4	25	
101202	MKS-AW29-W19-38AG-L-1	G3/8	6	6	G1/8	28	
101203	MKS-AW29-W19-38AG-L-2	G3/8	6	6	G1/4	28	
104725	MKS-AW29-W19-38AG-L-2-S1	G3/8	6	6	G1/4	24	

Part No.	Description	D ₁ [mm]	D ₂ [mm]	D ₃ [mm]	L ₁ [mm]	m [kg]
100677	MKS-AW29-W20-14AG-L	G1/4	G1/4	5	25	0,05
100679	MKS-AW29-W20-38AG-L	G3/8	G1/4	6	28	0,06
107850	MKS-AW29-W20-18AG-L	G1/8	G1/4	5	9,5	0,05

Description	Part No.
MKS-AW29-W20-XXAG-L-X	see table

Type: adapter with rod journal and external thread


Material: aluminium



Description	Part No.
MKS-AW33-W19-XXAG-X	see table

Type: adapter with rod journal and external thread

Material: aluminium



Part No.	Description	D ₁ [mm]	D ₂ [mm]	D ₃ [mm]	L ₁ [mm]	m [kg]
101245	MKS-AW29-W20-14AG-L-1	G1/4	5	G1/8	25	0,05
101246	MKS-AW29-W20-14AG-L-2	G1/4	5	G1/4	25	0,05
101243	MKS-AW29-W20-38AG-L-1	G3/8	6	G1/8	28	0,06
101244	MKS-AW29-W20-38AG-L-2	G3/8	6	G1/4	28	0,06


Part No.	Description	D ₁ [mm]	D ₂ [mm]	D ₃ [mm]	L ₁ [mm]	m [kg]
100909	MKS-AW33-W19-14AG-L	G1/4	G1/4	5	25	0,09
100910	MKS-AW33-W19-14AG-K	G1/4	G1/4	5	11	0,09
100911	MKS-AW33-W19-38AG-L	G3/8	G1/4	6	25	0,10
100912	MKS-AW33-W19-38AG-K	G3/8	G1/4	6	12	0,09

Suction Cup Mounting with Rod Journal

Description	Part No.	Description	Part No.
MKS-AW33-W19-X-X	see table	MKS-EJW02-XXAG-0-L	see table






Type: adapter with rod journal and internal thread

Material: aluminium



Type: with rod journal, left, with ejector

Material: material mix




Part No.	Description	D ₁ [mm]	D ₂ [mm]	m [kg]
101039	MKS-AW33-W19-G-14IG	G1/4	26	0,08
101038	MKS-AW33-W19-B-18,5	18,5	32	0,07
101037	MKS-AW33-W19-G-M18x1IG	M18x1	32	0,08
101036	MKS-AW33-W19-G-M18x1,5IG	M18x1,5	32	0,08

Part No.	Description	D ₁ [mm]	D ₂ [mm]	m [kg]
17961	MKS-EJW02-14AG-0-L	G1/4	5	0,18
17960	MKS-EJW02-38AG-0-L	G3/8	6	0,18

Description	Part No.
MKS-EJW02-XXAG-0-R	see table







Type: with rod journal, right, with ejector

Material: material mix



Type: rod journal with quick-change coupling, angled

Material: aluminium



Part No.	Description	D ₁ [mm]	D ₂ [mm]	m [kg]
17590	MKS-EJW02-14AG-0-R	G1/4	5	0,17
100700	MKS-EJW02-38AG-0-R	G3/8	6	0,18


Part No.	Description	m [kg]	Rod journal type
101042	MKS-AW33-W19-14IG	0,12	A
107727	MKS-AW45-W16-IG	0,12	B

Suction Cup Mounting with Rod Journal

Description	Part No.
MKS-AW33-W20-XXAG-X	see table

Type: adapter with rod journal and external thread






Material: aluminium



Description	Part No.
MKS-AW33-W20-X-X	see table

Type: adapter with rod journal and internal thread

Material: aluminium



Part No.	Description	D ₁ [mm]	D ₂ [mm]	D ₃ [mm]	L ₁ [mm]	m [kg]
101164	MKS-AW33-W20-14AG-L	G1/4	5	G1/4	25	0,10
101165	MKS-AW33-W20-14AG-K	G1/4	5	G1/4	11	0,09
101162	MKS-AW33-W20-38AG-K	G3/8	6	G1/4	12	0,09
101161	MKS-AW33-W20-38AG-L	G3/8	6	G1/4	25	0,10



Part No.	Description	D ₁ [mm]	D ₂ [mm]	m [kg]
101169	MKS-AW33-W20-G-14IG	G1/4	26	0,07
101168	MKS-AW33-W20-B-18,5		18,5	0,08
101167	MKS-AW33-W20-G-M18x1IG	M18x1	32	0,08
101166	MKS-AW33-W20-G-M18x1,5IG	M18x1,5	32	0,08

Description Part No.

MKS-AW43-20	106485
-------------	--------

Type: for suction cup, with rod journal

Material: aluminium




Part No.	Description	m [kg]
106485	MKS-AW43-20	0,10


Ejector

Description	Part No.
MKS-SEA-C-10-S1	104733

Type: decentralised, with strainers in ports





Material: material mix




Part No.	Description	m [kg]
104733	MKS-SEA-C-10-S1	0,07




Suction Cup Mounting swivelling

Description	Part No.	Description	Part No.																																				
MKS-SARXX-X	see table	MKS-SARXX-X	see table																																				
Type: basic version, with ball (without suction cup, without thread connection)																																							
Material: material mix																																							
																																							
<table border="1"> <thead> <tr> <th>Part No.</th><th>Description</th><th>D₁ [mm]</th><th>H₁ [mm]</th><th>H₂ [mm]</th><th>B₁ [mm]</th><th>B₂ [mm]</th><th>Swivel angle</th><th>Square seat with 15mm extension</th></tr> </thead> <tbody> <tr> <td>19966</td><td>MKS-SAR28-1</td><td>M16x1,5</td><td>33</td><td>-</td><td>33</td><td>30</td><td>90°</td><td>no</td></tr> <tr> <td>100732</td><td>MKS-SAR43-1</td><td>M30x1,5</td><td>42</td><td>-</td><td>34</td><td>34</td><td>90°, 180°, 270°</td><td>no</td></tr> <tr> <td>108066</td><td>MKS-SAR43-5</td><td>M30x1,5</td><td>42</td><td>77</td><td>34</td><td>34</td><td>90°</td><td>yes</td></tr> </tbody> </table>				Part No.	Description	D ₁ [mm]	H ₁ [mm]	H ₂ [mm]	B ₁ [mm]	B ₂ [mm]	Swivel angle	Square seat with 15mm extension	19966	MKS-SAR28-1	M16x1,5	33	-	33	30	90°	no	100732	MKS-SAR43-1	M30x1,5	42	-	34	34	90°, 180°, 270°	no	108066	MKS-SAR43-5	M30x1,5	42	77	34	34	90°	yes
Part No.	Description	D ₁ [mm]	H ₁ [mm]	H ₂ [mm]	B ₁ [mm]	B ₂ [mm]	Swivel angle	Square seat with 15mm extension																															
19966	MKS-SAR28-1	M16x1,5	33	-	33	30	90°	no																															
100732	MKS-SAR43-1	M30x1,5	42	-	34	34	90°, 180°, 270°	no																															
108066	MKS-SAR43-5	M30x1,5	42	77	34	34	90°	yes																															



Description	Part No.
MKS-SAR28-2	100178

Type: with rod journal, without suction cup, with thread connection							
Material: material mix							
							
<table border="1"> <thead> <tr> <th>Part No.</th><th>Description</th><th>m [kg]</th></tr> </thead> <tbody> <tr> <td>100178</td><td>MKS-SAR28-2</td><td>0,40</td></tr> </tbody> </table>	Part No.	Description	m [kg]	100178	MKS-SAR28-2	0,40	
Part No.	Description	m [kg]					
100178	MKS-SAR28-2	0,40					


Suction Cup Mounting with additional Stroke

Description	Part No.	Description	Part No.																							
MKS-SAMF03-50-K285-S2	106623	MKS-SAMF03-50-K285-S1	105873																							
Type: with ball, with spring plunger, with elbow fittings Ø8mm, with straight fitting Ø8mm		Type: with ball, with ejector, with spring plunger, with elbow fittings Ø8mm																								
Material: material mix		Material: material mix																								
 <table border="1"> <thead> <tr> <th>Part No.</th> <th>Description</th> <th>m [kg]</th> </tr> </thead> <tbody> <tr> <td>106623</td> <td>MKS-SAMF03-50-K285-S2</td> <td>1,50</td> </tr> </tbody> </table>	Part No.	Description	m [kg]	106623	MKS-SAMF03-50-K285-S2	1,50	 <table border="1"> <thead> <tr> <th>Part No.</th> <th>Description</th> <th>m [kg]</th> </tr> </thead> <tbody> <tr> <td>105873</td> <td>MKS-SAMF03-50-K285-S1</td> <td>1,80</td> </tr> </tbody> </table>	Part No.	Description	m [kg]	105873	MKS-SAMF03-50-K285-S1	1,80	 <table border="1"> <thead> <tr> <th>Part No.</th> <th>Description</th> <th>H₁/stroke [mm]</th> <th>m [kg]</th> </tr> </thead> <tbody> <tr> <td>105935</td> <td>MKS-SAMF03-50-K285</td> <td>50</td> <td>1,36</td> </tr> <tr> <td>104703</td> <td>MKS-SAMF03-80-K285</td> <td>80</td> <td>1,70</td> </tr> </tbody> </table>	Part No.	Description	H ₁ /stroke [mm]	m [kg]	105935	MKS-SAMF03-50-K285	50	1,36	104703	MKS-SAMF03-80-K285	80	1,70
Part No.	Description	m [kg]																								
106623	MKS-SAMF03-50-K285-S2	1,50																								
Part No.	Description	m [kg]																								
105873	MKS-SAMF03-50-K285-S1	1,80																								
Part No.	Description	H ₁ /stroke [mm]	m [kg]																							
105935	MKS-SAMF03-50-K285	50	1,36																							
104703	MKS-SAMF03-80-K285	80	1,70																							

Suction Cup Mounting with Stroke

Description	Part No.	Description	Part No.																																								
MKS-SAR27-1-XX	see table	MKS-SAR27-3-XX	see table																																								
Type: with external thread																																											
Material: aluminium																																											
																																											
<table border="1"> <thead> <tr> <th>Part No.</th> <th>Description</th> <th>H₁/stroke [mm]</th> <th>H₂ [mm]</th> <th>m [kg]</th> </tr> </thead> <tbody> <tr> <td>17526</td> <td>MKS-SAR27-1-15</td> <td>15</td> <td>95</td> <td>0,4</td> </tr> <tr> <td>17752</td> <td>MKS-SAR27-1-30</td> <td>30</td> <td>110</td> <td>0,41</td> </tr> <tr> <td>17753</td> <td>MKS-SAR27-1-50</td> <td>50</td> <td>130</td> <td>0,47</td> </tr> </tbody> </table>	Part No.	Description	H ₁ /stroke [mm]	H ₂ [mm]	m [kg]	17526	MKS-SAR27-1-15	15	95	0,4	17752	MKS-SAR27-1-30	30	110	0,41	17753	MKS-SAR27-1-50	50	130	0,47		<table border="1"> <thead> <tr> <th>Part No.</th> <th>Description</th> <th>H₁/stroke [mm]</th> <th>H₂ [mm]</th> <th>m [kg]</th> </tr> </thead> <tbody> <tr> <td>17754</td> <td>MKS-SAR27-3-15</td> <td>15</td> <td>70</td> <td>0,39</td> </tr> <tr> <td>17708</td> <td>MKS-SAR27-3-30</td> <td>30</td> <td>85</td> <td>0,42</td> </tr> <tr> <td>17709</td> <td>MKS-SAR27-3-50</td> <td>50</td> <td>105</td> <td>0,47</td> </tr> </tbody> </table>	Part No.	Description	H ₁ /stroke [mm]	H ₂ [mm]	m [kg]	17754	MKS-SAR27-3-15	15	70	0,39	17708	MKS-SAR27-3-30	30	85	0,42	17709	MKS-SAR27-3-50	50	105	0,47	
Part No.	Description	H ₁ /stroke [mm]	H ₂ [mm]	m [kg]																																							
17526	MKS-SAR27-1-15	15	95	0,4																																							
17752	MKS-SAR27-1-30	30	110	0,41																																							
17753	MKS-SAR27-1-50	50	130	0,47																																							
Part No.	Description	H ₁ /stroke [mm]	H ₂ [mm]	m [kg]																																							
17754	MKS-SAR27-3-15	15	70	0,39																																							
17708	MKS-SAR27-3-30	30	85	0,42																																							
17709	MKS-SAR27-3-50	50	105	0,47																																							

Description	Part No.
MKS-SAR53-50-XX-W19	see table



Type: with external thread, with rod journal													
Material: material mix													
													
<table border="1"> <thead> <tr> <th>Part No.</th> <th>Description</th> <th>H₁ [mm]</th> <th>Stroke [mm]</th> </tr> </thead> <tbody> <tr> <td>107489</td> <td>MKS-SAR53-50-50-W19</td> <td>133,5</td> <td>50</td> </tr> <tr> <td>107493</td> <td>MKS-SAR53-50-75-W19</td> <td>158,5</td> <td>75</td> </tr> </tbody> </table>	Part No.	Description	H ₁ [mm]	Stroke [mm]	107489	MKS-SAR53-50-50-W19	133,5	50	107493	MKS-SAR53-50-75-W19	158,5	75	
Part No.	Description	H ₁ [mm]	Stroke [mm]										
107489	MKS-SAR53-50-50-W19	133,5	50										
107493	MKS-SAR53-50-75-W19	158,5	75										

Spring Plunger

Description	Part No.
MKS-FST06-XXX-AL-S9-X	see table

Type: see table

Material: material mix




Part No.	Description	Stroke [mm]	D ₁ [mm]	D ₂ [mm]	D ₃ [mm]	m [kg]	Elbow fitting [Pos. 1]	Suction cup seat [Pos. 2]	Square seat [Pos. 3]	Ball / rod journal [Pos. 4]	Ball mounting [Pos. 5]
106771	MKS-FST06-100-AL-S9	100	-	-	-	0,63	-	-	-	-	-
106792	MKS-FST06-100-AL-S9-1	100	28,5	-	-	0,95	yes ($\varnothing 10$ mm)	G1/4 AG	yes	ball	-
107380	MKS-FST06-100-AL-S9-2	100	-	19	28,5	1,08	-	-	-	rod journal	yes
107821	MKS-FST06-100-AL-S9-3	100	-	20	-	1,08	-	G3/8 AG	-	rod journal	-
106822	MKS-FST06-80-AL-S9	80	-	-	-	0,68	-	-	-	-	-
106821	MKS-FST06-80-AL-S9-1	80	28,5	-	-	0,92	yes ($\varnothing 10$ mm)	G1/4 AG	yes	ball	-

Description	Part No.
MKS-FST06-V-50-AL-X	see table

Type: see table

Material: material mix



Part No.	Description	D ₁ [mm]	D ₂ [mm]	H ₁ [mm]	B ₁ [mm]	m [kg]	Suction cup seat [Pos. 1]	Sensor [Pos. 2]	Ball [Pos. 3]	Ball, staggered [Pos. 4]	Ball mounting [Pos. 5]	Base body type
106838	MKS-FST06-V-50-AL	-	-	-	-	0,73	-	-	-	-	-	A
106791	MKS-FST06-V-50-AL-1	32	-	24	26	0,94	G1/4	yes	yes	-	-	A
106971	MKS-FST06-V-50-AL-2	32	32	54	59	1,11	-	-	-	yes	yes	B
107505	MKS-FST06-V-50-AL-3	32	32	54	59	1,20	-	yes	-	yes	yes	B
107651	MKS-FST06-V-50-AL-4	28,5	28,5	54	59	1,08	-	-	-	yes	yes	B

Spring Plunger

Description	Part No.
MKS-FST06-V-100-AL-S8-X	see table

Type: with ball / rod journal, non rotating




Material: material mix



Description	Part No.
MKS-SAMF06-45-01	106571

Type: with ball, with seat for sensor (2x), with ejector, internal spring

Material: material mix



Part No.	Description	D ₁ [mm]	D ₂ [mm]	D ₃ [mm]	Sensor [Pos. 1]	Ball / rod journal [Pos. 2]	Ball mounting [Pos. 3]	m [kg]
106748	MKS-FST06-V-100-AL-S8	-	-	-	no	no	no	0,88
106794	MKS-FST06-V-100-AL-S8-1	32	32	-	yes	ball	yes	1,28
106800	MKS-FST06-V-100-AL-S8-2	-	32	20	no	rod journal	yes	1,31
106957	MKS-FST06-V-100-AL-S8-3	-	-	20	yes	rod journal	no	1,10
107026	MKS-FST06-V-100-AL-S8-4	-	-	20	no	rod journal	no	0,10

Part No.	Description	m [kg]
106571	MKS-SAMF06-45-01	0,55

Description	Part No.
MKS-SAMF06-20	104968

Type: with ball, with ejector, internal spring




Material: material mix



Description	Part No.
MKS-FST06-V-100	15302

Type: with ball

Material: material mix



Part No.	Description	m [kg]
104968	MKS-SAMF06-20	0,45


Part No.	Description
15302	MKS-FST06-V-100

Spring Plunger

Description	Part No.	Description	Part No.
MKS-FST06-V-100-AL-SXX	see table	MKS-FST06-V-XXX-AL-SXXX	see table

Type: with ball, non rotating

Material: material mix





Part No.	Description	m [kg]	Sensor [Pos. 1]	Spring force extracted [N]	Spring force retracted [N]
106544	MKS-FST06-V-100-AL-S6	1,09	yes	22	144
107500	MKS-FST06-V-100-AL-S6A	1,06	yes	10	68
106545	MKS-FST06-V-100-AL-S7	0,98	no	22	144
107501	MKS-FST06-V-100-AL-S7A	0,98	no	10	68

Part No.	Description	Spring force extracted [N]	Spring force retracted [N]	Stroke [mm]	Sensor [Pos. 1]	Ejector [Pos. 2]
107134	MKS-FST06-V-100-AL-S10	22	144	100	yes	no
107135	MKS-FST06-V-100-AL-S11	22	144	100	no	no
107719	MKS-FST06-V-100-AL-S11A	10	68	100	no	no
106523	MKS-FST06-V-100-AL-S4	-	-	100	yes	yes
106524	MKS-FST06-V-100-AL-S5	-	-	100	no	yes
107569	MKS-FST06-V-50-AL-S4	-	-	50	yes	yes
107570	MKS-FST06-V-50-AL-S5	-	-	50	no	yes

Description	Part No.	Description	Part No.
MKS-FST06-100-V-AL-SX	see table	MKS-FST05-X-100	see table

Type: with ball, non rotating		Type: with ball, without spring	
Material: material mix		Material: material mix	



Part No.	Description	m [kg]	Sensor [Pos. 1]
105269	MKS-FST06-V-100-AL-S1	1,00	yes
105270	MKS-FST06-V-100-AL-S2	0,92	no

Part No.	Description	Non rotating	m [kg]
14924	MKS-FST05-100	no	1,32
15005	MKS-FST05-V-100	yes	1,38

Spring Plunger

Description	Part No.	Description	Part No.
MKS-FST06-V-300-001	105426	MKS-FST06-200-007	106818


Type: with ball, non rotating

Material: material mix



Type: with ball, with elbow fitting Ø 8mm

Material: material mix



Part No.	Description	m [kg]
105426	MKS-FST06-V-300-001	1,72

Part No.	Description	m [kg]
106818	MKS-FST06-200-007	1,83

Description	Part No.
MKS-FST08-V-100	17840

Description	Part No.
MKS-FST06-X00-001	see table


Type: with ball, non rotating

Material: material mix



Type: with ball

Material: material mix



Part No.	Description
17840	MKS-FST08-V-100

Part No.	Description	Stroke [mm]	L ₁ [mm]	L ₂ [mm]	L ₃ [mm]	L ₄ [mm]	m [kg]
19998	MKS-FST06-200-001	200	391,5	21	249	234	1,78
105425	MKS-FST06-300-001	300	523,5	22	380	366	1,72


Spring Plunger

Description	Part No.	Description	Part No.
MKS-FST22-75	107402	MKS-SAMF06-20-1	107130

Type: with ball, with sensor, with ejector



Material: material mix




Part No.	Description	m [kg]
107402	MKS-FST22-75	0,56

Type: with ball, with square seat, with elbow fitting Ø10mm, internal spring




Material: material mix




Part No.	Description	m [kg]
107130	MKS-SAMF06-20-1	0,19

Description	Part No.
MKS-SAMF01-20-XXX	see table

Type: with ball, with square seat, with elbow fitting Ø8mm



Material: material mix




Description	Part No.
MKS-SAMF02-80-1	107131

Type: with ball, with square seat, with elbow fitting Ø10mm, internal spring



Material: material mix



Part No.	Description	H ₁ / Stroke [mm]	m [kg]
105669	MKS-SAMF01-20-100	ca. 190	0,60
14443	MKS-SAMF01-20-50	105 bis 125	0,47

Part No.	Description	m [kg]
107131	MKS-SAMF02-80-1	0,21

Spring Plunger

Description	Part No.	Description	Part No.
MKS-SAMF02-20-80-X	see table	MKS-SAMF02-20-50	16982



Type: with ball, with ejector, with square seat, internal spring

Material: material mix



Type: with ball, with square seat

Material: material mix



Part No.	Description	Vacuum switch [Pos. 1]	m [kg]
107679	MKS-SAMF02-20-80-2	yes	0,63
107680	MKS-SAMF02-20-80-3	no	0,63

Part No.	Description	H ₁ / spring deflection [mm]	m [kg]
16982	MKS-SAMF02-20-50	105 to 125	0,44

Description	Part No.	Description	Part No.
MKS-SAMF02-20-80-X	see table	MKS-SAMF04-20-70	104873



Type: with ball, with square seat, with ejector

Material: material mix



Type: with ball, with ejector, with bell jar suction cup

Material: material mix



Part No.	Description	m [kg]	Non rotating
104702	MKS-SAMF02-20-80	0,63	yes
107533	MKS-SAMF02-20-80-1	0,63	no

Part No.	Description	m [kg]
104873	MKS-SAMF04-20-70	0,50

Spring Plunger

Description	Part No.	Description	Part No.
MKS-SAR20-XX	see table	MKS-FST06-150-004-S1	105963




Type: with ball

Material: material mix



Type: with rod journal

Material: material mix

Part No.	Description	L ₁ [mm]	L ₂ [mm]	L ₃ [mm]	m [kg]
14431	MKS-SAR20	15	42	69	0,22
15231	MKS-SAR20-25	25	52	79	0,26
15232	MKS-SAR20-50	50	77	104	0,32

Part No.	Description	m [kg]
105963	MKS-FST06-150-004-S1	1,49

Description	Part No.
MKS-FST10-V-150	104291

Description	Part No.
MKS-FST20-45-SX	see table





Type: with rod journal, non rotating

Material: material mix



Type: with ball, with elbow fitting Ø10mm

Material: material mix



Part No.	Description	m [kg]
104291	MKS-FST10-V-150	1,93


Part No.	Description	Non rotating	Sensor [Pos.1]	m [kg]
106496	MKS-FST20-45-S1	yes	yes	0,55
106618	MKS-FST20-45-S3	no	no	0,49

Spring Plunger Accessories

Description	Part No.
MKS-ZSAR20	14458

Type: accessories for spring plunger MKS-SAR20-X



Material: steel



Description	Part No.
MKS-ZFSTX	see table

Type: accessories for spring plunger MKS-FST06-X, with ball mounting

Material: steel




Part No.	Description	m [kg]
14458	MKS-ZSAR20	0,02

Part No.	Description	D ₁ [mm]	m [kg]
106757	MKS-ZFST1	32	0,27
106793	MKS-ZFST3	28,5	0,29

Description	Part No.
MKS-AKU35	14993

Type: with ball, with flange 90°






Material: steel



Description	Part No.
MKS-FST20-45-SX	see table

Type: mounting from MKS-FST20-45-SX, with ball, without spring plunger

Material: material mix



Part No.	Description	m [kg]
14993	MKS-AKU35	0,50

Part No.	Description	D ₁ [mm]	Sensor [Pos.1]	m [kg]
106497	MKS-FST20-45-S2	32	yes [Balluff sensor]	0,33
106622	MKS-FST20-45-S4	32	no	0,32
106663	MKS-FST20-45-S5	32	yes [Turck sensor with connector M12]	0,33
107052	MKS-FST20-45-S6	28,5	yes [Balluff sensor]	0,28
108237	MKS-FST20-45-S8	32	yes [Turck sensor]	0,33

Spring Plunger Accessories

Description	Part No.	Description	Part No.
MKS-ZFSTX	see table	MKS-ZFST2	106758
Type: mounting for spring plunger, ball Material: steel		Type: accessories for spring plunger, mounting for crash-detection Material: aluminium	

Technical drawings showing dimensions for MKS-ZFSTX and MKS-ZFST2:

- MKS-ZFSTX:** A rectangular plate with a central hole and four side holes. Dimensions: width 32 mm, height 55 mm.
- MKS-ZFST2:** A vertical mounting bracket. Dimensions: height 77 mm, width 25 mm, thickness M3 mm. It features a slot at the top and a threaded hole at the bottom.
- Crash-detection assembly:** A vertical rod with a slot and a threaded hole at the bottom. Dimension: height M6 mm.


Part No.	Description	D ₁ [mm]	L ₁ [mm]	m [kg]
107709	MKS-ZFST4	32	35	0,25
107712	MKS-ZFST5	28,5	32	0,25

Part No.	Description	m [kg]
106758	MKS-ZFST2	0,03

Description	Part No.
MKS-ZSAR29	101216

Type: mounting for ejector, for suction cup seat

Material: aluminium




Part No.	Description	m [kg]
101216	MKS-ZSAR29	0,03

Spring Plunger Accessories

Description	Part No.
MKS-ZSEA-C-10-R	107770

Type: mounting for vacuum switch, right





Material: aluminium



Description	Part No.
MKS-ZSEA-C-10-L	107769

Type: mounting for vacuum switch, left

Material: aluminium




Part No.	Description	m [kg]
107770	MKS-ZSEA-C-10-R	0,05

Part No.	Description	m [kg]
107769	MKS-ZSEA-C-10-L	0,05

Description	Part No.
MKS-SAR54-XX	see table

Type: suction cup seat with ball eye joint






Material: aluminium



Description	Part No.
MKS-SAR18	13926

Type: square seat for suction cup

Material: aluminium



Part No.	Description	square seat [Pos. 1]	m [kg]
108204	MKS-SAR54	no	0,20
108205	MKS-SAR54-S1	yes	0,29

Part No.	Description	m [kg]
13926	MKS-SAR18	0,09

Suction Cup Mounting swivelling spring-loaded


Description	Part No.	Description	Part No.
MKS-SAR37-3-XXX-X	see table	MKS-SAR37-6-BS60	106715

Type: without suction cup, with spring plunger, with safety catch

Material: material mix

Type: with spring plunger, with suction cup, with straight fitting, with elbow fitting

Material: material mix



Part No.	Description	H ₁ [mm]	H ₂ [mm]	m [kg]
101085	MKS-SAR37-3-100	100	249,5	0,82
101084	MKS-SAR37-3-50-1	50	199,5	0,74

Part No.	Description	m [kg]	Port
106715	MKS-SAR37-6-BS60	0,95	Ø 8 mm (2x)


Description	Part No.	Description	Part No.
MKS-SAR37-2-BS60	17997	MKS-SAR37-3-X	see table

Type: with spring plunger, with suction cup, with straight fitting, with elbow fitting, with safety catch

Material: material mix

Type: with spring plunger, with safety catch

Material: material mix



Part No.	Description	m [kg]	Port
17997	MKS-SAR37-2-BS60	0,75	Ø 8 mm (2x)

Part No.	Description	H ₁ /stroke [mm]	H ₂ [mm]	m [kg]	Port
19968	MKS-SAR37-3	75	188,5	0,70	Ø 8 mm (2x)
100100	MKS-SAR37-3-50	50	158 - 188 (adjustable stroke)	0,63	-
19984	MKS-SAR37-3-V	50	293 - 314 (adjustable stroke)	0,97	-

Suction Cup Mounting swivelling

Description	Part No.
MKS-SAR37-5	102503

Type: basic version, with safety catch


Material: material mix



Description	Part No.
MKS-SAR37-X-X	see table

Type: without suction cup, with thread port

Material: material mix




Part No.	Description	m [kg]
102503	MKS-SAR37-5	0,50

Part No.	Description	H ₁ [mm]	H ₂ [mm]	H ₃ [mm]	B ₁ [mm]	L ₁ [mm]	m [kg]
19930	MKS-SAR37	100	20	53,5	70	50	0,52
101089	MKS-SAR37-4	117	20	65	75	40	0,52
100523	MKS-SAR37-4-V	117	67	65	75	40	0,58

Description	Part No.
MKS-SAR37-1-BS60	17996












Type: with suction cup, with safety catch

Material: material mix



Part No.	Description	m [kg]	Port
17996	MKS-SAR37-1-BS60	0,65	Ø 8 mm (2x)

Suction Cup Seat with Ball/Rod Journal/Tube

Description	Part No.	Description	Part No.
MKS-AKUXX-X-XX	see table	MKS-AWXX-XX	see table
Type: with ball, mounting with thread		Type: adapter with rod journal	
Material: see table		Material: see table	
     		 	
			
Description	Part No.		
MKS25-SAR49-XXX	see table		
Type: tube with plate and internal thread			
Material: steel			
			
			





Material
A → aluminium
D → steel

Distribution Block

Description	Part No.
MKS-VTB02	15198

Type: distribution block, for pneumatic




Material: aluminium



Description	Part No.
MKS-VTB01-X	see table

Type: distribution block, for pneumatic

Material: see table






Part No.	Description	m [kg]
15198	MKS-VTB02	0,15

Part No.	Description	D ₁ [mm]	D ₂ [mm]	H ₁ [mm]	B ₁ [mm]	B ₂ [mm]	L ₁ [mm]	L ₂ [mm]	L ₃ [mm]	m [kg]	Material
11839	MKS-VTB01	G3/8	9	45	45	25	100	75	25	0,48	A
18064	MKS-VTB01-1	G1/4	6,6	40	40	20	90	65	25	1,07	J
18065	MKS-VTB01-2	G3/8	9	45	45	25	100	75	25	1,44	J
18066	MKS-VTB01-3	G1/2	9	50	50	30	110	75	25	1,89	J
18067	MKS-VTB01-4	G3/4	9	60	60	25	120	75	25	2,71	J

Description	Part No.
MKS60-VTB0X-X	see table

Type: distribution block, for pneumatic, with tube clamping






Material: aluminium



Part No.	Description	D ₁ [mm]	D ₂ [mm]	H ₁ [mm]	B ₁ [mm]	B ₂ [mm]	m [kg]	Number of distribution blocks [Pos. 1]	Number of counter mountings [Pos. 2]	Number of inputs(straight fitting) [Pos. 3]	Number of outputs(elbow fitting) [Pos. 4]
100288	MKS60-VTB03-1	8	60	105	85	70	0,57	1	1	Ø 10 mm (2x)	Ø 8 mm (4x)
104153	MKS60-VTB03-2	10	60	105	101	86	0,62	1	1	Ø 10 mm (1x)	Ø 10 mm (4x)
100289	MKS60-VTB04-1	8	60	118	85	70	0,90	2	0	Ø 10 mm (4x)	Ø 8 mm (8x)
100609	MKS60-VTB05-1	10	60	118	85	70	0,89	2	0	Ø 10 mm (2x)	Ø 10 mm (8x)
100610	MKS60-VTB06-1	10	60	105	85	70	0,68	1	1	Ø 10 mm (1x)	Ø 10 mm (4x)
106617	MKS60-VTB06-2	10	60	105	85	70	0,39	1	1	Ø 10 mm (1x)	Ø 10 mm (4x)
103494	MKS76-VTB03-1	10	76	123	101	86	0,66	1	1	Ø 10 mm (2x)	Ø 10 mm (4x)
103503	MKS76-VTB03-2	10	76	123	101	86	0,61	1	1	Ø 10 mm (1x)	Ø 10 mm (4x)

6. Seat for Double Plate Detection, Sensors and Connections

Index





	Seat for Double Plate Detection.....	174
	Component Query for Seat for Double Plate Detection	175
	Mounting for Seat for Double Plate Detection	176
	Accessories for Seat for Double Plate Detection.....	179
	Inductive Sensor	180
	Light Barrier	186
	Component Query	188
	Sensor Mounting.....	189
	Connector.....	197
	Cable Mounting.....	198

Seat for Double Plate Detection

Description	Part No.
MKS-ADK14	104724

Type: with spiral spring, with flat suction cup



Material: Plates: aluminium
Webbing: polyester
Flat suction cup: NBR



Description	Part No.
MKS-ADK12-XX	see table

Type: with spring plunger

Material: Plates: aluminium
Spring plunger: steel



Part No.	Description	m [kg]	Port
104724	MKS-ADK14	0,90	Ø 10 mm (straight)

Part No.	Description	H ₁ [mm]	Stroke [mm]	m [kg]	Port
102462	MKS-ADK12	158,6	36	0,89	Ø 8 mm (straight)
103912	MKS-ADK12-80	202,6	80	0,94	Ø 8 mm (straight)


Component Query for Seat for Double Plate Detection

Description	Part No.
MKS-ABF03-80-45-30	104391

Type: for ADK12, with flat suction cup, with M12 Sensor



Material: material mix




Part No.	Description	m [kg]
104391	MKS-ABF03-80-45-30	0,33

Mounting for Seat for Double Plate Detection

Description	Part No.
MKS-AKU93-X	see table

Type: mounting for ADK12/14, with ball






Material: steel



Description	Part No.
MKS-AW42-2	104047

Type: mounting for ADK12/14, with rod journal

Material: steel




Part No.	Description	D ₁ [mm]	L ₁ [mm]	L ₂ [mm]	m [kg]
103927	MKS-AKU93	28,5	34	46,4	0,28
104048	MKS-AKU93-1	32	37	50,5	0,33
104049	MKS-AKU93-2	36	37	52	0,38

Part No.	Description	m [kg]
104047	MKS-AW42-2	0,30

Description	Part No.
MKS-AW42-1	103984

Type: mounting for ADK12/14, with recessed rod journal






Material: steel



Description	Part No.
MKS-KPPXX-L	see table

Type: for locking bolt, loose side, for ADK

Material: material mix



Part No.	Description	m [kg]
103984	MKS-AW42-1	0,24


Part No.	Description	m [kg]
102630	MKS-KPP29-L	0,16

Mounting for Seat for Double Plate Detection

Description	Part No.	Description	Part No.
MKS-KPP47-XX-F	see table	MKS-KPP29-XX-F	see table

Type: with locking bolt, fixed side, with ball


Material: material mix



Description	Part No.
Type: with locking bolt, fixed side, with ball	MKS-KPP29-XX-F see table

Type: with locking bolt, fixed side, with ball

Material: material mix




Part No.	Description	D ₁ [mm]	L ₁ [mm]	m [kg]
104067	MKS-KPP47-28-F	28,5	24	0,40
106060	MKS-KPP47-36-F	36	29	0,50

Part No.	Description	D ₁ [mm]	L ₁ [mm]	m [kg]
104042	MKS-KPP29-28-F	28,5	24	0,51
103316	MKS-KPP29-32-F	32	29	0,60
104044	MKS-KPP29-36-F	36	29	0,69

Description	Part No.
MKS-KPP47-SX-F	see table

Type: with locking bolt, fixed side, with mounting holes



Material: material mix



Description	Part No.
MKS-KPP47-WXX-F	see table

Type: with locking bolt, fixed side, with rod journal

Material: material mix



Part No.	Description	H ₁ [mm]	H ₂ [mm]	m [kg]
104212	MKS-KPP47-S1-F	105,2	39,2	0,24
107522	MKS-KPP47-S2-F	94,7	28,7	0,23


Part No.	Description	D ₁ [mm]	m [kg]
104120	MKS-KPP47-W20-F	20	0,40
108013	MKS-KPP47-W19-F	19	0,40

Mounting for Seat for Double Plate Detection

Description	Part No.
MKS-KPP29-XX-F-AL	see table

Type: with locking bolt, fixed side, with ball






Material: material mix



Description	Part No.
MKS-KPP29-WXX-F-X	see table

Type: with locking bolt, fixed side, with rod journal

Material: material mix






Part No.	Description	D ₁ [mm]	L ₁ [mm]	m [kg]
105789	MKS-KPP29-28-F-AL	28,5	26,6	0,60
105788	MKS-KPP29-32-F-AL	32	29,6	0,60
105790	MKS-KPP29-36-F-AL	36	35,6	0,60

Part No.	Description	D ₁ [mm]	L ₁ [mm]	m [kg]
101961	MKS-KPP29-W19-F	19	34	0,60
101963	MKS-KPP29-W20-F	20	30	0,60
106897	MKS-KPP29-W20-F-1	20	36	0,60

Description	Part No.
MKS-FST19-XXX	see table












Type: spring plunger for ADK12/14

Material: material mix



Part No.	Description	H ₁ / stroke [mm]	H ₂ [mm]	m [kg]
105558	MKS-FST19-090	90	267	1,30
105559	MKS-FST19-120	120	312	1,42
105560	MKS-FST19-150	150	342	1,46
105668	MKS-FST19-180	180	385	1,59

Accessories for Seat for Double Plate Detection




Description	Part No.	Description	Part No.																										
MKS-SHA07-X	see table	MKS-SHA08	102710																										
Type: clamping ring for double plate sensor		Type: clamping ring for double plate sensor, with additional single sensor mounting																											
Material: steel		Material: steel																											
																													
<table border="1"> <thead> <tr> <th>Part No.</th> <th>Description</th> <th>D₁ [mm]</th> <th>D₂ [mm]</th> <th>m [kg]</th> </tr> </thead> <tbody> <tr> <td>102709</td> <td>MKS-SHA07</td> <td>54</td> <td>M42x1,5</td> <td>0,06</td> </tr> <tr> <td>104419</td> <td>MKS-SHA07-1</td> <td>54</td> <td>M36x1,5</td> <td>0,06</td> </tr> <tr> <td>105627</td> <td>MKS-SHA07-2</td> <td>68</td> <td>M54x0,75</td> <td>0,08</td> </tr> </tbody> </table>	Part No.	Description	D ₁ [mm]	D ₂ [mm]	m [kg]	102709	MKS-SHA07	54	M42x1,5	0,06	104419	MKS-SHA07-1	54	M36x1,5	0,06	105627	MKS-SHA07-2	68	M54x0,75	0,08		<table border="1"> <thead> <tr> <th>Part No.</th> <th>Description</th> <th>m [kg]</th> </tr> </thead> <tbody> <tr> <td>102710</td> <td>MKS-SHA08</td> <td>0,10</td> </tr> </tbody> </table>	Part No.	Description	m [kg]	102710	MKS-SHA08	0,10	
Part No.	Description	D ₁ [mm]	D ₂ [mm]	m [kg]																									
102709	MKS-SHA07	54	M42x1,5	0,06																									
104419	MKS-SHA07-1	54	M36x1,5	0,06																									
105627	MKS-SHA07-2	68	M54x0,75	0,08																									
Part No.	Description	m [kg]																											
102710	MKS-SHA08	0,10																											
Description MKS-SHA08-1 105170		Description MKS-SHA09 102729																											
Type: clamping ring for double plate sensor, with additional double sensor mounting		Type: clamping ring for double plate sensor, with additional clamp fixed																											
Material: steel		Material: material mix																											
																													
<table border="1"> <thead> <tr> <th>Part No.</th> <th>Description</th> <th>m [kg]</th> </tr> </thead> <tbody> <tr> <td>105170</td> <td>MKS-SHA08-1</td> <td>0,20</td> </tr> </tbody> </table>	Part No.	Description	m [kg]	105170	MKS-SHA08-1	0,20		<table border="1"> <thead> <tr> <th>Part No.</th> <th>Description</th> <th>m [kg]</th> </tr> </thead> <tbody> <tr> <td>102729</td> <td>MKS-SHA09</td> <td>0,30</td> </tr> </tbody> </table>	Part No.	Description	m [kg]	102729	MKS-SHA09	0,30															
Part No.	Description	m [kg]																											
105170	MKS-SHA08-1	0,20																											
Part No.	Description	m [kg]																											
102729	MKS-SHA09	0,30																											
Description MKS-SAR51 106862		Description MKS-RN04-MXXx1-5 see table																											
Type: suction cup seat for ADK12/14, with bell jar suction cups, with ejector mounting		Type: reducer for sensor mounting																											
Material: material mix		Material: aluminium																											
																													
<table border="1"> <thead> <tr> <th>Part No.</th> <th>Description</th> </tr> </thead> <tbody> <tr> <td>106862</td> <td>MKS-SAR51</td> </tr> </tbody> </table>	Part No.	Description	106862	MKS-SAR51		<table border="1"> <thead> <tr> <th>Part No.</th> <th>Description</th> <th>D₁ [mm]</th> <th>m [kg]</th> </tr> </thead> <tbody> <tr> <td>103193</td> <td>MKS-RN04-M30x1-5</td> <td>M30x1,5</td> <td>0,06</td> </tr> <tr> <td>103191</td> <td>MKS-RN04-M36x1-5</td> <td>M36x1,5</td> <td>0,04</td> </tr> </tbody> </table>	Part No.	Description	D ₁ [mm]	m [kg]	103193	MKS-RN04-M30x1-5	M30x1,5	0,06	103191	MKS-RN04-M36x1-5	M36x1,5	0,04											
Part No.	Description																												
106862	MKS-SAR51																												
Part No.	Description	D ₁ [mm]	m [kg]																										
103193	MKS-RN04-M30x1-5	M30x1,5	0,06																										
103191	MKS-RN04-M36x1-5	M36x1,5	0,04																										

Inductive Sensor

Description	Part No.
MKS-IDS19-2000	101877

Type: none flush mounting possible, PNP / NO

Material: material mix







Part No.	Description	Cable length [mm]	Switching distance Sn [mm]
101877	MKS-IDS19-2000	2000	3,5

Description	Part No.
MKS-IDS19-S4-2000	105047

Type: none flush mounting possible, PNP / NO

Material: material mix





Part No.	Description	Switching distance Sn [mm]	Cable length [mm]	Connector assignment				Connector
				Pin 1	Pin 2	Pin 3	Pin 4	
105047	MKS-IDS19-S4-2000	3,5	2000	brown (+24V)	blue (ground)	black (jumper wire)		M12x1-angle-connector

Inductive Sensor

Description	Part No.
MKS-IDS19-XX-XXX	see table

Type: none flush mounting possible, PNP / NO

Material: material mix







Part No.	Description	Switching distance Sn [mm]	Cable length [mm]	Pin 1	Pin 2	Pin 3	Pin 4	Connector
101878	MKS-IDS19-M12	3,5	300	brown (+24V)		blue (ground)	black (jumper wire)	M12x1
103331	MKS-IDS19-S1-750	4	750	brown (+24V)		blue (ground)	black (jumper wire)	M12x1
107621	MKS-IDS19-S1-900	4	900	brown (+24V)		blue (ground)	black (jumper wire)	M12x1

Description	Part No.
MKS-IDS19-SX-XXX	see table

Type: none flush mounting possible, PNP / NO

Material: material mix





Part No.	Description	Switching distance Sn [mm]	Cable length [mm]	Pin 1	Pin 2	Pin 3	Pin 4	Pin 5	Connector
102230	MKS-IDS19-S-600	3,5	600	brown (+24V)		blue (ground)	black (jumper wire)		5-pin
102231	MKS-IDS19-S-750	3,5	750	brown (+24V)		blue (ground)	black (jumper wire)		5-pin
102232	MKS-IDS19-S-900	3,5	900	brown (+24V)		blue (ground)	black (jumper wire)		5-pin
102233	MKS-IDS19-S-1200	3,5	1200	brown (+24V)		blue (ground)	black (jumper wire)		5-pin
102234	MKS-IDS19-S-2000	3,5	2000	brown (+24V)		blue (ground)	black (jumper wire)		5-pin
102466	MKS-IDS19-S2-650	4	650	brown (+24V)	blue (ground)	black (jumper wire)			4-pin
102707	MKS-IDS19-S2-900	4	900	brown (+24V)	blue (ground)	black (jumper wire)			4-pin
107560	MKS-IDS19-S2-1200	4	1200	brown (+24V)	blue (ground)	black (jumper wire)			4-pin

Inductive Sensor

Description	Part No.
MKS-IDS02-SX-XXX-X	see table

Type: flush mounting possible, PNP / NO, status-LED

Material: material mix





Part No.	Description	Switching distance Sn [mm]	Cable length [mm]	Wire-/ connector assignment				Connector	Protective hose over cable	Suppression of cuttings
101022	MKS-IDS02-S1-300	7	300	brown (+24V)	-	blue (ground)	black (jumper wire)	M12x1 (4-pin)	yes	no
102546	MKS-IDS02-S1-750	7	750	brown (+24V)	-	blue (ground)	black (jumper wire)	M12x1 (4-pin)	yes	no
107622	MKS-IDS02-S1-900	7	900	brown (+24V)	-	blue (ground)	black (jumper wire)	M12x1 (4-pin)	no	no
104677	MKS-IDS02-S1-300-1	7	300	brown (+24V)	-	blue (ground)	black (jumper wire)	M12x1 (4-pin)	no	no
105383	MKS-IDS02-S1-1200-1	7	1200	brown (+24V)	-	blue (ground)	black (jumper wire)	M12x1 (4-pin)	no	no
105327	MKS-IDS02-S1-300-AL	5	300	brown (+24V)	-	blue (ground)	black (jumper wire)	M12x1 (4-pin)	yes	no
105949	MKS-IDS02-S1-600-AL	5	600	brown (+24V)	-	blue (ground)	black (jumper wire)	M12x1 (4-pin)	yes	no
105334	MKS-IDS02-S3-1000	7	1000	brown (+24V)	-	blue (ground)	black (jumper wire)	without connector	no	yes
104197	MKS-IDS02-S3-300-M12	7	300	brown (+24V)	-	blue (ground)	black (jumper wire)	M12x1 (4-pin)		yes

Description	Part No.
MKS-IDS02-X-XXX-X	see table

Type: flush mounting possible, PNP / NO, status-LED

Material: material mix





Part No.	Description	Switching distance Sn [mm]	Cable length [mm]	Pin 1	Pin 2	Pin 3	Pin 4	Pin 5	Connector
100937	MKS-IDS02-S-300	7	300	brown (+24V)		blue (ground)	black (jumper wire)		5-pin
15686	MKS-IDS02-S-600	7	600	brown (+24V)		blue (ground)	black (jumper wire)		5-pin
17842	MKS-IDS02-S-750	7	750	brown (+24V)		blue (ground)	black (jumper wire)		5-pin
17461	MKS-IDS02-S-900	7	900	brown (+24V)		blue (ground)	black (jumper wire)		5-pin
17462	MKS-IDS02-S-1200	7	1200	brown (+24V)		blue (ground)	black (jumper wire)		5-pin
17463	MKS-IDS02-S-2000	7	2000	brown (+24V)		blue (ground)	black (jumper wire)		5-pin
102054	MKS-IDS02-S-750-AL	5	750	brown (+24V)		blue (ground)	black (jumper wire)		5-pin
107559	MKS-IDS02-S2-1200-2	7	1200	brown (+24V)	blue (ground)	black (jumper wire)			4-pin
101228	MKS-IDS02-S2-650	7	650	brown (+24V)	black (jumper wire)	blue (ground)			4-pin
102464	MKS-IDS02-1-S2-650	7	650						4-pin
101850	MKS-IDS02-1-S2-750	7	750						4-pin
102639	MKS-IDS02-1-S2-900	7	900						4-pin

Inductive Sensor

Description	Part No.
MKS-IDS02-X-XXXX-XX	see table

Type: flush mounting possible, status-LED

Material: material mix




Part No.	Description	Switching distance Sn [mm]	Cable length [mm]	brown	blue	Wire assignment black	white	Electrical diagram	Connector (MKS-EST07)	connector
15685	MKS-IDS02-600	7	600	+24V	ground	jumper wire	-	A	no	PNP / NO
11592	MKS-IDS02-900	7	900	+24V	ground	jumper wire	-	A	no	PNP / NO
11593	MKS-IDS02-1200	7	1200	+24V	ground	jumper wire	-	A	no	PNP / NO
14481	MKS-IDS02-2000	7	2000	+24V	ground	jumper wire	-	A	no	PNP / NO
107365	MKS-IDS02-2000-AL	5	2000	+24V	ground	jumper wire	-	A	no	PNP / NO
103156	MKS-IDS02-S-600-AL	5	600	+24V	ground	jumper wire	-	A	yes (5-pin)	PNP / NO
103157	MKS-IDS02-S-900-AL	5	900	+24V	ground	jumper wire	-	A	yes (5-pin)	PNP / NO
103158	MKS-IDS02-S-1200-AL	5	1200	+24V	ground	jumper wire	-	A	yes (5-pin)	PNP / NO
102064	MKS-IDS02-1-2000	7	2000	+24V	ground	jumper wire / NO	jumper wire / NC	B	no	PNP / NO/NC

Description	Part No.	Description	Part No.
MKS-IDS08	15667	MKS-IDS23	103793



Type: PNP / NO, M12x1-connector

Material: composite



Type: flush mounting possible, PNP / NO, status-LED, M12-connector

Material: brass



Part No.	Description	m [kg]	Switching distance Sn [mm]
15667	MKS-IDS08	0,12	22


Part No.	Description	m [kg]	Switching distance Sn [mm]
103793	MKS-IDS23	0,03	4

Inductive Sensor

Description	Part No.	Description	Part No.
MKS-IDS10-XXXX	see table	MKS-IDSXX-XXX	see table



Type: PNP / NO, status-LED

Material: material mix



Type: flush mounting possible, PNP / NO, status-LED, M12x1-connector

Material: material mix






Part No.	Description	Switching distance Sn [mm]	Cable length [mm]	Wire assignment
		brown	blue	black
100938	MKS-IDS10-300	2	300	+24V ground jumper wire
19993	MKS-IDS10-900	2	900	+24V ground jumper wire
19994	MKS-IDS10-1200	2	1200	+24V ground jumper wire
102261	MKS-IDS10-2000	2	2000	+24V ground jumper wire

Part No.	Description	Switching distance Sn [mm]	L ₁ [mm]	L ₂ [mm]	D ₁ [mm]
18011	MKS-IDS05	1,5	30	500	3,1
105657	MKS-IDS26-300	3	35	300	3,5

Description	Part No.
MKS-IDS04	14468


Description	Part No.
MKS-IDS04-1	103794



Part No.	Description	m [kg]	Switching distance Sn [mm]
14468	MKS-IDS04	0,03	2

Part No.	Description	m [kg]	Switching distance Sn [mm]
103794	MKS-IDS04-1	0,02	2

Description	Part No.
MKS-IDS25-300-S3	106675




Part No.	Description	Cable length [mm]	Connector assignment			
			Pin 1	Pin 2	Pin 3	Pin 4
106675	MKS-IDS25-300-S3	300	+24V	ground	jumper wire	

Inductive Sensor

Description	Part No.	Description	Part No.
MKS-IDS0X-X	see table	MKS-IDS21-S1-300	102006


Type: PNP / NO, status-LED, M12x1-connector

Material: stainless steel



Type: for swivel drive, for groove, PNP / NO, M12-connector

Material: material mix



Part No.	Description	H ₁ [mm]	H ₂ [mm]	H ₃ [mm]	Switching distance S _n [mm]	flush mounting possible	m [kg]
11625	MKS-IDS01	63,5	42	0	20	yes	0,15
100652	MKS-IDS01-1	63,5	42	0	16	yes	0,15
18196	MKS-IDS09	72	35	15	17,6	no	0,18


Part No.		Connector assignment		m [kg]		
			Pin 1	Pin 2	Pin 3	Pin 4
102006	MKS-IDS21-S1-300	300	+24V	-	ground	jumper wire

Description Part No.

MKS-IDS25-300-S1 105640

Type: magnetic field sensor, PNP / NO, M12x1-connector

Material: material mix




Part No.		Connector assignment		m [kg]		
			Pin 1	Pin 2	Pin 3	Pin 4
105640	MKS-IDS25-300-S1	300	brown (+24V)	blue (ground)	black (jumper wire)	0,02

Description Part No.

MKS-IDS25-300-S2 105680

Type: magnetic field sensor, long distance detection, PNP / NO, M12x1-connector

Material: material mix





Part No.		Connector assignment		m [kg]		
			Pin 1	Pin 2	Pin 3	Pin 4
105680	MKS-IDS25-300-S2	300	brown (+24V)	blue (ground)	black (jumper wire)	0,02

Light Barrier

Description	Part No.
MKS-OPSOX-XXX-XX	see table

Type: angle light barrier with status-LED, red light

Material: steel




Part No.	Description	H ₁ [mm]	L ₁ [mm]	L ₂ [mm]	L ₃ (cable length) [mm]	Connector M12x1 [Pos. 1]	Connector [Pos. 2]	m [kg]
100836	MKS-OPS01-RT-LED-500-ST-M12x1	65	106	54	500	yes		PNP / NO 0,15
17174	MKS-OPS01-RT-LED	65	106	54		yes		PNP / NO 0,15
17178	MKS-OPS01-RT-LED-1200-ST	65	106	54	1200		MKS-EST07	PNP / NO 0,20
17176	MKS-OPS01-RT-LED-2000	65	106	54	2000			PNP / NO 0,20
100343	MKS-OPS01-RT-LED-750-ST	65	106	54	750		MKS-EST07	PNP / NO 0,30
17177	MKS-OPS01-RT-LED-900-ST	65	106	54	900		MKS-EST07	PNP / NO 0,20
102148	MKS-OPS01-RT-NPN-LED	65	106	54		yes		NPN / NO 0,15
19705	MKS-OPS01-RT-NPN-NC-LED	65	106	54		yes		NPN / NC 0,15
17179	MKS-OPS02-RT-LED	46	83	31		yes		PNP / NO 0,11
17183	MKS-OPS02-RT-LED-1200-ST	65	117	65	1200		MKS-EST07	PNP / NO 0,20
17182	MKS-OPS02-RT-LED-900-ST	65	117	65	900		MKS-EST07	PNP / NO 0,20
17184	MKS-OPS03-RT-LED	65	117	65		yes		PNP / NO 0,16
17188	MKS-OPS03-RT-LED-1200-ST	65	117	65	1200		MKS-EST07	PNP / NO 0,21
17186	MKS-OPS03-RT-LED-2000	65	117	65	2000			PNP / NO 0,21
17187	MKS-OPS03-RT-LED-900-ST	65	117	65	900		MKS-EST07	PNP / NO 0,31

Description	Part No.
MKS-OPS10-XX-XX	see table




Type: fork light barrier, red-light

Material: steel



Type: fork light barrier, red-light

Material: steel



Part No.	Description	Status-LED	Connector
100303	MKS-OPS10-RT-LED	yes	PNP / NO
100572	MKS-OPS10-01-RT	no	PNP / NO/NC switchable



Part No.	Description	Status-LED	Connector
100574	MKS-OPS14-RT-LED	yes	PNP / NO

Light Barrier

Description	Part No.
MKS-OPS05-XX-LED	see table

Type: light barrier, PNP / NO

Material: steel




Part No.	Description	H ₁ [mm]	H ₂ [mm]	H ₃ [mm]	H ₄ [mm]	L ₁ [mm]	m [kg]
100546	MKS-OPS05-90-LED	16,5	50	90	85	16,1	0,73
100560	MKS-OPS05-120-LED	16,5	63,3	120	113	15,6	0,84
100561	MKS-OPS05-150-LED	16,5	82,2	150	127	16	0,99
100562	MKS-OPS05-180-LED	15,7	102,6	180	154	17	1,09
100563	MKS-OPS05-250-LED	15,7	102,6	250	154	17	1,51
100564	MKS-OPS05-300-LED	15,7	102,6	300	154	17	1,78

Component Query

Description	Part No.
SK-IDS-01-10-XXX-03	see table

Type: position adapter with inductive sensor; for steel, aluminium and stainless steel; IO-Link or standard I/O; status LED




Material: steel



Description	Part No.
MKS-IDS31-XXX	see table

Type: position adapter with mit Schaltwippe and inductive sensor, status LED





Material: steel















Part No.	Description	H ₁ [mm]	H ₂ [mm]	m [kg]	Switching distance S _n [mm]
108677	SK-IDS-01-10-090-03	90	20,3	0,53	10
108678	SK-IDS-01-10-120-03	120	37,3	0,67	10
108679	SK-IDS-01-10-150-03	150	37,3	0,72	10
108680	SK-IDS-01-10-180-03	180	37,3	0,93	10
108681	SK-IDS-01-10-250-03	250	37,3	1,41	10
108682	SK-IDS-01-10-300-03	300	37,3	1,76	10

Part No.	Description	H ₁ [mm]	m [kg]
108285	MKS-IDS31-90	90	0,75
108279	MKS-IDS31-120	120	0,94
108280	MKS-IDS31-150	150	1,05
108281	MKS-IDS31-180	180	1,17
108282	MKS-IDS31-250	250	1,43
108283	MKS-IDS31-300	300	1,62

Component Query

Description	Part No.	Description	Part No.														
MKS-ABF06-30-S1	107627	MKS-ABF01-1	106577														
Type: with ball, internal spring-loaded		Type: for jaw gripper															
Material: material mix		Material: material mix															
																	
<table border="1"> <thead> <tr> <th>Part No.</th> <th>Description</th> <th>m [kg]</th> </tr> </thead> <tbody> <tr> <td>107627</td> <td>MKS-ABF06-30-S1</td> <td>0,41</td> </tr> </tbody> </table>	Part No.	Description	m [kg]	107627	MKS-ABF06-30-S1	0,41		<table border="1"> <thead> <tr> <th>Part No.</th> <th>Description</th> <th>H₁ [mm]</th> <th>m [kg]</th> </tr> </thead> <tbody> <tr> <td>106577</td> <td>MKS-ABF01-1</td> <td>8</td> <td>0,12</td> </tr> </tbody> </table>	Part No.	Description	H ₁ [mm]	m [kg]	106577	MKS-ABF01-1	8	0,12	
Part No.	Description	m [kg]															
107627	MKS-ABF06-30-S1	0,41															
Part No.	Description	H ₁ [mm]	m [kg]														
106577	MKS-ABF01-1	8	0,12														
Description	Part No.	Description	Part No.														
MKS-ABF02-R	102509	MKS-ABF02-L	102520														
Type: for jaw gripper, for component query, right		Type: for jaw gripper, for component query, left															
Material: material mix		Material: material mix															
																	
<table border="1"> <thead> <tr> <th>Part No.</th> <th>Description</th> <th>m [kg]</th> </tr> </thead> <tbody> <tr> <td>102509</td> <td>MKS-ABF02-R</td> <td>0,07</td> </tr> </tbody> </table>	Part No.	Description	m [kg]	102509	MKS-ABF02-R	0,07		<table border="1"> <thead> <tr> <th>Part No.</th> <th>Description</th> <th>m [kg]</th> </tr> </thead> <tbody> <tr> <td>102520</td> <td>MKS-ABF02-L</td> <td>0,07</td> </tr> </tbody> </table>	Part No.	Description	m [kg]	102520	MKS-ABF02-L	0,07			
Part No.	Description	m [kg]															
102509	MKS-ABF02-R	0,07															
Part No.	Description	m [kg]															
102520	MKS-ABF02-L	0,07															

Sensor Mounting

Description MKS-OPSA21	Part No. 102067	Type: for inductive sensor IDS02, with ball Ø28,5 Material: steel		Description MKS-SAL05	Part No. 17423	Type: for inductive sensor IDS02, with ball Ø28,5 (beside) Material: steel	
							
Part No. 102067	Description MKS-OPSA21	m [kg] 0,25		Part No. 17423	Description MKS-SAL05	m [kg] 0,21	
Description MKS-SAL04	Part No. 16984	Type: for inductive sensor IDS02, with ball Ø28,5 (up) Material: steel		Description MKS-SALXX	Part No. see table	Type: for inductive sensor IDS02, weldable Material: steel	
							
Part No. 16984	Description MKS-SAL04	m [kg] 0,21		Part No. 12967	Description MKS-SAL02	Type with lead-in chamfer	m [kg] 0,09
				16414	MKS-SAL03	without lead-in chamfer	0,07
				104046	MKS-SAL06	manufactured as a bent part / without lead-in chamfer	0,03

Sensor Mounting

Description	Part No.		Description	Part No.
MKS-HNS11-X	see table		MKS-HNSXX-X	see table

Type: for reflection light scanner, for Sensopart FT20R-PSM4, for Springer KGSP5x

Material: steel





MKS-HNSXX-X see table

Type: for reflection light scanner, for Sensopart FT20R-PSM4, for MKS20-KGSP3x



Material: steel




Part No.	Description	m [kg]	left / right
105628	MKS-HNS11-L	0,06	left, symmetrical
105629	MKS-HNS11-R	0,06	right, as illustrated

Part No.	Description	H ₁ [mm]	H ₂ [mm]	H ₃ [mm]	H ₄ [mm]	L ₂ [mm]	L ₃ [mm]	α [°]	m [kg]	left / right
16850	MKS-HNS03-L	38	5	26	5	12,5	5,5	40	0,11	left, symmetrical
16851	MKS-HNS03-R	38	5	26	5	12,5	5,5	40	0,11	right, as illustrated
102470	MKS-HNS09-L	45	7,5	30	6	11	12	50	0,11	left, symmetrical
102471	MKS-HNS09-R	45	7,5	30	6	11	12	50	0,11	right, as illustrated

Description	Part No.
MKS-HNS08-X-X	see table

Type: for reflection light scanner, for Sensopart FT20R-PSM4, for KGSP1x




Material: steel



Description	Part No.
MKS-HNS07-X	see table

Type: for reflection light scanner, for Sensopart FT20R-PSM4, for PH jaw-gripper

Material: steel



Part No.	Description	H ₁ [mm]	H ₂ [mm]	H ₃ [mm]	B ₁ [mm]	L ₁ [mm]	L ₂ [mm]	α [°]	β [°]	m [kg]	left / right
17939	MKS-HNS08-1-L	90	75	57	20	120	90	0	30	0,13	left, symmetrical
17940	MKS-HNS08-1-R	90	75	57	20	120	90	0	30	0,13	right, as illustrated
17937	MKS-HNS08-L	83	70	55	30	150	120	20	45	0,15	left, symmetrical
17938	MKS-HNS08-R	83	70	55	30	150	120	20	45	0,15	right, as illustrated

Part No.	Description	m [kg]	left / right
17749	MKS-HNS07-L	0,12	left, symmetrical
17758	MKS-HNS07-R	0,12	right, as illustrated

Sensor Mounting


Description	Part No.	Description	Part No.																		
MKS-OPSA01-B	13890	MKS-OPSA05-X	see table																		
Type: distance plate, for light barrier OPS01/02/03/10/14		Type: for light barrier OPS01/02/03/10/14, weldable																			
Material: steel		Material: steel																			
<table border="1"> <tr> <th>Part No.</th> <th>Description</th> <th>m [kg]</th> </tr> <tr> <td>13890</td> <td>MKS-OPSA01-B</td> <td>0,04</td> </tr> </table>	Part No.	Description	m [kg]	13890	MKS-OPSA01-B	0,04		<table border="1"> <tr> <th>Part No.</th> <th>Description</th> <th>m [kg]</th> <th>Left / right</th> </tr> <tr> <td>11054</td> <td>MKS-OPSA05-R</td> <td>0,06</td> <td>right, as illustrated</td> </tr> <tr> <td>11055</td> <td>MKS-OPSA05-L</td> <td>0,06</td> <td>left, symmetrical</td> </tr> </table>	Part No.	Description	m [kg]	Left / right	11054	MKS-OPSA05-R	0,06	right, as illustrated	11055	MKS-OPSA05-L	0,06	left, symmetrical	
Part No.	Description	m [kg]																			
13890	MKS-OPSA01-B	0,04																			
Part No.	Description	m [kg]	Left / right																		
11054	MKS-OPSA05-R	0,06	right, as illustrated																		
11055	MKS-OPSA05-L	0,06	left, symmetrical																		
Description	Part No.	Description	Part No.																		
MKS-OPSA01	11049	MKS-OPSA08-X	see table																		
Type: for light barrier OPS01/02/03/10/14, weldable		Type: for light barrier OPS01/02/03/10/14, with ball Ø28,5																			
Material: steel		Material: steel																			
<table border="1"> <tr> <th>Part No.</th> <th>Description</th> <th>m [kg]</th> </tr> <tr> <td>11049</td> <td>MKS-OPSA01</td> <td>0,05</td> </tr> </table>	Part No.	Description	m [kg]	11049	MKS-OPSA01	0,05		<table border="1"> <tr> <th>Part No.</th> <th>Description</th> <th>m [kg]</th> <th>Left / right</th> </tr> <tr> <td>13894</td> <td>MKS-OPSA08-R</td> <td>0,16</td> <td>right, symmetrical</td> </tr> <tr> <td>13895</td> <td>MKS-OPSA08-L</td> <td>0,16</td> <td>left, as illustrated</td> </tr> </table>	Part No.	Description	m [kg]	Left / right	13894	MKS-OPSA08-R	0,16	right, symmetrical	13895	MKS-OPSA08-L	0,16	left, as illustrated	
Part No.	Description	m [kg]																			
11049	MKS-OPSA01	0,05																			
Part No.	Description	m [kg]	Left / right																		
13894	MKS-OPSA08-R	0,16	right, symmetrical																		
13895	MKS-OPSA08-L	0,16	left, as illustrated																		

Sensor Mounting

Description	Part No.
MKSXX-OPSA02-X	see table

Type: for light barrier OPS01/02/03/10/14, with clamp fixed




Material: steel



Description	Part No.
MKS-OPSA03-X-XXX	see table

Type: for light barrier OPS01/02/03/10/14, with tube

Material: steel



Part No.	Description	D_1 [mm]	m [kg]	Left / right
11100	MKS20-OPSA02-L	20	0,16	left, as illustrated
11101	MKS20-OPSA02-R	20	0,16	right, symmetrical
11102	MKS25-OPSA02-L	25	0,20	left, as illustrated
11103	MKS25-OPSA02-R	25	0,20	right, symmetrical
106746	MKS30-OPSA02-L	30	0,24	left, as illustrated
106747	MKS30-OPSA02-R	30	0,24	right, symmetrical

Part No.	Description	ϕD_1 [mm]	L_1 [mm]	m [kg]	Left / right
11058	MKS20-OPSA03-L-150	20	150	0,27	left, as illustrated
11061	MKS20-OPSA03-L-300	20	300	0,46	left, as illustrated
11065	MKS20-OPSA03-L-500	20	500	0,72	left, as illustrated
11068	MKS20-OPSA03-R-150	20	150	0,27	right, symmetrical
11071	MKS20-OPSA03-R-300	20	300	0,47	right, symmetrical
11075	MKS20-OPSA03-R-500	20	500	0,72	right, symmetrical
11078	MKS25-OPSA03-L-150	25	150	0,29	left, as illustrated
11081	MKS25-OPSA03-L-300	25	300	0,49	left, as illustrated
11085	MKS25-OPSA03-L-500	25	500	0,77	left, as illustrated
11090	MKS25-OPSA03-R-150	25	150	0,29	right, symmetrical
11093	MKS25-OPSA03-R-300	25	300	0,49	right, symmetrical
11097	MKS25-OPSA03-R-500	25	500	0,77	right, symmetrical

Description	Part No.
MKS-OPSA19-X	see table

Type: for light barrier OPS01/02/03/10/14, for MKS-AKU55-1




Material: steel



Description	Part No.
MKS-OPSA27-X	see table

Type: for light barrier OPS01/02/03/10/14, for Springer KGSP5x









Material: aluminium








Part No.	Description	m [kg]	left / right
100998	MKS-OPSA19-L	0,15	left, symmetrical
100999	MKS-OPSA19-R	0,15	right, as illustrated

Part No.	Description	m [kg]	left / right
104886	MKS-OPSA27-L	0,05	left, symmetrical
104887	MKS-OPSA27-R	0,05	right, as illustrated

Sensor Mounting

Description	Part No.	Description	Part No.																										
MKS-OPSA2X-X-285	see table	MKS-SHA10-400	107008																										
Type: for light barrier, with ball Ø28,5		Type: for reflection light scanner Balluf BOS 26K-PA-1HC-S4-C, with tube Ø25																											
Material: steel		Material: steel																											
																													
<table border="1"> <thead> <tr> <th>Part No.</th> <th>Description</th> <th>Sensor type</th> <th>Type</th> <th>m [kg]</th> </tr> </thead> <tbody> <tr> <td>104712</td> <td>MKS-OPSA26-285</td> <td>Sick WT34-B410</td> <td>left</td> <td>0,20</td> </tr> <tr> <td>105651</td> <td>MKS-OPSA26-1-285</td> <td>Sick WT34-B410</td> <td>symmetric</td> <td>0,22</td> </tr> <tr> <td>106533</td> <td>MKS-OPSA28-1-285</td> <td>Sick WTB27-3P2461</td> <td>symmetric</td> <td>0,25</td> </tr> </tbody> </table>	Part No.	Description	Sensor type	Type	m [kg]	104712	MKS-OPSA26-285	Sick WT34-B410	left	0,20	105651	MKS-OPSA26-1-285	Sick WT34-B410	symmetric	0,22	106533	MKS-OPSA28-1-285	Sick WTB27-3P2461	symmetric	0,25		<table border="1"> <thead> <tr> <th>Part No.</th> <th>Description</th> <th>m [kg]</th> </tr> </thead> <tbody> <tr> <td>107008</td> <td>MKS25-SHA10-400</td> <td>0,75</td> </tr> </tbody> </table>	Part No.	Description	m [kg]	107008	MKS25-SHA10-400	0,75	
Part No.	Description	Sensor type	Type	m [kg]																									
104712	MKS-OPSA26-285	Sick WT34-B410	left	0,20																									
105651	MKS-OPSA26-1-285	Sick WT34-B410	symmetric	0,22																									
106533	MKS-OPSA28-1-285	Sick WTB27-3P2461	symmetric	0,25																									
Part No.	Description	m [kg]																											
107008	MKS25-SHA10-400	0,75																											
Description	Part No.	Description	Part No.																										
MKS-OPSA29-32	106978	MKS-SHA06	17726																										
Type: for light barrier Balluf BOS 26K-PA-1HC-S4-C, ball Ø32		Type: for light barrier Baumer FHDK14P5101/S35A, ball Ø28,5																											
Material: steel		Material: steel																											
																													
<table border="1"> <thead> <tr> <th>Part No.</th> <th>Description</th> <th>m [kg]</th> </tr> </thead> <tbody> <tr> <td>106978</td> <td>MKS-OPSA29-32</td> <td>0,24</td> </tr> </tbody> </table>	Part No.	Description	m [kg]	106978	MKS-OPSA29-32	0,24		<table border="1"> <thead> <tr> <th>Part No.</th> <th>Description</th> <th>m [kg]</th> </tr> </thead> <tbody> <tr> <td>17726</td> <td>MKS-SHA06</td> <td>0,20</td> </tr> </tbody> </table>	Part No.	Description	m [kg]	17726	MKS-SHA06	0,20															
Part No.	Description	m [kg]																											
106978	MKS-OPSA29-32	0,24																											
Part No.	Description	m [kg]																											
17726	MKS-SHA06	0,20																											

Sensor Mounting

Description	Part No.	Description	Part No.							
MKS-AKUXX-X-XX	see table	MKS-AKUXX-X	see table							
Type: with ball, mounting with thread										
Material: see table										
										
										
Part No.	Description	D ₁ [mm]	D ₂ [mm]	D ₃ [mm]	L ₁ [mm]	L ₂ [mm]	L ₃ [mm]	L ₄ [mm]	m [kg]	Material
104105	MKS-AKU95	28,5	18,5	36	22	46	64	76,4	0,16	D
105756	MKS-AKU95-AL	28,5	18,5	36	22	46	64	76,4	0,06	A
12688	MKS-AKU22-1	28,5	20,5	36	22	46	64	76,4	0,16	D
105762	MKS-AKU22-1-AL	28,5	20,5	36	22	46	64	76,4	0,06	A
15838	MKS-AKU39-2	28,5	30,5	48	24	48	72	84,4	0,19	D
105767	MKS-AKU39-2-AL	28,5	30,5	48	24	48	72	84,4	0,07	A
104106	MKS-AKU95-1	28,5	M18x1	36	22	46	64	76,4	0,17	D
105757	MKS-AKU95-1-AL	28,5	M18x1	36	22	46	64	76,4	0,06	A
12879	MKS-AKU23	28,5	M18x1,5	35	19	43	60,5	73	0,15	D
15575	MKS-AKU22	28,5	M20x1,5	36	22	46	64	76,4	0,16	D
105763	MKS-AKU22-AL	28,5	M20x1,5	36	22	46	64	76,4	0,06	A
100769	MKS-AKU39-3	28,5	M30x1,5	48	24	48	72	84,4	0,19	D
105768	MKS-AKU39-3-AL	28,5	M30x1,5	48	24	48	72	84,4	0,07	A
104107	MKS-AKU95-2	32	18,5	36	22	48	66	79,5	0,21	D
105758	MKS-AKU95-2-AL	32	18,5	36	22	48	66	79,5	0,07	A
13903	MKS-AKU28-1	32	20,5	36	22	48	66	79,5	0,2	D
105773	MKS-AKU28-1-AL	32	20,5	36	22	48	66	79,5	0,07	A
105381	MKS-AKU28-2	32	22	36	22	48	66	79,5	0,2	D
105774	MKS-AKU28-2-AL	32	22	36	22	48	66	79,5	0,07	A
15207	MKS-AKU39	32	30,5	48	24	50	74	87,5	0,23	D
105766	MKS-AKU39-AL	32	30,5	48	24	50	74	87,5	0,08	A
104108	MKS-AKU95-3	32	M18x1	36	22	48	66	79,5	0,21	D
105759	MKS-AKU95-3-AL	32	M18x1	36	22	48	66	79,5	0,07	A
13902	MKS-AKU28	32	M20x1,5	36	22	48	66	79,5	0,21	D
105772	MKS-AKU28-AL	32	M20x1,5	36	22	48	66	79,5	0,07	A
100770	MKS-AKU39-4	32	M30x1,5	48	24	50	74	87,5	0,24	D
105769	MKS-AKU39-4-AL	32	M30x1,5	48	24	50	74	87,5	0,08	A
104109	MKS-AKU95-4	36	18,5	36	22	51	69	84	0,26	D
105760	MKS-AKU95-4-AL	36	18,5	36	22	51	69	84	0,09	A
102577	MKS-AKU22-3	36	20,5	36	22	51	69	84	0,26	D
105765	MKS-AKU22-3-AL	36	20,5	36	22	51	69	84	0,09	A
104103	MKS-AKU39-5	36	30,5	48	24	53	77	92	0,29	D
105770	MKS-AKU39-5-AL	36	30,5	48	24	53	77	92	0,1	A
104110	MKS-AKU95-5	36	M18x1	36	22	51	69	84	0,27	D
105761	MKS-AKU95-5-AL	36	M18x1	36	22	51	69	84	0,09	A
19893	MKS-AKU22-2	36	M20x1,5	36	22	51	69	84	0,26	D
105764	MKS-AKU22-2-AL	36	M20x1,5	36	22	51	69	84	0,09	A
104104	MKS-AKU39-6	36	M30x1,5	48	24	53	77	92	0,3	D
105771	MKS-AKU39-6-AL	36	M30x1,5	48	24	53	77	92	0,1	A

Sensor Mounting

Description	Part No.	Description	Part No.
MKS-NKUOX-XX-X	see table	MKS-AKU29	13987


Type: for inductive sensor, with ball Ø28,5

Material: steel



Type: with ball, with spring-loaded seat M30x1,5

Material: material mix




Part No.	Description	ØD ₁ [mm]	H ₁ [mm]	m [kg]	Type
13456	MKS-NKU01-12	12	0	0,15	with clamp
13455	MKS-NKU01-18	18	0	0,16	with clamp
13454	MKS-NKU01-30	30	0	0,19	with clamp
19013	MKS-NKU02-12	12	15	0,16	with clamp / with ball staggered
19014	MKS-NKU02-18	18	15	0,17	with clamp / with ball staggered
19015	MKS-NKU02-30	30	15	0,18	with clamp / with ball staggered
18209	MKS-NKU01-30-1	-	-	0,15	without clamp

Description	Part No.	Description	Part No.
MKS-AWXX-XX	see table	MKS-AW32-X	see table


Type: adapter with rod journal

Material: see table



Type: rod journal with plain, mounting with thread

Material: see table



Part No.	Description	Rod journal type	D ₁ [mm]	D ₂ [mm]	D ₃ [mm]	L ₁ [mm]	L ₂ [mm]	Material	m [kg]	Part No.	Description	D ₁ [mm]	B ₁ [mm]	L ₁ [mm]	L ₂ [mm]	m [kg]	Material
101901	MKS-AW38	B	19	36	20,5	22	73,5	D	0,14	100776	MKS-AW32-2	M30x1,5	40	51,5	82,5	0,16	D
100688	MKS-AW30-1	B	19	36	M20x1,5	22	73,5	D	0,14	100775	MKS-AW32-1	M18x1	30	40	71	0,14	D
100689	MKS-AW30-2	B	19	48	M20x1,6	24	81,5	D	0,17	10392	MKS-AW32-3	30,5	40	51,5	82,5	0,15	D
12922	MKS-AW17	A	20	36	18,5	22	69	D	0,15	106767	MKS-AW32-3-AL	30,5	40	51,5	82,5	0,06	A
12923	MKS-AW18	A	20	36	20,5	22	69	D	0,14	103393	MKS-AW32-4	18,5	30	40	71	0,14	D
12924	MKS-AW19	A	20	48	30,5	24	77	D	0,17								
107557	MKS-AW19-AL	A	20	48	30,5	24	77	A	0,06								
100830	MKS-AW18-3	A	20	36	M16x1	22	69	D	0,15								
17040	MKS-AW18-1	A	20	36	M20x1,5	22	69	D	0,15								
100774	MKS-AW18-2	A	20	48	M20x1,6	24	77	D	0,17								

Sensor Mounting

Description	Part No.	Description	Part No.
MKS-AW24	10419	MKS-HNS12	106657



Type: with rod journal, for inductive sensor with M30x1,5

Material: steel



Type: for inductive sensor IDS01/01-1/09, for MKS-SAMF02-20-80

Material: aluminium




Part No.	Description	m [kg]
10419	MKS-AW24	0,16

Part No.	Description	m [kg]
106657	MKS-HNS12	0,04

Description	Part No.
MKS25-HNS1X-18-XX-1	see table

Type: for inductive sensor, with tube connection

Material: aluminium




Part No.	Description	L ₁ [mm]	AP ₁ [mm]	m [kg]
107571	MKS25-HNS15-18-35	64	35	0,03
107575	MKS25-HNS15-18-35-1	64	35	0,03
107572	MKS25-HNS16-18-45	74	45	0,04
107576	MKS25-HNS16-18-45-1	74	45	0,04

Connector

Description	Part No.	Description	Part No.
MKS-EST34	103066	MKS-EST34-F	107786


Type: connector for couplings, loose side

Material: aluminium







Description	Part No.
MKS-EST34-F	107786

Type: connector for couplings, fixed side



Material: aluminium



Part No.	Description	m [kg]
103066	MKS-EST34	0,06


Part No.	Description	m [kg]
107786	MKS-EST34-F	0,55

Description	Part No.
MKS-EST28-F	102405


Description	Part No.
MKS-EST28-L	102404

Type: connector for couplings, fixed side





Material: composite



Type: connector for couplings, loose side



Material: composite







Part No.	Description	Pin A brown	Pin B blue	Pin C black	Pin D white	Pin E grey	m [kg]
102405	MKS-EST28-F	BN > +24V	BL > -ground	BK > component query	WH > forward	GY > back	0,05

Part No.	Description	Pin A brown	Pin B blue	Pin C black	Pin D white	Pin E grey	m [kg]
102404	MKS-EST28-L	BN > +24V	BL > -ground	BK > component query	WH > forward	GY > back	0,05

Description	Part No.
MKS-EST20-S1	105626

Type: for carrying frame, reduced length, with rotatable connector

Material: material mix



Pin assignment


Part No.	Description	Pin assignment						m [kg]
Pin 1	Pin 2	Pin 3	Pin 4	Pin 5	Pin 6	Pin 7	Pin 8	m [kg]
105626	MKS-EST20-S1	brown (+24V)	white (jumper wire)	blue (ground)	green (jumper wire)	yellow (jumper wire)	red (jumper wire)	0,07

Cable Mounting

Description	Part No.
MKSXX-HKBL01	see table

Type: with cable guide

















Material: steel



Part No.	Description	D ₁ [mm]	H ₁ [mm]	H ₂ [mm]	L ₁ [mm]	L ₂ [mm]	L ₃ [mm]	m [kg]
100048	MKS25-HKBL01	41	66,5	38,5	47	48	38	0,09
100054	MKS30-HKBL01	46	71,5	41	52	53	43	0,09
108212	MKS40-HKBL01	49,7	76	53	60	60	49	0,19

7. Transport Paddles, Deposits and Connections

Index


			Transport Paddle	200
			Transport Paddle Accessories	205
			Support Point	206
			Position Adapter	207
			Magnet Mounting	208
			Tube with Ball/Plate	209
			Ball/Rod Journal with Weld-On Plate.....	210
			Ball with Plate/Angle/Thread	211

Transport Paddle

Description	Part No.
MKS-TSXX-S-R-1 see table	

Type: paddle with side stop, with ball and long hole for downholder, right






Material: steel



Description	Part No.
MKS-TSXX-S-L-1 see table	

Type: paddle with side stop, with ball and long hole for downholder, left

Material: steel




Part No.	Description	H ₁ [mm]	B ₁ [mm]	L ₂ [mm]	L ₃ [mm]	L ₄ [mm]	m [mm]
100994	MKS-TS39-S-R-1	48	48	44	28	14	0,34
101001	MKS-TS40-S-R-1	48	35	27	11	14	0,30
101003	MKS-TS41-S-R-1	55	55	40	28	10	0,36

Part No.	Description	H ₁ [mm]	B ₁ [mm]	L ₂ [mm]	L ₃ [mm]	L ₄ [mm]	m [mm]
100993	MKS-TS39-S-L-1	48	48	44	28	14	0,34
101000	MKS-TS40-S-L-1	48	35	27	11	14	0,30
101002	MKS-TS41-S-L-1	55	55	40	28	10	0,36

Description	Part No.
MKS-TS02-S-L-SX see table	

Type: paddle with side stop, with ball, with passage opening and mounting for optical sensor, left





Material: steel



Description	Part No.
MKS-TS02-S-R-SX see table	

Type: paddle with side stop, with ball, with passage opening and mounting for optical sensor, right

Material: steel




Part No.	Description	D ₁ [mm]	m [kg]
103516	MKS-TS02-S-L-S2	32	0,44
103514	MKS-TS02-S-L-S1	36	0,43

Part No.	Description	D ₁ [mm]	m [kg]
103517	MKS-TS02-S-R-S2	32	0,44
103515	MKS-TS02-S-R-S1	36	0,43

Description	Part No.
MKS30-TSXX-S1-KAR see table	

Type: paddle with side stop and holes for downholder, right






Material: steel



Description	Part No.
MKS30-TSXX-S1-KAL see table	

Type: paddle with side stop and holes for downholder, left

Material: steel




Part No.	Description	H ₁ [mm]	H ₂ [mm]	L ₁ [mm]	L ₂ [mm]	α [°]	β [°]	m [kg]
108024	MKS30-TS01-S1-KAR	30	151,2	47,5	57,5	90	30	0,64
108022	MKS30-TS15-S1-KAR	32	130	50	50	93	23	0,36

Part No.	Description	H ₁ [mm]	H ₂ [mm]	L ₁ [mm]	L ₂ [mm]	α [°]	β [°]	m [kg]
108025	MKS30-TS01-S1-KAL	30	151,2	47,5	57,5	90	30	0,64
108023	MKS30-TS15-S1-KAL	32	130	50	50	93	23	0,36

Transport Paddle


Description	Part No.	Description	Part No.
MKSXX-TSXX-XX-KAR	see table	MKSXX-TSXX-KAX-XX	see table

Type: paddle without side stop, with clamp seat




Material: steel

Type: paddle with side stop, with clamp seat



Material: see table




Part No.	Description	D ₁ [mm]	H ₁ [mm]	H ₂ [mm]	B ₁ [mm]	L _f [mm]	L ₂ [mm]	L ₃ [mm]	L ₄ [mm]	T ₂ [mm]	α [°]	m [kg]
11380	MKS20-TS10-40-KAR	20	71	30	40	60	50	33	15	2,5	30	0,20
11381	MKS20-TS10-50-KAR	20	71	30	50	60	50	33	15	2,5	30	0,22
11382	MKS20-TS10-60-KAR	20	71	30	60	60	50	33	15	2,5	30	0,25
16632	MKS25-TS10-40-KAR	25	72	24,5	40	70	60	24	33	3	28	0,27
106745	MKS30-TS10-60-KAR	30	71	30	60	60	50	33	15	2,5	30	0,30
15004	MKS30-TS17-40-KAR	30	88	22,5	40	90	76	46	28	5	30	0,46
11586	MKS30-TS17-60-KAR	30	88	22,5	60	90	76	46	28	5	30	0,57
11589	MKS30-TS18-40-KAR	30	97	22,5	40	90	76	26	43	5	30	0,44


Part No.	Description	D ₁ [mm]	H ₁ [mm]	H ₂ [mm]	B ₁ [mm]	B ₂ [mm]	L _f [mm]	L ₂ [mm]	L ₃ [mm]	L ₄ [mm]	T ₂ [mm]	α [°]	β [°]	m [kg]	Material
11372	MKS20-TS01-KAL	20	68	22,5	78	22,5	60	61	28	31	2,5	30	0	0,32	D
11371	MKS20-TS01-KAR	20	68	22,5	78	22,5	60	61	28	31	2,5	30	0	1,32	D
11374	MKS20-TS02-KAL	20	48	17,5	48	17,5	60	44	28	14	2,5	30	0	0,21	D
104276	MKS20-TS02-KAL-VA	20	48	17,5	48	17,5	60	44	28	14	2,5	30	0	0,21	C
11373	MKS20-TS02-KAR	20	48	17,5	48	17,5	60	44	28	14	2,5	30	0	0,21	D
104278	MKS20-TS02-KAR-VA	20	48	17,5	48	17,5	60	44	28	14	2,5	30	0	0,21	C
11279	MKS25-TS01-KAL	25	68	22,5	78	22,5	70	61	28	31	2,5	30	0	0,34	D
11278	MKS25-TS01-KAR	25	68	22,5	78	22,5	70	61	28	31	2,5	30	0	0,34	D
11376	MKS25-TS02-KAL	25	48	17,5	48	17,5	70	44	28	14	2,5	30	0	0,25	D
11375	MKS25-TS02-KAR	25	48	17,5	48	17,5	70	44	28	14	2,5	30	0	0,25	D
11484	MKS30-TS01-KAL	30	68	22,5	78	22,5	90	61	28	31	2,5	30	0	0,42	D
11485	MKS30-TS01-KAR	30	68	22,5	78	22,5	90	61	28	31	2,5	30	0	0,42	D
11509	MKS30-TS02-KAL	30	48	17,5	48	17,5	90	44	28	14	2,5	30	0	0,34	D
11508	MKS30-TS02-KAR	30	48	17,5	48	17,5	90	44	28	14	2,5	30	0	0,34	D
11579	MKS30-TS15-KAL	30	60	25	60	25	90	40	30	8	2,5	23	7	0,35	D
11578	MKS30-TS15-KAR	30	60	25	60	25	90	40	30	8	2,5	23	7	0,35	D
11582	MKS30-TS16-KAR	30	90	32,5	90	32,5	90	70	35	32	3	36	0	0,56	D

Description	Part No.
MKSXX-XXXX-X-XXXX	see table

Type: paddle with side stop, with tube



Material: steel



Part No.	Description	D ₁ [mm]	H ₁ [mm]	H ₂ [mm]	B ₁ [mm]	B ₂ [mm]	L ₁ [mm]	L ₂ [mm]	L ₃ [mm]	L ₄ [mm]	T ₁ [mm]	T ₂ [mm]	α [°]	β [°]	m [kg]
100959	MKS20-AB03-100-VA	20	39	26,5	65	20	100	65	45	19	2,5	2	30	8	0,19
16457	MKS20-TS01-K-L-100	20	61	22,5	71	22,5	100	48,5	28	19	2,5	2,5	30	0	0,30
16459	MKS20-TS01-K-L-200	20	61	22,5	71	22,5	200	48,5	28	19	2,5	2,5	30	0	0,41
16461	MKS20-TS01-K-L-300	20	61	22,5	71	22,5	300	48,5	28	19	2,5	2,5	30	0	0,52
16462	MKS20-TS01-K-R-100	20	61	22,5	71	22,5	100	48,5	28	19	2,5	2,5	30	0	0,30
16464	MKS20-TS01-K-R-200	20	61	22,5	71	22,5	200	48,5	28	19	2,5	2,5	30	0	0,41
16466	MKS20-TS01-K-R-300	20	61	22,5	71	22,5	300	48,5	28	19	2,5	2,5	30	0	0,52
11413	MKS20-TS01-L-100	20	68	22,5	78	22,5	100	61	28	31	2,5	2,5	30	0	0,30
11415	MKS20-TS01-L-200	20	68	22,5	78	22,5	200	61	28	31	2,5	2,5	30	0	0,41
11417	MKS20-TS01-L-300	20	68	22,5	78	22,5	300	61	28	31	2,5	2,5	30	0	0,52
11419	MKS20-TS01-L-400	20	68	22,5	78	22,5	400	61	28	31	2,5	2,5	30	0	0,63
11421	MKS20-TS01-L-500	20	68	22,5	78	22,5	500	61	28	31	2,5	2,5	30	0	0,75
11422	MKS20-TS01-R-100	20	68	22,5	78	22,5	100	61	28	31	2,5	2,5	30	0	0,30
11424	MKS20-TS01-R-200	20	68	22,5	78	22,5	200	61	28	31	2,5	2,5	30	0	0,41
11426	MKS20-TS01-R-300	20	68	22,5	78	22,5	300	61	28	31	2,5	2,5	30	0	0,55
11428	MKS20-TS01-R-400	20	68	22,5	78	22,5	400	61	28	31	2,5	2,5	30	0	0,65

Material
C → material mix
D → steel

Transport Paddle



Part No.	Description	D ₁ [mm]	H ₁ [mm]	H ₂ [mm]	B ₁ [mm]	B ₂ [mm]	L ₁ [mm]	L ₂ [mm]	L ₃ [mm]	L ₄ [mm]	T ₁ [mm]	T ₂ [mm]	α [°]	β [°]	m [kg]
11430	MKS20-TS01-R-500	20	68	22,5	78	22,5	500	61	28	31	2,5	2,5	30	0	0,74
11431	MKS20-TS02-L/R-100	20	48	17,5	48	17,5	100	44	28	14	2,5	2,5	30	0	0,21
11433	MKS20-TS02-L/R-200	20	48	17,5	48	17,5	200	44	28	14	2,5	2,5	30	0	0,32
11435	MKS20-TS02-L/R-300	20	48	17,5	48	17,5	300	44	28	14	2,5	2,5	30	0	0,42
11437	MKS20-TS02-L/R-400	20	48	17,5	48	17,5	400	44	28	14	2,5	2,5	30	0	0,53
11439	MKS20-TS02-L/R-500	20	48	17,5	48	17,5	500	44	28	14	2,5	2,5	30	0	0,63
105593	MKS20-TS02-L/R-B100	20	48	17,5	48	17,5	100	44	28	14	1,5	2,5	30	0	0,17
105595	MKS20-TS02-L/R-B200	20	48	17,5	48	17,5	200	44	28	14	1,5	2,5	30	0	0,24
105597	MKS20-TS02-L/R-B300	20	48	17,5	48	17,5	300	44	28	14	1,5	2,5	30	0	0,31
16826	MKS20-TS11-L-100	20	36	12,5	46	17,5	100	25	13	10	2,5	2,5	30	0	0,17
16828	MKS20-TS11-L-200	20	36	12,5	46	17,5	200	25	13	10	2,5	2,5	30	0	0,27
16830	MKS20-TS11-L-300	20	36	12,5	46	17,5	300	25	13	10	2,5	2,5	30	0	0,37
16832	MKS20-TS11-L-400	20	36	12,5	46	17,5	400	25	13	10	2,5	2,5	30	0	0,48
16834	MKS20-TS11-L-500	20	36	12,5	46	17,5	500	25	13	10	2,5	2,5	30	0	0,58
16836	MKS20-TS11-R-100	20	36	12,5	46	17,5	100	25	13	10	2,5	2,5	30	0	0,17
16838	MKS20-TS11-R-200	20	36	12,5	46	17,5	200	25	13	10	2,5	2,5	30	0	0,27
16840	MKS20-TS11-R-300	20	36	12,5	46	17,5	300	25	13	10	2,5	2,5	30	0	0,37
16842	MKS20-TS11-R-400	20	36	12,5	46	17,5	400	25	13	10	2,5	2,5	30	0	0,48
16844	MKS20-TS11-R-500	20	36	12,5	46	17,5	500	25	13	10	2,5	2,5	30	0	0,58
16815	MKS20-TS19-LR-100	20	75	20	75	20	100	58,5	45	10	2,5	2,5	15	15	0,33
16817	MKS20-TS19-LR-200	20	75	20	75	20	200	58,5	45	10	2,5	2,5	15	15	0,43
16819	MKS20-TS19-LR-300	20	75	20	75	20	300	58,5	45	10	2,5	2,5	15	15	0,53
16821	MKS20-TS19-LR-400	20	75	20	75	20	400	58,5	45	10	2,5	2,5	15	15	0,64
101234	MKS25-AB03-100-VA	25	39	26,5	65	20	100	65	45	19	2,5	2	30	8	0,24
11291	MKS25-TS01-L-100	25	68	22,5	78	22,5	100	61	28	31	2,5	2,5	30	0	0,35
11293	MKS25-TS01-L-200	25	68	22,5	78	22,5	200	61	28	31	2,5	2,5	30	0	0,48
11295	MKS25-TS01-L-300	25	68	22,5	78	22,5	300	61	28	31	2,5	2,5	30	0	0,62
11297	MKS25-TS01-L-400	25	68	22,5	78	22,5	400	61	28	31	2,5	2,5	30	0	0,75
11299	MKS25-TS01-L-500	25	68	22,5	78	22,5	500	61	28	31	2,5	2,5	30	0	0,88
11280	MKS25-TS01-R-100	25	68	22,5	78	22,5	100	61	28	31	2,5	2,5	30	0	0,35
11282	MKS25-TS01-R-200	25	68	22,5	78	22,5	200	61	28	31	2,5	2,5	30	0	0,48
11284	MKS25-TS01-R-300	25	68	22,5	78	22,5	300	61	28	31	2,5	2,5	30	0	0,62
11286	MKS25-TS01-R-400	25	68	22,5	78	22,5	400	61	28	31	2,5	2,5	30	0	0,75
11288	MKS25-TS01-R-500	25	68	22,5	78	22,5	500	61	28	31	2,5	2,5	30	0	0,88
11440	MKS25-TS02-L/R-100	25	48	17,5	48	17,5	100	44	28	14	2,5	2,5	30	0	0,24
11442	MKS25-TS02-L/R-200	25	48	17,5	48	17,5	200	44	28	14	2,5	2,5	30	0	0,38
11444	MKS25-TS02-L/R-300	25	48	17,5	48	17,5	300	44	28	14	2,5	2,5	30	0	0,52
11446	MKS25-TS02-L/R-400	25	48	17,5	48	17,5	400	44	28	14	2,5	2,5	30	0	0,65
11448	MKS25-TS02-L/R-500	25	48	17,5	48	17,5	500	44	28	14	2,5	2,5	30	0	0,78
101804	MKS25-TS15-L/R-075	25	60	14,5	60	14,5	75	40	30	8	2,5	2,5	23	7	0,24
101805	MKS25-TS15-L/R-100	25	60	14,5	60	14,5	100	40	30	8	2,5	2,5	23	7	0,28
101807	MKS25-TS15-L/R-200	25	60	14,5	60	14,5	200	40	30	8	2,5	2,5	23	7	0,42
101809	MKS25-TS15-L/R-300	25	60	14,5	60	14,5	300	40	30	8	2,5	2,5	23	7	0,56
101811	MKS25-TS15-L/R-400	25	60	14,5	60	14,5	400	40	30	8	2,5	2,5	23	7	0,70
101778	MKS25-TS15-L/R-500	25	60	14,5	60	14,5	500	40	30	8	2,5	2,5	23	7	0,83
11451	MKS30-TS01-L-100	30	68	22,5	78	22,5	100	61	28	31	2,5	2,5	30	0	0,41
11453	MKS30-TS01-L-200	30	68	22,5	78	22,5	200	61	28	31	2,5	2,5	30	0	0,57
11455	MKS30-TS01-L-300	30	68	22,5	78	22,5	300	61	28	31	2,5	2,5	30	0	0,73
11457	MKS30-TS01-L-400	30	68	22,5	78	22,5	400	61	28	31	2,5	2,5	30	0	0,89
11459	MKS30-TS01-L-500	30	68	22,5	78	22,5	500	61	28	31	2,5	2,5	30	0	1,05
11462	MKS30-TS01-R-100	30	68	22,5	78	22,5	100	61	28	31	2,5	2,5	30	0	0,41
11464	MKS30-TS01-R-200	30	68	22,5	78	22,5	200	61	28	31	2,5	2,5	30	0	0,57
11466	MKS30-TS01-R-300	30	68	22,5	78	22,5	300	61	28	31	2,5	2,5	30	0	0,73
11468	MKS30-TS01-R-400	30	68	22,5	78	22,5	400	61	28	31	2,5	2,5	30	0	0,89
11470	MKS30-TS01-R-500	30	68	22,5	78	22,5	500	61	28	31	2,5	2,5	30	0	1,05
11473	MKS30-TS02-L/R-100	30	48	17,5	48	17,5	100	44	28	14	2,5	2,5	30	0	0,27
11475	MKS30-TS02-L/R-200	30	48	17,5	48	17,5	200	44	28	14	2,5	2,5	30	0	0,44
11477	MKS30-TS02-L/R-300	30	48	17,5	48	17,5	300	44	28	14	2,5	2,5	30	0	0,60
11479	MKS30-TS02-L/R-400	30	48	17,5	48	17,5	400	44	28	14	2,5	2,5	30	0	0,78
11481	MKS30-TS02-L/R-500	30	48	17,5	48	17,5	500	44	28	14	2,5	2,5	30	0	0,95
11577	MKS30-TS15-L/R-100	30	60	25	60	25	100	40	30	8	2,5	2,5	23	7	0,33
12049	MKS30-TS15-L/R-200	30	60	25	60	25	200	40	30	8	2,5	2,5	23	7	0,50
12051	MKS30-TS15-L/R-300	30	60	25	60	25	300	40	30	8	2,5	2,5	23	7	0,66
12053	MKS30-TS15-L/R-400	30	60	25	60	25	400	40	30	8	2,5	2,5	23	7	0,83
12055	MKS30-TS15-L/R-500	30	60	25	60	25	500	40	30	8	2,5	2,5	23	7	0,99
12058	MKS30-TS16-L/R-100	30	90	32,5	90	32,5	100	70	35	32	2,5	3	36	0	0,52
12060	MKS30-TS16-L/R-200	30	90	32,5	90	32,5	200	70	35	32	2,5	3	36	0	0,67
12062	MKS30-TS16-L/R-300	30	90	32,5	90	32,5	300	70	35	32	2,5	3	36	0	0,87
12064	MKS30-TS16-L/R-400	30	90	32,5	90	32,5	400	70	35	32	2,5	3	36	0	1,04

Transport Paddle

Description	Part No.
MKSXX-XXXX-X-XXXX	see table

Type: paddle without side stop, with tube

Material: steel










Part No.	Description	D ₁ [mm]	H ₁ [mm]	H ₂ [mm]	B ₁ [mm]	L ₁ [mm]	L ₂ [mm]	L ₃ [mm]	L ₄ [mm]	T ₁ [mm]	T ₂ [mm]	α [°]	β [°]	φ [°]	m [kg]
100780	MKS20-AB01-100-VA	20	64	20	56	100	43	40	19	2,5	2	30	8	25	0,18
102745	MKS20-AB02-100-VA	20	50	20	56	100	41	22	50	2,5	2	5	-25	35	0,20
102746	MKS20-AB04-100-VA	20	64	20	56	100	33	40	17	2,5	2	30	8	25	0,20
11384	MKS20-TS10-40-100	20	71	28,5	40	100	50	33	15	2,5	2,5	30	0	0	0,20
11386	MKS20-TS10-40-200	20	71	28,5	40	200	50	33	15	2,5	2,5	30	0	0	0,30
11388	MKS20-TS10-40-300	20	71	28,5	40	300	50	33	15	2,5	2,5	30	0	0	0,41
11390	MKS20-TS10-40-400	20	71	28,5	40	400	50	33	15	2,5	2,5	30	0	0	0,52
11512	MKS20-TS13-100	20	66	25	32	100	100	61	35	2	4	20	0	0	0,24
107652	MKS20-TS13-1-D300	20	61	25	32	300	69,5	46	20	2	4	20	0	0	0,39
11514	MKS20-TS13-200	20	66	25	32	200	100	61	35	2	4	20	0	0	0,34
11516	MKS20-TS13-300	20	66	25	32	300	100	61	35	2	4	20	0	0	0,42
11518	MKS20-TS13-400	20	66	25	32	400	100	61	35	2	4	20	0	0	0,50
11520	MKS20-TS13-500	20	66	25	32	500	100	61	35	2	4	20	0	0	0,58
105459	MKS20-TS13-A-D100	20	66	21	32	100	100	61	35	2,5	4	20	0	0	0,29
105460	MKS20-TS13-A-D200	20	66	21	32	200	100	61	35	2,5	4	20	0	0	0,34
105462	MKS20-TS13-A-D300	20	66	21	32	300	100	61	35	2,5	4	20	0	0	0,45
105463	MKS20-TS13-A-D400	20	66	21	32	400	100	61	35	2,5	4	20	0	0	0,50
107464	MKS20-TS13-A-D500	20	66	21	32	500	100	61	35	2,5	4	20	0	0	0,56
11533	MKS20-TS14-100	20	54	29	32	100	100	65	32	2	4	-20	0	0	0,24
11535	MKS20-TS14-200	20	54	29	32	200	100	65	32	2	4	-20	0	0	0,33
11537	MKS20-TS14-300	20	54	29	32	300	100	65	32	2	4	-20	0	0	0,42
11539	MKS20-TS14-400	20	54	29	32	400	100	65	32	2	4	-20	0	0	0,51
11541	MKS20-TS14-500	20	54	29	32	500	100	65	32	2	4	-20	0	0	0,60
100875	MKS25-AB01-100-VA	25	64	19	56	100	43	40	19	2,5	2	30	8	25	0,22
101437	MKS25-AB02-100-VA	25	50	19	56	100	41	22	50	2,5	2	5	-25	35	0,22
101436	MKS25-AB04-100-VA	25	64	19	56	100	33	40	17	2,5	2	30	8	25	0,20
16558	MKS25-TS10-40-100	25	72	24,5	40	100	60	24	33	2	3	28	0	0	0,23
16560	MKS25-TS10-40-200	25	72	24,5	40	200	60	24	33	2	3	28	0	0	0,34
16562	MKS25-TS10-40-300	25	72	24,5	40	300	60	24	33	2	3	28	0	0	0,45
16564	MKS25-TS10-40-400	25	72	24,5	40	400	60	24	33	2	3	28	0	0	0,57
11522	MKS25-TS13-100	25	66	25	32	100	100	61	35	2	4	20	0	0	0,26
11523	MKS25-TS13-150	25	66	25	32	150	100	61	35	2	4	20	0	0	0,32
11524	MKS25-TS13-200	25	66	25	32	200	100	61	35	2	4	20	0	0	0,38
11525	MKS25-TS13-250	25	66	25	32	250	100	61	35	2	4	20	0	0	0,43
11526	MKS25-TS13-300	25	66	25	32	300	100	61	35	2	4	20	0	0	0,49
11528	MKS25-TS13-400	25	66	25	32	400	100	61	35	2	4	20	0	0	0,60
11530	MKS25-TS13-500	25	66	25	32	500	100	61	35	2	4	20	0	0	0,72
101751	MKS25-TS13-A-D100	25	66	21	32	100	100	61	35	2,5	4	20	0	0	0,29
101752	MKS25-TS13-A-D200	25	66	21	32	200	100	61	35	2,5	4	20	0	0	0,43
101753	MKS25-TS13-A-D300	25	66	21	32	300	100	61	35	2,5	4	20	0	0	0,57
101754	MKS25-TS13-A-D400	25	66	21	32	400	100	61	35	2,5	4	20	0	0	0,71
11543	MKS25-TS14-100	25	54	29	32	100	100	65	35	2	4	-20	0	0	0,26
11545	MKS25-TS14-200	25	54	29	32	200	100	65	35	2	4	-20	0	0	0,38
11547	MKS25-TS14-300	25	54	29	32	300	100	65	35	2	4	-20	0	0	0,49
11549	MKS25-TS14-400	25	54	29	32	400	100	65	35	2	4	-20	0	0	0,61
11551	MKS25-TS14-500	25	54	29	32	500	100	65	35	2	4	-20	0	0	0,72
101755	MKS25-TS14-A-D100	25	58	29	32	100	100	61	35	2,5	4	-20	0	0	0,29
101756	MKS25-TS14-A-D200	25	58	29	32	200	100	61	35	2,5	4	-20	0	0	0,43
101757	MKS25-TS14-A-D300	25	58	29	32	300	100	61	35	2,5	4	-20	0	0	0,57
101758	MKS25-TS14-A-D400	25	58	29	32	400	100	61	35	2,5	4	-20	0	0	0,71
15504	MKS30-TS13-100	30	66	25	32	100	100	61	35	2	4	20	0	0	0,29
15506	MKS30-TS13-200	30	66	25	32	200	100	61	35	2	4	20	0	0	0,43
15508	MKS30-TS13-300	30	66	25	32	300	100	61	35	2	4	20	0	0	0,57

Transport Paddle

Part No.	Description	D ₁ [mm]	H ₁ [mm]	H ₂ [mm]	B ₁ [mm]	L ₁ [mm]	L ₂ [mm]	L ₃ [mm]	L ₄ [mm]	T ₁ [mm]	T ₂ [mm]	α [°]	β [°]	φ [°]	m [kg]
15510	MKS30-TS13-400	30	66	25	32	400	100	61	35	2	4	20	0	0	0,71
15512	MKS30-TS13-500	30	66	25	32	500	100	61	35	2	4	20	0	0	0,83
100009	MKS30-TS13-600	30	66	25	32	600	100	61	35	2	4	20	0	0	0,99
15514	MKS30-TS14-100	30	54	29	32	100	100	65	35	2	4	-20	0	0	0,29
15516	MKS30-TS14-200	30	54	29	32	200	100	65	35	2	4	-20	0	0	0,42
15518	MKS30-TS14-300	30	54	29	32	300	100	65	35	2	4	-20	0	0	0,56
15520	MKS30-TS14-400	30	54	29	32	400	100	65	35	2	4	-20	0	0	0,70
15522	MKS30-TS14-500	30	54	29	32	500	100	65	35	2	4	-20	0	0	0,83


Transport Paddle Accessories

Description	Part No.	Description	Part No.															
MKS-TS11-L	11449	MKS-TS11-R	11450															
Type: paddle, weldable, with side stop, left		Type: paddle, weldable, with side stop, right																
Material: steel		Material: steel																
																		
<table border="1"> <thead> <tr> <th>Part No.</th> <th>Description</th> <th>m [kg]</th> </tr> </thead> <tbody> <tr> <td>11449</td> <td>MKS-TS11-L</td> <td>0,05</td> </tr> </tbody> </table>	Part No.	Description	m [kg]	11449	MKS-TS11-L	0,05		<table border="1"> <thead> <tr> <th>Part No.</th> <th>Description</th> <th>m [kg]</th> </tr> </thead> <tbody> <tr> <td>11450</td> <td>MKS-TS11-R</td> <td>0,05</td> </tr> </tbody> </table>	Part No.	Description	m [kg]	11450	MKS-TS11-R	0,05				
Part No.	Description	m [kg]																
11449	MKS-TS11-L	0,05																
Part No.	Description	m [kg]																
11450	MKS-TS11-R	0,05																
Description	Part No.	Description	Part No.															
MKS-ZTS01-XX	see table																	
Type: downholder for transport paddle																		
Material: steel																		
																		
<table border="1"> <thead> <tr> <th>Part No.</th> <th>Description</th> <th>L₁ [mm]</th> <th>α [°]</th> <th>m [kg]</th> </tr> </thead> <tbody> <tr> <td>19628</td> <td>MKS-ZTS01-30</td> <td>30</td> <td>31,3</td> <td>0,05</td> </tr> <tr> <td>19634</td> <td>MKS-ZTS01-40</td> <td>40</td> <td>20,1</td> <td>0,06</td> </tr> </tbody> </table>	Part No.	Description	L ₁ [mm]	α [°]	m [kg]	19628	MKS-ZTS01-30	30	31,3	0,05	19634	MKS-ZTS01-40	40	20,1	0,06			
Part No.	Description	L ₁ [mm]	α [°]	m [kg]														
19628	MKS-ZTS01-30	30	31,3	0,05														
19634	MKS-ZTS01-40	40	20,1	0,06														


Support Point

Description	Part No.
MKS-ABB10-1-XX-XX	see table

Type: composite support point



Material: material mix




Part No.	Description	H ₁ [mm]	Material (support point)	m [kg]
108161	MKS-ABB10-1-25-40	25	NBR, 40 Shore	0,12

Position Adapter

Description	Part No.	Description	Part No.
MKSXX-EW17-XXX	see table	MKS-AKU82-1	see table






Type: with tube, with pin

Material: steel



Type: with ball

Material: steel





Part No.	Description	D ₁ [mm]	L ₁ [mm]	T ₁ [mm]	m [kg]
101925	MKS20-EW17-200	20	200	3	0,40
102737	MKS25-EW17-100	25	100	2	0,26
102738	MKS25-EW17-200	25	200	2	0,37
102739	MKS25-EW17-300	25	300	2	0,48
102740	MKS25-EW17-400	25	400	2	0,60
101319	MKS30-EW17-100	30	100	2	0,28
101320	MKS30-EW17-200	30	200	2	0,42
101321	MKS30-EW17-300	30	300	2	0,56

Part No.	Description	D ₁ [mm]	H ₁ [mm]	L ₁ [mm]	L ₂ [mm]	L ₃ [mm]	m [kg]
101226	MKS-AKU82-1	28,5	26	13	80	34	0,19
100477	MKS-AKU82	36	29	25	105	47	0,32

Description	Part No.
MKS-EW18-XX	see table

Type: screw-on

Material: steel





Part No.	Description	L ₁ [mm]	L ₂ [mm]	m [kg]
103536	MKS-EW18-37	37	60	0,27
103537	MKS-EW18-62	62	85	0,32

Magnet Mounting

Description	Part No.
MKS-HST09	101923





Type: for guiding pin


Material: material mix




Part No.	Description	m [kg]
101923	MKS-HST09	0,09

Tube with Ball/Plate

Description	Part No.	Description	Part No.																																																																																																																																																																																																																								
MKS30-RA01-XXX	see table	MKSXX-RAX1-XXX	see table																																																																																																																																																																																																																								
Type: tube with plate		Type: tube with plate																																																																																																																																																																																																																									
Material: steel		Material: steel																																																																																																																																																																																																																									
																																																																																																																																																																																																																											
																																																																																																																																																																																																																											
<table border="1"> <thead> <tr> <th>Part No.</th> <th>Description</th> <th>L₁ [mm]</th> <th>m [kg]</th> </tr> </thead> <tbody> <tr><td>10454</td><td>MKS30-RA01-75</td><td>75</td><td>0,20</td></tr> <tr><td>10455</td><td>MKS30-RA01-100</td><td>100</td><td>0,24</td></tr> <tr><td>10456</td><td>MKS30-RA01-125</td><td>125</td><td>0,28</td></tr> <tr><td>10457</td><td>MKS30-RA01-150</td><td>150</td><td>0,33</td></tr> <tr><td>10458</td><td>MKS30-RA01-200</td><td>200</td><td>0,41</td></tr> <tr><td>10459</td><td>MKS30-RA01-250</td><td>250</td><td>0,50</td></tr> <tr><td>10460</td><td>MKS30-RA01-300</td><td>300</td><td>0,58</td></tr> <tr><td>10461</td><td>MKS30-RA01-350</td><td>350</td><td>0,66</td></tr> <tr><td>10462</td><td>MKS30-RA01-400</td><td>400</td><td>0,75</td></tr> <tr><td>10463</td><td>MKS30-RA01-450</td><td>450</td><td>0,83</td></tr> <tr><td>10464</td><td>MKS30-RA01-500</td><td>500</td><td>0,92</td></tr> <tr><td>10465</td><td>MKS30-RA01-550</td><td>550</td><td>1,00</td></tr> <tr><td>10466</td><td>MKS30-RA01-600</td><td>600</td><td>1,27</td></tr> <tr><td>102578</td><td>MKS30-RA01-1500</td><td>1500</td><td>2,61</td></tr> <tr><td>107708</td><td>MKS30-RA01-1550</td><td>1550</td><td>2,70</td></tr> </tbody> </table>		Part No.	Description	L ₁ [mm]	m [kg]	10454	MKS30-RA01-75	75	0,20	10455	MKS30-RA01-100	100	0,24	10456	MKS30-RA01-125	125	0,28	10457	MKS30-RA01-150	150	0,33	10458	MKS30-RA01-200	200	0,41	10459	MKS30-RA01-250	250	0,50	10460	MKS30-RA01-300	300	0,58	10461	MKS30-RA01-350	350	0,66	10462	MKS30-RA01-400	400	0,75	10463	MKS30-RA01-450	450	0,83	10464	MKS30-RA01-500	500	0,92	10465	MKS30-RA01-550	550	1,00	10466	MKS30-RA01-600	600	1,27	102578	MKS30-RA01-1500	1500	2,61	107708	MKS30-RA01-1550	1550	2,70	<table border="1"> <thead> <tr> <th>Part No.</th> <th>Description</th> <th>D₁ [mm]</th> <th>H₁ [mm]</th> <th>H₂ [mm]</th> <th>B₁ [mm]</th> <th>L₁ [mm]</th> <th>m [kg]</th> </tr> </thead> <tbody> <tr><td>10444</td><td>MKS20-RA01-300</td><td>20</td><td>300</td><td>5</td><td>35</td><td>35</td><td>0,37</td></tr> <tr><td>10446</td><td>MKS20-RA01-400</td><td>20</td><td>400</td><td>5</td><td>35</td><td>35</td><td>0,48</td></tr> <tr><td>10448</td><td>MKS20-RA01-500</td><td>20</td><td>500</td><td>5</td><td>35</td><td>35</td><td>0,58</td></tr> <tr><td>10447</td><td>MKS20-RA11-300</td><td>20</td><td>300</td><td>20</td><td>35</td><td>35</td><td>0,52</td></tr> <tr><td>10445</td><td>MKS20-RA11-400</td><td>20</td><td>400</td><td>20</td><td>35</td><td>35</td><td>0,62</td></tr> <tr><td>10447</td><td>MKS20-RA11-500</td><td>20</td><td>500</td><td>20</td><td>35</td><td>35</td><td>0,73</td></tr> <tr><td>10447</td><td>MKS25-RA01-300</td><td>25</td><td>300</td><td>5</td><td>40</td><td>40</td><td>0,47</td></tr> <tr><td>10449</td><td>MKS25-RA01-400</td><td>25</td><td>400</td><td>5</td><td>40</td><td>40</td><td>0,61</td></tr> <tr><td>10451</td><td>MKS25-RA01-500</td><td>25</td><td>500</td><td>5</td><td>40</td><td>40</td><td>0,75</td></tr> <tr><td>10448</td><td>MKS25-RA11-300</td><td>25</td><td>300</td><td>20</td><td>40</td><td>40</td><td>0,67</td></tr> <tr><td>10448</td><td>MKS25-RA11-400</td><td>25</td><td>400</td><td>20</td><td>40</td><td>40</td><td>0,81</td></tr> <tr><td>10449</td><td>MKS25-RA11-500</td><td>25</td><td>500</td><td>20</td><td>40</td><td>40</td><td>0,95</td></tr> <tr><td>10460</td><td>MKS30-RA01-300</td><td>30</td><td>300</td><td>5</td><td>45</td><td>45</td><td>0,59</td></tr> <tr><td>10462</td><td>MKS30-RA01-400</td><td>30</td><td>400</td><td>5</td><td>45</td><td>45</td><td>0,76</td></tr> <tr><td>10464</td><td>MKS30-RA01-500</td><td>30</td><td>500</td><td>5</td><td>45</td><td>45</td><td>0,93</td></tr> <tr><td>10500</td><td>MKS30-RA11-300</td><td>30</td><td>300</td><td>20</td><td>45</td><td>45</td><td>0,83</td></tr> <tr><td>10502</td><td>MKS30-RA11-400</td><td>30</td><td>400</td><td>20</td><td>45</td><td>45</td><td>1,00</td></tr> <tr><td>10504</td><td>MKS30-RA11-500</td><td>30</td><td>500</td><td>20</td><td>45</td><td>45</td><td>1,17</td></tr> </tbody> </table>		Part No.	Description	D ₁ [mm]	H ₁ [mm]	H ₂ [mm]	B ₁ [mm]	L ₁ [mm]	m [kg]	10444	MKS20-RA01-300	20	300	5	35	35	0,37	10446	MKS20-RA01-400	20	400	5	35	35	0,48	10448	MKS20-RA01-500	20	500	5	35	35	0,58	10447	MKS20-RA11-300	20	300	20	35	35	0,52	10445	MKS20-RA11-400	20	400	20	35	35	0,62	10447	MKS20-RA11-500	20	500	20	35	35	0,73	10447	MKS25-RA01-300	25	300	5	40	40	0,47	10449	MKS25-RA01-400	25	400	5	40	40	0,61	10451	MKS25-RA01-500	25	500	5	40	40	0,75	10448	MKS25-RA11-300	25	300	20	40	40	0,67	10448	MKS25-RA11-400	25	400	20	40	40	0,81	10449	MKS25-RA11-500	25	500	20	40	40	0,95	10460	MKS30-RA01-300	30	300	5	45	45	0,59	10462	MKS30-RA01-400	30	400	5	45	45	0,76	10464	MKS30-RA01-500	30	500	5	45	45	0,93	10500	MKS30-RA11-300	30	300	20	45	45	0,83	10502	MKS30-RA11-400	30	400	20	45	45	1,00	10504	MKS30-RA11-500	30	500	20	45	45	1,17
Part No.	Description	L ₁ [mm]	m [kg]																																																																																																																																																																																																																								
10454	MKS30-RA01-75	75	0,20																																																																																																																																																																																																																								
10455	MKS30-RA01-100	100	0,24																																																																																																																																																																																																																								
10456	MKS30-RA01-125	125	0,28																																																																																																																																																																																																																								
10457	MKS30-RA01-150	150	0,33																																																																																																																																																																																																																								
10458	MKS30-RA01-200	200	0,41																																																																																																																																																																																																																								
10459	MKS30-RA01-250	250	0,50																																																																																																																																																																																																																								
10460	MKS30-RA01-300	300	0,58																																																																																																																																																																																																																								
10461	MKS30-RA01-350	350	0,66																																																																																																																																																																																																																								
10462	MKS30-RA01-400	400	0,75																																																																																																																																																																																																																								
10463	MKS30-RA01-450	450	0,83																																																																																																																																																																																																																								
10464	MKS30-RA01-500	500	0,92																																																																																																																																																																																																																								
10465	MKS30-RA01-550	550	1,00																																																																																																																																																																																																																								
10466	MKS30-RA01-600	600	1,27																																																																																																																																																																																																																								
102578	MKS30-RA01-1500	1500	2,61																																																																																																																																																																																																																								
107708	MKS30-RA01-1550	1550	2,70																																																																																																																																																																																																																								
Part No.	Description	D ₁ [mm]	H ₁ [mm]	H ₂ [mm]	B ₁ [mm]	L ₁ [mm]	m [kg]																																																																																																																																																																																																																				
10444	MKS20-RA01-300	20	300	5	35	35	0,37																																																																																																																																																																																																																				
10446	MKS20-RA01-400	20	400	5	35	35	0,48																																																																																																																																																																																																																				
10448	MKS20-RA01-500	20	500	5	35	35	0,58																																																																																																																																																																																																																				
10447	MKS20-RA11-300	20	300	20	35	35	0,52																																																																																																																																																																																																																				
10445	MKS20-RA11-400	20	400	20	35	35	0,62																																																																																																																																																																																																																				
10447	MKS20-RA11-500	20	500	20	35	35	0,73																																																																																																																																																																																																																				
10447	MKS25-RA01-300	25	300	5	40	40	0,47																																																																																																																																																																																																																				
10449	MKS25-RA01-400	25	400	5	40	40	0,61																																																																																																																																																																																																																				
10451	MKS25-RA01-500	25	500	5	40	40	0,75																																																																																																																																																																																																																				
10448	MKS25-RA11-300	25	300	20	40	40	0,67																																																																																																																																																																																																																				
10448	MKS25-RA11-400	25	400	20	40	40	0,81																																																																																																																																																																																																																				
10449	MKS25-RA11-500	25	500	20	40	40	0,95																																																																																																																																																																																																																				
10460	MKS30-RA01-300	30	300	5	45	45	0,59																																																																																																																																																																																																																				
10462	MKS30-RA01-400	30	400	5	45	45	0,76																																																																																																																																																																																																																				
10464	MKS30-RA01-500	30	500	5	45	45	0,93																																																																																																																																																																																																																				
10500	MKS30-RA11-300	30	300	20	45	45	0,83																																																																																																																																																																																																																				
10502	MKS30-RA11-400	30	400	20	45	45	1,00																																																																																																																																																																																																																				
10504	MKS30-RA11-500	30	500	20	45	45	1,17																																																																																																																																																																																																																				

Description	Part No.
MKS25-RKU0X-XXX	see table
Type: tube with ball	
Material: steel	



Part No.	Description	D ₁ [mm]	L ₁ [mm]	T ₁ [mm]	m [kg]
101716	MKS25-RKU02-C100	28,5	100	2	0,19
101718	MKS25-RKU02-C200	28,5	200	2	0,31
101720	MKS25-RKU02-C300	28,5	300	2	0,42
101722	MKS25-RKU02-C400	28,5	400	2	0,53
12070	MKS25-RKU01-075	32	75	1,5	0,19
12071	MKS25-RKU01-100	32	100	1,5	0,21
12073	MKS25-RKU01-200	32	200	1,5	0,29
12075	MKS25-RKU01-300	32	300	1,5	0,38
12077	MKS25-RKU01-400	32	400	1,5	0,47
106310	MKS25-RKU01-450	32	450	1,5	0,51


Ball/Rod Journal with Weld-On Plate

Description Part No.

MKS-AKUXX-X see table

Type: for paddle, weld-on mounting with ball

Material: steel








Description Part No.

MKS-AW39-X see table

Type: for paddle, weld-on mounting with rod journal

Material: steel



Part No.	Description	D ₁ [mm]	H ₁ [mm]	H ₂ [mm]	B ₁ [mm]	L ₁ [mm]	L ₂ [mm]	L ₃ [mm]	L ₄ [mm]	m [kg]
100995	MKS-AKU55-1	28,5	36	48,4	36	40	60	25,5	45,5	0,25
15821	MKS-AKU53	28,5	36	48,4	25	35	47	-	-	0,17
12232	MKS-AKU14	32	39	52,5	36	40	60	-	-	0,29
16009	MKS-AKU55	36	39	54	36	40	60	-	-	0,36



Part No.	Description	D ₁ [mm]	L ₁ [mm]	L ₂ [mm]	m [kg]
101945	MKS-AW39-1	20	36,5	10,5	0,22
101944	MKS-AW39	25	41,5	13	0,25

Description Part No.

MKS-AW11-L 10513

Type: with rod journal, with flange, left

Material: steel







Part No.	Description	m [kg]
10513	MKS-AW11-L	0,26

Description Part No.

MKS-AW11-R 10512

Type: with rod journal, with flange, right

Material: steel






Part No.	Description	m [kg]
10512	MKS-AW11-R	0,26

Description Part No.

MKS-AKU11-R-LB 103506

Type: for transport paddle, mounting right

Material: steel






Part No.	Description	m [kg]
103506	MKS-AKU11-R-LB	0,33

Description Part No.

MKS-AKU11-L-LB 103505

Type: for transport paddle, mounting left

Material: steel





Part No.	Description	m [kg]
103505	MKS-AKU11-L-LB	0,33

Ball with Plate/Angle/Thread

Description	Part No.
MKS-AKU02	10415

Type: with ball, with weld-on angle

Material: steel




Part No.	Description	m [kg]
10415	MKS-AKU02	0,16

Description	Part No.
MKS-AKU48-1	16569

Type: with ball, with flange

Material: steel




Part No.	Description	m [kg]
16569	MKS-AKU48-1	0,20

Description	Part No.
MKS-AKUXX	see table

Type: with ball, with flange





Material: steel



Description	Part No.
MKS-AKU24	12880

Type: with ball, with flange 90°

Material: steel



Part No.	Description	D ₁ [mm]	L ₁ [mm]	m [kg]
15657	MKS-AKU48	28,5	45	0,27
12512	MKS-AKU17	32	65	0,37
15141	MKS-AKU37	36	65	0,43


Part No.	Description	m [kg]
12880	MKS-AKU24	0,55

Ball with Plate/Angle/Thread

Description	Part No.
MKS-AKU19	12516

Type: ball and external thread

Material: steel




Part No.	Description	m [kg]
12516	MKS-AKU19	0,07

Description	Part No.
MKS-AKU50	15711

Type: ball with external thread, angled

Material: steel





Part No.	Description	m [kg]
15711	MKS-AKU50	0,20

Description	Part No.
MKS-AKU102-XXX	see table

Type: extended adapter with ball
























Material: aluminium





Part No.	Description	L ₁ [mm]	L ₂ [mm]	m [kg]
108175	MKS-AKU102-50	50	68	0,05
108176	MKS-AKU102-110	110	128	0,05

8. Jaw Gripper, Magnet Gripper and Accessories

Index

			Jaw Gripper	215
			Component Query	227
			Accessories for Jaw Gripper	228
			Gripper Mounting (Jaw Gripper)	229
			Strain Relief (Jaw Gripper)	232
			Open Angle Limiter (Jaw Gripper)	233
			Jaw Gripper - compact type	234
			Sliding Link Gripper	243
			Gripper Mounting (Jaw Gripper - compact type & Sliding Link Gripper)	244
			Strain Relief	246
			Clamping Screw	247


8. Jaw Gripper, Magnet Gripper and Accessories



Jaw Gripper

Description	Part No.
MKS-KGSP12-XX-X-XX-X-XX see table	
Type: clamping orientation 0°, for clamping screw, clamping lever arm, ground plate without lead-in chamfer, ports (P) G1/8	



Material: body: aluminium
clamping lever arm: steel
ground plate: steel
seals: NBR



Description	Part No.
MKS-KGSP12-XX-X-XX-X-XX see table	

Type: clamping orientation 0°, for clamping screw, clamping lever arm, ground plate with lead-in chamfer, ports (P) G1/8

Material: body: aluminium
clamping lever arm: steel
ground plate: steel
seals: NBR




Part No.	Description	H ₁ [mm]	L ₂ [mm]	L ₃ [mm]	L ₄ [mm]	L ₅ [mm]	α [°]	Clamping force [N]	m [kg]
100611	MKS-KGSP12-00-0-K	78,6	28,5	20,5	28	138,5	65	650	1,01
102479	MKS-KGSP12-00-0-K-M ¹	80,5	28,5	20,5	28	144,5	65	650	0,85
104056	MKS-KGSP12-OS-00-0-K ²	80,5	28,5	20,5	28	138,5	65	650	1,01
106218	MKS-KGSP12-00-0-35-K-20°	63,3	43	35	42,5	153	20	560	1,03
101322	MKS-KGSP12-00-0-50-K-20°	68,4	58	50	57,5	168	20	470	1,06
104055	MKS-KGSP12-OS-00-0-50-K-20° ²	70,4	58	50	57,5	168	20	470	1,06
104665	MKS-KGSP12-00-0-60-K-20	71,8	68	60	67,5	178	20	420	1,14
104666	MKS-KGSP12-00-0-76-K-20	77,5	84,5	76,5	84	194,5	20	250	1,23

¹ end position query piston position ² end position without self locking

Part No.	Description	H ₁ [mm]	L ₂ [mm]	L ₃ [mm]	L ₄ [mm]	L ₅ [mm]	α [°]	Clamping force [N]	m [kg]
103624	MKS-KGSP12-00-0-30°	65,7	36,5	20,5	28	146,5	30	650	0,97
16470	MKS-KGSP12-00-0	78,6	36,5	20,5	28	146,5	65	650	0,97
105274	MKS-KGSP12-00-0-M ¹	80,5	36,5	20,5	28	152,5	65	650	1,13
100578	MKS-KGSP12-OS-00-0 ²	80,5	36,5	20,5	28	146,5	65	650	0,97
101966	MKS-KGSP12-00-0-35-20°	63,3	51	35	42,5	161	20	560	1,03
102147	MKS-KGSP12-00-0-35-30°	72,9	51	35	42,5	161	30	560	1,03
101291	MKS-KGSP12-00-0-50-20°	68,4	66	50	57,5	176	20	470	1,1
103317	MKS-KGSP12-00-0-60-20°	71,8	76	60	67,5	186	20	420	1,14
107694	MKS-KGSP12-00-0-60-30°	85	76	60	67,5	186	30	420	1,14
103647	MKS-KGSP12-00-0-76-10°	59,4	92,5	76,5	84	202,5	10	250	1,22
103318	MKS-KGSP12-00-0-76-20°	77,5	98,5	76,5	84	208,5	20	250	1,22

¹ end position query piston position ² end position without self locking



Description	Part No.
MKS-KGSP10-XX-X-XX-X-XX see table	
Type: clamping orientation 0°, for clamping screw, clamping lever arm, ground plate with lead-in chamfer, sensor mounting for IDS02, ports (P) G1/8	
Material: body: aluminium clamping lever arm: steel ground plate: steel seals: NBR	



Description	Part No.
MKS-KGSP10-00-0-XX-X-XX see table	

Type: clamping orientation 0°, for clamping screw, clamping lever arm, ground plate without lead-in chamfer, sensor mounting for IDS02, ports (P) G1/8

Material: body: aluminium
clamping lever arm: steel
ground plate: steel
seals: NBR





Part No.	Description	H ₁ [mm]	L ₂ [mm]	L ₃ [mm]	L ₄ [mm]	L ₅ [mm]	α [°]	Clamping force [N]	m [kg]
103544	MKS-KGSP10-00-0-10°	49,7	42,5	20,5	28	152,5	10	650	0,96
103545	MKS-KGSP10-00-0-15°	54,1	42,5	20,5	28	152,5	15	650	0,96
103546	MKS-KGSP10-00-0-20°	58,3	42,5	20,5	28	152,5	20	650	0,96
103547	MKS-KGSP10-00-0-30°	65,7	42,5	20,5	28	152,5	30	650	0,96
16468	MKS-KGSP10-00-0	78,6	42,5	20,5	28	152,5	65	650	0,96
19954	MKS-KGSP10-00-0-M ¹	82,5	42,5	20,5	28	116	65	650	0,96
17591	MKS-KGSP10-OS-00-0 ²	82,5	42,5	20,5	28	110	65	650	0,95
103307	MKS-KGSP10-00-0-35-20°	63,3	57	35	42,5	167	20	560	1,02
103308	MKS-KGSP10-00-0-50-20°	68,4	72	50	57,5	182	20	470	1,06
103309	MKS-KGSP10-00-0-60-20°	71,8	82	60	67,5	192	20	420	1,15
107693	MKS-KGSP10-00-0-60-30°	85	82	60	67,5	192	20	420	1,15
16961	MKS-KGSP10-00-0-76-20°	77,5	98,5	76,5	84	208,5	20	250	1,22



¹ end position query piston position ² end position without self locking

Part No.	Description	H ₁ [mm]	L ₂ [mm]	L ₃ [mm]	L ₄ [mm]	L ₅ [mm]	α [°]	Clamping force [N]	m [kg]
103571	MKS-KGSP10-00-0-K-30°	65,7	36,5	20,5	28	146,5	30	650	0,94
18143	MKS-KGSP10-00-0-K	78,6	36,5	20,5	28	146,5	65	650	0,94
102477	MKS-KGSP10-00-0-K-M ¹	82,5	36,5	20,5	28	152,5	65	650	0,93
104129	MKS-KGSP10-00-0-35-K-20°	63,3	51	35	42,5	161	20	560	1,03
104659	MKS-KGSP10-00-0-60-K-20	71,8	75	60	67,5	185	20	420	1,14
104449	MKS-KGSP10-00-0-76-K-20°	77,5	91,5	76,5	84	201,5	20	250	1,23

¹ end position query piston position

Jaw Gripper



Description	Part No.	Description	Part No.
MKS-KGSP15-00-0	19668	MKS-KGSP14-XX-X-XX-X-XX	see table
Type: clamping orientation 0°, for clamping screw, clamping lever arm, short ground plate without lead-in chamfer, sensor mounting for IDS02, ports (P) G1/8 Material: body: aluminium clamping lever arm: steel ground plate: steel seals: NBR		Type: clamping orientation 0°, for clamping screw, clamping lever arm, sensor mounting for IDS02, with / without lead-in chamfer [Pos. 1], ports (P) G1/8 Material: body: aluminium clamping lever arm: steel ground plate: steel seals: NBR	





Part No.	Description	H ₁ [mm]	L ₂ [mm]	L ₃ [mm]	L ₄ [mm]	L ₅ [mm]	α [°]	Clamping force [N]	m [kg]	Pos. 1
19668	MKS-KGSP15-00-0	78,6	28	20,5	28	138	65	650	0,91	yes

Part No.	Description	H ₁ [mm]	L ₂ [mm]	L ₃ [mm]	L ₄ [mm]	L ₅ [mm]	α [°]	Clamping force [N]	m [kg]	Pos. 1
19668	MKS-KGSP14-00-0	78,6	42,5	20,5	28	152,5	65	650	1,01	yes
100185	MKS-KGSP14-OS-00-0 ²	92,5	42,5	20,5	28	152,5	65	650	1,02	yes
104435	MKS-KGSP14-00-0-K	78,6	36,5	21	28	146,5	65	650	0,98	no
104156	MKS-KGSP14-00-0-60-K-20°	85,3	76	60	67,5	186	20	420	1,13	no
104268	MKS-KGSP14-00-0-76-K-20°	91,4	92,5	76,5	84	202,5	20	250	1,20	no
102269	MKS-KGSP14-00-0-76-20°	91,4	98,5	76,5	84	208,5	20	250	1,20	no

² end position without self locking

Description	Part No.	Description	Part No.
MKS-KGSP18-00-0-XX-XX	see table	MKS-KGSP12-XX-X-XX-X-XX	see table
Type: clamping orientation 0°, for clamping screw, clamping lever arm, ground plate with lead-in chamfer, sensor mounting for IDS19, ports (P) G1/8 Material: body: aluminium clamping lever arm: steel ground plate: steel seals: NBR		Type: clamping orientation 0°, for jaw plate, clamping lever arm, ground plate without lead-in chamfer, ports (P) G1/8 Material: body: aluminium clamping lever arm: steel ground plate: steel seals: NBR	




Part No.	Description	H ₁ [mm]	L ₂ [mm]	L ₃ [mm]	L ₄ [mm]	L ₅ [mm]	α [°]	Clamping force [N]	m [kg]
101986	MKS-KGSP18-00-0	78,6	36,5	20,5	28	146,5	65	650	0,99
104674	MKS-KGSP18-00-0-60-20	76,3	76	60	67,5	186	20	420	1,21

Part No.	Description	H ₁ [mm]	L ₂ [mm]	L ₃ [mm]	L ₄ [mm]	L ₅ [mm]	α [°]	Clamping force [N]	m [kg]
103655	MKS-KGSP12-00-A-20°	58,3	28,5	20,5	28	138,5	20	650	0,92
16722	MKS-KGSP12-00-A	78,6	28,5	20,5	28	138,5	65	650	0,92
102705	MKS-KGSP12-00-A-M ¹	80,5	28,5	20,5	28	114,5	65	650	0,93
104381	MKS-KGSP12-OS-00-A ²	80,5	28,5	20,5	28	138,5	65	650	0,93
101967	MKS-KGSP12-00-A-35-20°	63,3	43	35	42,5	153	20	560	0,99
103319	MKS-KGSP12-00-A-50-20°	68,4	58	50	57,5	168	20	470	1,08
103320	MKS-KGSP12-00-A-60-20°	71,8	68	60	67,5	178	20	420	1,09
107711	MKS-KGSP12-OS-00-A-60-20° ²	71,8	68	60	67,5	178	20	420	1,09
103321	MKS-KGSP12-00-A-76-20°	77,5	84,5	76,5	84	194,5	20	250	1,17

¹ end position query piston position ² end position without self locking

Jaw Gripper


Description	Part No.	Description	Part No.	
MKS-KGSP10-XX-X-XX-X-XX see table			MKS-KGSP11-00-X-XX-X-XX see table	
Type: clamping orientation 0°, for jaw platen, clamping lever arm, ground plate without lead-in chamfer, sensor mounting for IDS02, ports (P) G1/8 Material: body: aluminium clamping lever arm: steel ground plate: steel seals: NBR			Type: clamping orientation 0°, for clamping screw, clamping lever arm narrow, ports (P) G1/8 Material: body: aluminium clamping lever arm: steel ground plate: steel seals: NBR	



Part No.	Description	H ₁ [mm]	L ₂ [mm]	L ₃ [mm]	L ₄ [mm]	L ₅ [mm]	α [°]	Clamping force [N]	m [kg]
103599	MKS-KGSP10-00-A-20°	58,3	28,5	20,5	28	138,5	20	650	0,88
103600	MKS-KGSP10-00-A-30°	65,7	28,5	20,5	28	138,5	30	650	0,88
16720	MKS-KGSP10-00-A	78,6	28,5	20,5	28	138,5	65	650	0,88
102706	MKS-KGSP10-00-A-M ¹	80,5	28,5	20,5	28	144,5	65	650	0,89
104367	MKS-KGSP10-OS-00-A ²	78,6	28,5	20,5	28	138,5	65	650	0,88
103311	MKS-KGSP10-00-A-35-20°	63,3	43	35	42,5	153	20	560	0,97
103312	MKS-KGSP10-00-A-50-20°	68,4	58	50	57,5	168	20	470	0,97
103313	MKS-KGSP10-00-A-60-20°	71,8	68	60	67,5	178	20	420	1,06
104447	MKS-KGSP10-00-A-60-45°	94,7	68	60	67,5	178	45	420	1,06
103314	MKS-KGSP10-00-A-76-20°	77,5	84,5	76,5	84	194,5	20	250	1,11
104053	MKS-KGSP10-OS-00-A-76-20° ²	79,4	84,5	76,5	84	194,5	20	250	1,13

¹ end position query piston position ² end position without self locking

Description	Part No.	Description	Part No.	
MKS-KGSP11-XX-X-XX-X-XX see table			MKS-KGSP17-00-O-XX-XX see table	
Type: clamping orientation 0°, for clamping screw, clamping lever arm narrow, ground plate with lead-in chamfer, ports (P) G1/8 Material: body: aluminium clamping lever arm: steel ground plate: steel seals: NBR			Type: clamping orientation 0°, for clamping screw, clamping lever arm narrow, recessed ground plate with lead-in chamfer, ports (P) G1/8 Material: body: aluminium clamping lever arm: steel ground plate: steel seals: NBR	



Part No.	Description	H ₁ [mm]	L ₂ [mm]	L ₃ [mm]	L ₄ [mm]	L ₅ [mm]	α [°]	Clamping force [N]	m [kg]
16469	MKS-KGSP11-00-0	80,6	36,5	20,5	28	146,5	65	650	0,86
102478	MKS-KGSP11-00-0-M ¹	80,6	36,5	20,5	28	152,5	65	650	0,87
100577	MKS-KGSP11-OS-00-O ²	80,6	36,5	20,5	28	146,5	65	650	0,88
108041	MKS-KGSP11-00-0-35	91,7	51	35	42,5	161	20	560	0,91
101964	MKS-KGSP11-00-0-35-20°	63,3	51	35	42,5	161	20	560	0,91
102146	MKS-KGSP11-00-0-35-30°	72,9	51	35	42,5	161	30	560	0,91
103039	MKS-KGSP11-00-0-50-20	68,4	66	50	57,5	176	20	470	0,92
100246	MKS-KGSP11-00-0-60-20°	71,8	76	60	67,5	186	20	420	0,95
104054	MKS-KGSP11-OS-00-0-60-20° ²	73,8	76	60	67,5	186	20	420	1,02
103040	MKS-KGSP11-00-0-76-20	77,4	98,5	76,5	84	208,5	20	250	0,98

¹ end position query piston position ² end position without self locking

Part No.	Description	H ₁ [mm]	L ₂ [mm]	L ₃ [mm]	L ₄ [mm]	L ₅ [mm]	α [°]	Clamping force [N]	m [kg]
100654	MKS-KGSP17-00-0	90,5	36,5	20,5	28	146,5	65	650	0,92
106619	MKS-KGSP17-00-0-60-20°	83,8	76	60	67,5	186	20	420	0,95

Jaw Gripper



Description		Part No.		Description		Part No.	
MKS-KGSP19-XX-X-XX-X-XX		see table		MKS-KGSP19-00-X-XX-X-XX		see table	
Type: clamping orientation 0°, for clamping screw, clamping lever arm narrow, short ground plate without lead-in chamfer, sensor mounting for IDS19, ports (P) G1/8				Type: clamping orientation 0°, for clamping screw, clamping lever arm narrow, short ground plate with lead-in chamfer, sensor mounting for IDS19, ports (P) G1/8			
Material: body: aluminium clamping lever arm: steel ground plate: steel seals: NBR				Material: body: aluminium clamping lever arm: steel ground plate: steel seals: NBR			
			<img alt="Side view technical drawing of MKS-KGSP19-00-X-XX-X-XX				

Jaw Gripper

Description	Part No.
MKS-KGSP12-XX-XX-XX	see table

Type: clamping orientation angled, for clamping screw, clamping lever arm, ground plate with lead-in chamfer, ports (P) G1/8

Material: body: aluminium
 clamping lever arm: steel
 ground plate: steel
 seals: NBR





Part No.	Description	H ₁ [mm]	H ₃ [mm]	H ₅ [mm]	L ₁ [mm]	L ₂ [mm]	L ₃ [mm]	L ₄ [mm]	L ₅ [mm]	L ₆ [mm]	α [°]	β [°]	Clamping force [N]	m [kg]
17386	MKS-KGSP12-30-0	111,3	13,7	56,5	145	33	23	30,5	130,7	111,3	65	30	700	0,92
17388	MKS-KGSP12-45-0	69,1	22,5	56,5	144	36	26	33,6	122,4	121,3	65	45	700	0,91
100494	MKS-KGSP12-60-0-20*	14,1	28,2	56,5	142	37	27	34,5	115	146,8	20	60	700	0,93
17390	MKS-KGSP12-60-0	61,6	28,2	56,5	142	37	27	34,5	115	130	65	60	700	0,93

Jaw Gripper**Description** **Part No.**

MKS-KGSP10-XX-XX-XX see table

Type: clamping orientation angled, for clamping screw, clamping lever arm, ground plate with lead-in chamfer, sensor mounting for IDS02, ports (P) G1/8

Material: body: aluminium
 clamping lever arm: steel
 ground plate: steel
 seals: NBR



Part No.	Description	H ₁ [mm]	H ₃ [mm]	H ₄ [mm]	L ₁ [mm]	L ₂ [mm]	L ₃ [mm]	L ₄ [mm]	L ₅ [mm]	L ₆ [mm]	α [°]	β [°]	Clamping force [N]	m [kg]
103548	MKS-KGSP10-30-0-10°	30,1	20,5	11	145	39	23	30,5	135,2	143,6	10	30	700	0,90
103549	MKS-KGSP10-30-0-15°	35,6	20,5	11	145	39	23	30,5	135,2	142,2	15	30	700	0,90
103550	MKS-KGSP10-30-0-20°	40,9	20,5	11	145	39	23	30,5	135,2	140,3	20	30	700	0,90
103551	MKS-KGSP10-30-0-30°	50,9	20,5	11	145	39	23	30,5	135,2	135,1	30	30	700	0,90
17380	MKS-KGSP10-30-0	111,3	20,5	11	145	39	23	30,5	135,2	111,3	65	30	700	0,90
103552	MKS-KGSP10-45-0-10°	4,8	29,5	11	144	42	26	33,6	126,1	144,1	10	45	700	0,93
103553	MKS-KGSP10-45-0-15°	21,6	29,5	11	144	42	26	33,6	126,1	144,8	15	45	700	0,93
103554	MKS-KGSP10-45-0-20°	27,2	29,5	11	144	42	26	33,6	126,1	144,1	20	45	700	0,93
103555	MKS-KGSP10-45-0-30°	38,1	29,5	11	144	42	26	33,6	126,1	141,3	30	45	700	0,93
17382	MKS-KGSP10-45-0	69,1	29,5	11	144	42	26	33,6	126,1	121,3	65	45	700	0,93
100799	MKS-KGSP10-OS-45-0 ²	69,1	29,5	11	144	42	26	33,6	126,1	121,3	65	45	700	0,87
103556	MKS-KGSP10-60-0-10°	2,6	34,5	10	142	43	27	34,6	117	145,4	10	60	700	0,94
103557	MKS-KGSP10-60-0-15°	8,3	34,5	10	142	43	27	34,6	117	146,3	15	60	700	0,94
103558	MKS-KGSP10-60-0-20°	14,1	34,5	10	142	43	27	34,6	117	146,8	20	60	700	0,94
17384	MKS-KGSP10-60-0	61,6	34,5	10	142	43	27	34,6	117	130	65	60	700	0,94



² end position without self locking

Jaw Gripper

Description	Part No.
MKS-KGSP18-XX-0	see table

Type: clamping orientation angled, for clamping screw, clamping lever arm, ground plate without lead-in chamfer, sensor mounting for IDS19, ports (P) G1/8

Material: body: aluminium
clamping lever arm: steel
ground plate: steel
seals: NBR





Part No.	Description	H ₁ [mm]	H ₃ [mm]	H ₅ [mm]	L ₁ [mm]	L ₂ [mm]	L ₃ [mm]	L ₄ [mm]	L ₅ [mm]	L ₆ [mm]	α [°]	β [°]	Clamping force [N]	m [kg]
101988	MKS-KGSP18-30-0	111,3	19,4	56,5	145	33	23	30,5	131,2	111,3	65	30	700	0,99
101989	MKS-KGSP18-45-0	69,1	26,3	56,5	144	36	26	33,5	123,1	121,3	65	45	700	0,98
101990	MKS-KGSP18-60-0	61,6	30,3	56,5	142	37	27	34,5	115,5	130	65	60	700	0,98

Description	Part No.
MKS-KGSP12-XX-A	see table

Type: clamping orientation angled, for jaw platen, clamping lever arm, ground plate without lead-in chamfer, ports (P) G1/8

Material: body: aluminium
clamping lever arm: steel
ground plate: steel
seals: NBR





Part No.	Description	H ₁ [mm]	H ₃ [mm]	H ₅ [mm]	L ₁ [mm]	L ₂ [mm]	L ₃ [mm]	L ₄ [mm]	L ₅ [mm]	L ₆ [mm]	α [°]	β [°]	Clamping force [N]	m [kg]
17387	MKS-KGSP12-30-A	111,3	16,7	56,5	145	33	23	30,5	130,7	111,3	65	30	700	0,92
17389	MKS-KGSP12-45-A	69,1	23,9	56,5	144	36	26	33,5	122,4	121,3	65	45	700	0,93
17391	MKS-KGSP12-60-A	61,6	28,2	56,5	142	37	27	34,5	115	130	65	60	700	0,93
17560	MKS-KGSP12-90-A	49,5	22,5	60	112,5	22	14,5	22	80,5	132	65	90	900	0,86

Jaw Gripper

Description	Part No.
MKS-KGSP10-XX-A-XX	see table

Type: clamping orientation angled, for jaw plate, clamping lever arm, ground plate without lead-in chamfer, sensor mounting for IDS02, ports (P) G1/8

Material: body: aluminium
clamping lever arm: steel
ground plate: steel
seals: NBR





Part No.	Description	H ₁ [mm]	H ₃ [mm]	H ₅ [mm]	L ₁ [mm]	L ₂ [mm]	L ₃ [mm]	L ₄ [mm]	L ₅ [mm]	L ₆ [mm]	α [°]	β [°]	Clamping force [N]	m [kg]
17381	MKS-KGSP10-30-A	111,3	16,7	56,5	145	37	23	30,5	134,6	111,3	65	30	700	0,89
103608	MKS-KGSP10-45-A-30°	38,1	23,9	56,5	144	40	26	33,5	126	141,3	30	45	700	0,88
17383	MKS-KGSP10-45-A	69,1	23,9	56,5	144	40	26	33,5	126	121,3	65	45	700	0,88
103612	MKS-KGSP10-60-A-30°	25,6	31,7	56,5	142	41	27	34,5	117,5	146,2	30	60	700	0,94
17385	MKS-KGSP10-60-A	61,6	31,7	56,5	142	41	27	34,5	117,5	130	65	60	700	0,94

Description	Part No.
MKS-KGSP11-XX-X-XX	see table

Type: clamping orientation angled, for clamping screw, clamping lever arm narrow, ports (P) G1/8

Material: body: aluminium
clamping lever arm: steel
ground plate: steel
seals: NBR



Part No.	Description	H ₁ [mm]	H ₃ [mm]	H ₅ [mm]	L ₁ [mm]	L ₂ [mm]	L ₃ [mm]	L ₄ [mm]	L ₅ [mm]	L ₆ [mm]	α [°]	β [°]	Clamping force [N]	m [kg]
17556	MKS-KGSP11-90-0	-	22,5	60	112,5	22,5	14,5	22	80,5	132,1	65	90	900	0,81
104380	MKS-KGSP11-OS-90-0 ²	-	22,5	60	112,5	22,5	14,5	22	80,5	132,1	65	90	900	0,81
100930	MKS-KGSP11-30-0	76	13,7	56,5	145	33	23	30,5	126,2	111,3	65	30	700	0,84
103730	MKS-KGSP11-45-0-30°	38,1	20,4	56,5	144	36	26	33,5	116	141,3	30	45	700	0,83
100931	MKS-KGSP11-45-0	69	20,4	56,5	144	36	26	33,5	116	121,3	65	45	700	0,83
100932	MKS-KGSP11-60-0	61,7	28,2	56,5	142	37	27	34,5	107	130	65	60	700	0,84



² end position without self locking

Jaw Gripper

Description	Part No.
MKS-KGSP19-XX-X-XX	see table

Type: clamping orientation angled, for clamping screw, clamping lever arm narrow, ground plate without lead-in chamfer, with sensor mounting for IDS19, ports (P) G1/8

Material: body: aluminium
clamping lever arm: steel
ground plate: steel
seals: NBR





Part No.	Description	H ₁ [mm]	H ₃ [mm]	L ₁ [mm]	L ₂ [mm]	L ₃ [mm]	L ₄ [mm]	L ₅ [mm]	L ₆ [mm]	α [°]	β [°]	Clamping force [N]	m [kg]
103686	MKS-KGSP19-30-0-30*	50,9	19,3	145	33	23	30,5	125	135,1	30	30	700	0,85
101983	MKS-KGSP19-30-0	76	19,3	145	33	23	30,5	125	111,3	65	30	700	0,85
103690	MKS-KGSP19-45-0-30*	38,1	26,3	144	36	26	33,5	114,3	141,3	30	45	700	0,84
101984	MKS-KGSP19-45-0	69	26,3	144	36	26	33,5	114,3	121,3	65	45	700	0,84
101985	MKS-KGSP19-60-0	61,6	30,3	142	37	27	34,5	104,7	130	65	60	700	0,87

Description	Part No.
MKS-KGSP11-XX-A	see table

Type: clamping orientation angled, for jaw plate, clamping lever arm narrow, ground plate without lead-in chamfer, ports (P) G1/8

Material: body: aluminium
clamping lever arm: steel
ground plate: steel
seals: NBR





Part No.	Description	H ₁ [mm]	H ₃ [mm]	H ₅ [mm]	L ₁ [mm]	L ₂ [mm]	L ₃ [mm]	L ₄ [mm]	L ₅ [mm]	L ₆ [mm]	α [°]	β [°]	Clamping force [N]	m [kg]
101723	MKS-KGSP11-30-A	76	16,7	56,5	145	33	23	30,5	126,2	111,5	65	30	700	0,83
101724	MKS-KGSP11-45-A	69,1	23,8	56,5	144	36	26	33,5	116	121,5	65	45	700	0,83
101725	MKS-KGSP11-60-A	61,6	28,2	56,5	142	37	27	34,5	107	130	65	60	700	0,84
17559	MKS-KGSP11-90-A	-	-	60	112,5	22,5	14,5	22	70,5	132	65	90	900	0,80

Jaw Gripper

Description	Part No.
MKS-KGSP12-XX-90-XX	see table

Type: clamping orientation 90°, for clamping screw, clamping lever arm, ground plate without lead-in chamfer, with / without sensor mounting for IDS23, ports (P) G1/8

Material: body: aluminium
clamping lever arm: steel
ground plate: steel
seals: NBR



Part No.	Description	L ₁ [mm]	L ₅ [mm]	L ₆ [mm]	L ₇ [mm]	Clamping force [N]	m [kg]	Version	Clamping screw [Pos. 1]	Clamping screw [Pos. 2]	Sensor mounting [Pos. 3]
17557	MKS-KGSP12-90-0	112,5	70,5	132	110	900	0,88	1	-	-	yes
103508	MKS-KGSP12-OS-90-0 ²	112,5	70,5	132	110	900	0,88	1	-	-	yes
107540	MKS-KGSP12-90-0-M ¹	118,5	76,5	138	116	900	0,92	1	-	-	yes
19958	MKS-KGSP12-90-M8	112,5	70,5	132	110	900	0,88	2	-	-	no
19978	MKS-KGSP12-90-M8-S1	126,5	70,5	136,1	110	900	0,93	2	MKS-SPS11-35 (2x)	MKS-SPS11-20 (2x)	no


¹ end position query piston position

² end position without self locking

Description	Part No.	Description	Part No.
MKS-KGSP18-XX-X-XX	see table	MKS-KGSP10-30-0-K	104661



Type: clamping orientation 0°, for clamping screw, clamping lever arm, ground plate without lead-in chamfer, sensor mounting for IDS19, ports (P) G1/8

Material: body: aluminium
clamping lever arm: steel
ground plate: steel
seals: NBR



Type: clamping orientation 30°, for clamping screw, clamping lever arm, ground plate without lead-in chamfer, sensor mounting for IDS02, ports (P) G1/8





Material: body: aluminium
clamping lever arm: steel
ground plate: steel
seals: NBR



Part No.	Description	H ₁ [mm]	L ₂ [mm]	L ₃ [mm]	L ₄ [mm]	L ₅ [mm]	α [°]	Clamping force [N]	m [kg]
104646	MKS-KGSP18-00-0-K-20	58,3	29,5	20,5	28	139,5	20	650	0,96
101987	MKS-KGSP18-00-0-K	78,5	29,5	20,5	28	139,5	65	650	0,96
105661	MKS-KGSP18-00-0-35-K-20 ¹	63,2	44	35	42,5	154	20	560	0,90




Part No.	Description	Clamping force [N]	m [kg]
104661	MKS-KGSP10-30-0-K	700	0,91

Jaw Gripper

Description	Part No.	Description	Part No.																
MKS-KGSP11-90-0-S1	102508	MKS-KGSP14-00-A	102397																
Type: clamping orientation 90°, for clamping screw, clamping lever arm narrow, ground plate without lead-in chamfer, with sensor mounting for IDS04, ports (P) G1/8		Type: clamping orientation 0°, for jaw plate, clamping lever arm, recessed ground plate without lead-in chamfer, with sensor mounting for IDS02, ports (P) G1/8																	
Material: body: aluminium clamping lever arm: steel ground plate: steel seals: NBR		Material: body: aluminium clamping lever arm: steel ground plate: steel seals: NBR																	
 <p>Front View Dimensions:</p> <ul style="list-style-type: none"> P_{open}: 132 mm P_{close}: 54 mm G1/8 port: 22.5 mm from top Height: 49.5 mm Width: 110 mm Thickness: 2 mm Clamping lever arm angle: 65° Ground plate thickness: 10 mm Clamping screw diameter: M8 Clamping screw length: 14.5 mm Clamping screw gap: 22 mm Clamping screw height: 10 mm Clamping screw angle: 35° Clamping screw lead-in chamfer: 90° <p>Side View Dimensions:</p> <ul style="list-style-type: none"> Length: 112.5 mm Width: 60 mm Height: 45 mm M6 port: 110 mm from bottom M8x1 port: 45 mm from bottom 	 <p>Front View Dimensions:</p> <ul style="list-style-type: none"> P_{open}: 54 mm P_{close}: 27 mm G1/8 port: 22.5 mm from top Height: 78.5 mm Width: 110 mm Thickness: 20.5 mm Clamping lever arm angle: 65° Ground plate thickness: 12 mm Clamping screw diameter: M8 Clamping screw length: 32 mm Clamping screw gap: 28.5 mm Clamping screw height: 10 mm Clamping screw angle: 35° Clamping screw lead-in chamfer: 90° <p>Side View Dimensions:</p> <ul style="list-style-type: none"> Length: 138.5 mm Width: 45 mm Height: 43 mm M6 port: 110 mm from bottom M8 port: 45 mm from bottom 	<table border="1"> <thead> <tr> <th>Part No.</th> <th>Description</th> <th>Clamping force [N]</th> <th>m [kg]</th> </tr> </thead> <tbody> <tr> <td>102508</td> <td>MKS-KGSP11-90-0-S1</td> <td>900</td> <td>0,84</td> </tr> </tbody> </table>	Part No.	Description	Clamping force [N]	m [kg]	102508	MKS-KGSP11-90-0-S1	900	0,84	<table border="1"> <thead> <tr> <th>Part No.</th> <th>Description</th> <th>Clamping force [N]</th> <th>m [kg]</th> </tr> </thead> <tbody> <tr> <td>102397</td> <td>MKS-KGSP14-00-A</td> <td>650</td> <td>0,98</td> </tr> </tbody> </table>	Part No.	Description	Clamping force [N]	m [kg]	102397	MKS-KGSP14-00-A	650	0,98
Part No.	Description	Clamping force [N]	m [kg]																
102508	MKS-KGSP11-90-0-S1	900	0,84																
Part No.	Description	Clamping force [N]	m [kg]																
102397	MKS-KGSP14-00-A	650	0,98																
MKS-KGSP19-00-0-S1	102255	MKS-KGSP14-00-O-K	104435																
Type: clamping orientation 0°, for clamping screw, clamping lever arm narrow, recessed ground plate with lead-in chamfer, sensor mounting for IDS19, ports (P) G1/8		Type: clamping orientation 0°, for clamping screw, clamping lever arm, recessed ground plate with lead-in chamfer, with sensor mounting for IDS02, ports (P) G1/8																	
Material: body: aluminium clamping lever arm: steel ground plate: steel seals: NBR		Material: body: aluminium clamping lever arm: steel ground plate: steel seals: NBR																	
 <p>Front View Dimensions:</p> <ul style="list-style-type: none"> P_{open}: 54 mm P_{close}: 28 mm G1/8 port: 46 mm from top Height: 78.5 mm Width: 110 mm Thickness: 20.5 mm Clamping lever arm angle: 65° Ground plate thickness: 12.5 mm Clamping screw diameter: M8 Clamping screw length: 36.5 mm Clamping screw gap: 32 mm Clamping screw height: 14.5 mm Clamping screw angle: 35° Clamping screw lead-in chamfer: 90° <p>Side View Dimensions:</p> <ul style="list-style-type: none"> Length: 20.5 mm Width: 16 mm Height: 45 mm 	 <p>Front View Dimensions:</p> <ul style="list-style-type: none"> P_{open}: 54 mm P_{close}: 28 mm G1/8 port: 46 mm from top Height: 78.5 mm Width: 110 mm Thickness: 20.5 mm Clamping lever arm angle: 65° Ground plate thickness: 12 mm Clamping screw diameter: M8 Clamping screw length: 36.5 mm Clamping screw gap: 32 mm Clamping screw height: 14.5 mm Clamping screw angle: 35° Clamping screw lead-in chamfer: 90° <p>Side View Dimensions:</p> <ul style="list-style-type: none"> Length: 20.5 mm Width: 16 mm Height: 45 mm 	<table border="1"> <thead> <tr> <th>Part No.</th> <th>Description</th> <th>Clamping force [N]</th> <th>m [kg]</th> </tr> </thead> <tbody> <tr> <td>102255</td> <td>MKS-KGSP19-00-0-S1</td> <td>650</td> <td>0,91</td> </tr> </tbody> </table>	Part No.	Description	Clamping force [N]	m [kg]	102255	MKS-KGSP19-00-0-S1	650	0,91	<table border="1"> <thead> <tr> <th>Part No.</th> <th>Description</th> <th>Clamping force [N]</th> <th>m [kg]</th> </tr> </thead> <tbody> <tr> <td>104435</td> <td>MKS-KGSP14-00-O-K</td> <td>650</td> <td>0,98</td> </tr> </tbody> </table>	Part No.	Description	Clamping force [N]	m [kg]	104435	MKS-KGSP14-00-O-K	650	0,98
Part No.	Description	Clamping force [N]	m [kg]																
102255	MKS-KGSP19-00-0-S1	650	0,91																
Part No.	Description	Clamping force [N]	m [kg]																
104435	MKS-KGSP14-00-O-K	650	0,98																

Jaw Gripper



Description	Part No.	Description	Part No.
MKS-KGSP11-00-0-S2	100457	MKS-KGSP12-90-A	17560
Type: clamping orientation 0°, for clamping screw, clamping lever arm medium, ground plate with lead-in chamfer, ports (P) G1/8		Type: clamping orientation 90°, for jaw plate, clamping lever arm, with sensor preparation IDS23, ports (P) G1/8	




Part No.	Description	Clamping force [N]	m [kg]
100457	MKS-KGSP11-00-0-S2	650	0,93

Part No.	Description	Clamping force [N]	m [kg]
17560	MKS-KGSP12-90-A	900	0,86

Component Query

Description	Part No.	Description	Part No.
MKS-ABF02-L	102520	MKS-ABF02-R	102509
Type: for jaw gripper, for component query, left Material: material mix		Type: for jaw gripper, for component query, right Material: material mix	



Stroke 10

20

38

18

6,6

10

36

55

128

M8x1


26

30

18


58

102



Stroke 10

12



20

38

18

6,6

10

36

55

128

M8x1


26

30

18

58

102



12


Part No.	Description	m [kg]
102520	MKS-ABF02-L	0,07

Part No.	Description	m [kg]
102509	MKS-ABF02-R	0,07


Accessories for Jaw Gripper

Description	Part No.
MKS-HST08	101797

Type: back up roll for sheet



Material: steel




Part No.	Description	m [kg]
101797	MKS-HST08	0,08

Gripper Mounting (Jaw Gripper)


Description	Part No.	Description	Part No.
MKSXX-GB94-XX-XX	see table	MKSXX-GBXXX-X-XXX	see table

Type: tube with flange, assembly rear end




Material: see table

Type: clamp seat with flange, assembly rear end



Material: see table




Part No.	Description	D ₁ [mm]	L ₁ [mm]	T ₁ [mm]	Mounting screw	Material	m [kg]
16111	MKS20-GB94-D100	20	100	2,5	no	D	0,18
16113	MKS20-GB94-D200	20	200	2,5	no	D	0,29
16115	MKS20-GB94-D300	20	300	2,5	no	D	0,39
19630	MKS20-GB94-D400	20	400	2,5	no	D	0,51
19631	MKS20-GB94-D500	20	500	2,5	no	D	0,61
16117	MKS25-GB94-D100	25	100	2,5	yes	D	0,22
16119	MKS25-GB94-D200	25	200	2,5	yes	D	0,36
16121	MKS25-GB94-D300	25	300	2,5	yes	D	0,50
16891	MKS25-GB94-D400	25	400	2,5	yes	D	0,64
17694	MKS25-GB94-D500	25	500	2,5	yes	D	0,78
16123	MKS30-GB94-D100	30	100	2,5	no	D	0,23
16125	MKS30-GB94-D200	30	200	2,5	no	D	0,40
16127	MKS30-GB94-D300	30	300	2,5	no	D	0,56
19090	MKS30-GB94-D400	30	400	2,5	no	D	0,74
19629	MKS30-GB94-D500	30	500	2,5	no	D	0,90
19965	MKS30-GB94-D600	30	600	2,5	no	D	1,07
106210	MKS30-GB94-65-AL	30	65	5	yes	A	0,11


Part No.	Description	D ₁ [mm]	L ₁ [mm]	Material	m [kg]	Version
16130	MKS30-GB95	30	91	D	0,26	1
16129	MKS25-GB95	25	70	D	0,21	1
16128	MKS20-GB95	20	60	D	0,18	1
19691	MKS30-GB95-2	30	91	D	0,26	2
106209	MKS30-GB95-2-AL	30	91	A	0,12	2
106208	MKS30-GB95-AL	30	91	A	0,12	1
103361	KMS20-GB135-KAR	20	62	D	0,19	2
103362	MKS25-GB135-KAR	25	72	D	0,36	2

Description	Part No.
MKS-GB152	108010

Type: ball with flange, assembly rear end



Material: steel



Part No.	Description	m [kg]
108010	MKS-GB152	0,35


Material
A → aluminium
D → steel

Gripper Mounting (Jaw Gripper)**Description Part No.**

MKS-GB9X-L see table

Type: ball with flange, assembly left




Material: steel

**Description Part No.**

MKS-GB9X-R see table

Type: ball with flange, assembly right

Material: steel



Part No.	Description	D ₁ [mm]	H ₁ [mm]	B ₁ [mm]	L ₁ [mm]	L ₂ [mm]	m [kg]
16108	MKS-GB93-L	28,5	45,3	48,8	44,4	32	0,17
16131	MKS-GB96-L	36	49	52,5	50	35	0,27


Part No.	Description	D ₁ [mm]	H ₁ [mm]	B ₁ [mm]	L ₁ [mm]	L ₂ [mm]	m [kg]
16109	MKS-GB93-R	28,5	45,3	48,8	44,4	32	0,17
16132	MKS-GB96-R	36	49	52,5	50	35	0,27

Description Part No.

MKS-GB9X-L-X-XX see table

Type: ball with flange and guiding, assembly left




Material: see table

**Description Part No.**

MKS-GB9X-R-X-XX see table

Type: ball with flange and guiding, assembly right

Material: see table



Part No.	Description	D ₁ [mm]	H ₁ [mm]	B ₁ [mm]	L ₁ [mm]	L ₂ [mm]	Material	m [kg]
16853	MKS-GB93-L-1	28,5	45,3	48,6	44,4	32	D	0,18
19962	MKS-GB96-L-2	32	47	50,4	48,5	35	D	0,23
16855	MKS-GB96-L-1	36	49	52,4	50	35	D	0,27
101552	MKS-GB96-L-1-AL	36	49	52,5	50	35	A	0,11


Part No.	Description	D ₁ [mm]	H ₁ [mm]	B ₁ [mm]	L ₁ [mm]	L ₂ [mm]	Material	m [kg]
16854	MKS-GB93-R-1	28,5	45,3	48,6	44,4	32	D	0,18
19963	MKS-GB96-R-2	32	47	50,4	48,5	35	D	0,23
16856	MKS-GB96-R-1	36	49	52,4	50	35	D	0,27
101553	MKS-GB96-R-1-AL	36	49	52,5	50	35	A	0,11

Description Part No.

MKS-GB96-L/R-3-XXX see table

Type: ball with flange, assembly left or right




Material: steel

**Description Part No.**

MKS-GB96-L/R-3-W20 107755

Type: rod journal with flange, assembly right or left, with holes

Material: steel



Part No.	Description	D ₁ [mm]	m [kg]
106802	MKS-GB96-L/R-3	32	0,24
108011	MKS-GB96-L/R-3-K36	36	0,26


Part No.	Description	m [kg]
107755	MKS-GB96-L/R-3-W20	0,25

Gripper Mounting (Jaw Gripper)

Description	Part No.
MKS-GB113-X	see table

Type: ball left with flange, assembly rear end






Material: steel



Description	Part No.
MKS-GB113-X	see table

Type: ball right with flange, assembly rear end

Material: steel




Part No.	Description	D ₁ [mm]	B ₁ [mm]	B ₂ [mm]	m [kg]
104043	MKS-GB113-7	28,5	60,4	36	0,34
104157	MKS-GB113-8	32	64,5	39	0,39
100442	MKS-GB113-4	36	66	39	0,46

Part No.	Description	D ₁ [mm]	B ₁ [mm]	B ₂ [mm]	m [kg]
100186	MKS-GB113-3	28,5	60,4	36	0,34
19976	MKS-GB113-2	32	64,5	39	0,39
19718	MKS-GB113-1	36	66	39	0,46

Description	Part No.
MKS-GB113-X	see table

Type: ball up /down with flange, assembly rear end


Material: steel




Description	Part No.
MKS-GB96-4-K32	107756

Type: ball with flange, assembly rear end




Material: steel



Version 1



Version 2



Part No.	Description	D ₁ [mm]	H ₁ [mm]	H ₂ [mm]	m [kg]	Version
104859	MKS-GB113-9	28,5	63,4	36	0,34	1
103980	MKS-GB113-6	36	69	39	0,46	1
107714	MKS-GB113-10	28,5	-	-	0,34	2
103979	MKS-GB113-5	36	-	-	0,46	2


Part No.	Description	m [kg]
107756	MKS-GB96-4-K32	0,26

Strain Relief (Jaw Gripper)

Description	Part No.	Description	Part No.
MKS-SCH05-01	19624	MKS-SCH05-03	103306

Type: for jaw gripper




Material: material mix



Description	Part No.
MKS-SCH05-03	103306

Type: for jaw gripper

Material: material mix




Part No.	Description	m [kg]
19624	MKS-SCH05-01	0,02

Part No.	Description	m [kg]
103306	MKS-SCH05-03	0,04

Description	Part No.
MKS-SCH13	103310

Type: for jaw gripper, mounting for connector and strain relief





Material: aluminium



Description	Part No.
MKS-SCH08	101410

Type: strain relief for MKS-IDS11/12

Material: material mix



Part No.	Description	m [kg]
103310	MKS-SCH13	0,03



Part No.	Description	m [kg]
101410	MKS-SCH08	0,02

Open Angle Limiter (Jaw Gripper)

Description	Part No.
MKS-DP02-XX°	see table








Type: spacer









Material: composite



Part No.	Description	T ₁ [mm]	m [kg]
17273	MKS-DP02-10°	10	0,01
101869	MKS-DP02-15°	8,6	0,01
17274	MKS-DP02-20°	7,4	0,01
17275	MKS-DP02-30°	5,3	0,01
104446	MKS-DP02-45°	3	0,01

Jaw Gripper - compact type

Description		Part No.		Description		Part No.	
MKS-KGSP50/25/St-00-XX-XX-0		see table		MKS-KGSP50/25/St-00-XX-XX-A-XX		see table	
Type: body steel, clamping orientation 0°, clamping type wide, clamping lever arm up for clamping screw, clamping lever arm down plain, ports (P) G1/8				Type: body steel, clamping orientation 0°, clamping type wide, clamping lever arm up for jaw plate, clamping lever arm down for jaw plate, ports (P) G1/8			
Material: body: steel clamping lever arm: steel seals: NBR				Material: body: steel clamping lever arm: steel seals: NBR			
							
							

Description		Part No.		Description		Part No.	
MKS-KGSP52/25/St-00-XX-XX-0		see table		MKS-KGSP52/25/St-00-XX-XX-A		see table	
Type: body steel, clamping orientation 0°, clamping type wide, with sensor preparation IDS19, clamping lever arm up for clamping screw, clamping lever arm down plain for sensor, ports (P) G1/8				Type: body steel, clamping orientation 0°, clamping type wide, with sensor preparation IDS19, clamping lever arm up for jaw plate, clamping lever arm down plain for sensor, ports (P) G1/8			
Material: body: steel clamping lever arm: steel seals: NBR				Material: body: steel clamping lever arm: steel seals: NBR			
							
							


Jaw Gripper - compact type

Description		Part No.		Description		Part No.		
MKS-KGSP52/25/St-00-XX-XX-0-35		see table		MKS-KGSP52/25/St-00-65-20-0-35-S1		107536		
Type: body steel, clamping orientation 0°, clamping type wide extended, with sensor preparation IDS19, clamping lever arm up for clamping screw, clamping lever arm down plain for sensor, ports (P) G1/8				Type: body steel, clamping orientation 0°, clamping type wide, with sensor preparation IDS19, clamping lever arm up for clamping screw cranked, clamping lever arm down plain for sensor, ports (P) G1/8				
Material: body: steel clamping lever arm: steel seals: NBR				Material: body: steel clamping lever arm: steel seals: NBR				
Part No.	Description	H ₁ [mm]	L ₅ [mm]	L ₆ [mm]	α [°]	φ [°]	Clamping force [N]	m [kg]
107529	MKS-KGSP52/25/St-00-20-20-0-35	75	137,2	135,8	20	20	500	0,61
107530	MKS-KGSP52/25/St-00-51-00-0-35	81	144	115,5	51	0	500	0,61
107535	MKS-KGSP52/25/St-00-70-03-0-35	87,5	143,4	99,3	70	3	500	0,61
Part No.	Description	H ₁ [mm]	L ₅ [mm]	L ₆ [mm]	α [°]	φ [°]	Clamping force [N]	m [kg]
107536	MKS-KGSP52/25/St-00-65-20-0-35-S1	92,3	137,2	103,7	65	20	500	0,62

Description		Part No.	
MKS-KGSP50/25/St-00-XX-XX-X		see table	

Type: body steel, clamping orientation 0°, clamping type wide, clamping lever arm up / down, with / without serration, ports (P) G1/8


Material: body: steel
clamping lever arm: steel
seals: NBR



Description		Part No.	
MKS-KGSP51/25/St-00-XX-XX-0		see table	

Type: body steel, clamping orientation 0°, clamping type narrow, clamping lever arm up for clamping screw, clamping lever arm down plain, ports (P) G1/8

Material: body: steel
clamping lever arm: steel
seals: NBR



Part No.	Description	H ₁ [mm]	L ₅ [mm]	L ₆ [mm]	α [°]	φ [°]	Clamping force [N]	m [kg]	Gripping surface serrated
103148	MKS-KGSP50/25/St-00-20-03-B	37,3	128,4	126	20	3	800	0,51	yes
103290	MKS-KGSP50/25/St-00-20-20-B	37,3	126	126	20	20	800	0,51	yes
103289	MKS-KGSP50/25/St-00-51-03-B	59	128,4	114,4	51	3	800	0,51	yes
103288	MKS-KGSP50/25/St-00-51-51-B	59,9	114,4	114,4	51	51	800	0,51	yes
103287	MKS-KGSP50/25/St-00-70-03-B	67,9	128,4	104,2	70	3	800	0,51	yes
103300	MKS-KGSP50/25/St-00-20-03-C	37,3	128,4	126	20	3	800	0,51	no
103299	MKS-KGSP50/25/St-00-20-20-C	37,3	126	126	20	20	800	0,51	no
103298	MKS-KGSP50/25/St-00-51-03-C	59	128,4	114,4	51	3	800	0,51	no
103297	MKS-KGSP50/25/St-00-51-51-C	59,9	114,4	114,4	51	51	800	0,51	no
103296	MKS-KGSP50/25/St-00-70-03-C	67,9	128,4	104,2	70	3	800	0,51	no


Part No.	Description	H ₁ [mm]	L ₅ [mm]	L ₆ [mm]	α [°]	φ [°]	Clamping force [N]	m [kg]
103280	MKS-KGSP51/25/St-00-20-03-0	51,5	122,9	117,9	20	3	1000	0,52
103279	MKS-KGSP51/25/St-00-20-20-0	59,3	117,9	117,9	20	20	1000	0,52
103278	MKS-KGSP51/25/St-00-51-03-0	66,5	123	103,5	51	3	1000	0,52
103098	MKS-KGSP51/25/St-00-51-51-0	73,7	103,5	103,5	51	51	1000	0,52
103097	MKS-KGSP51/25/St-00-70-03-0	69,5	123	92,8	70	3	1000	0,52

Jaw Gripper - compact type

Description	Part No.	Description	Part No.
MKS-KGSP51/25/St-00-XX-XX-A	see table	MKS-KGSP53/25/St-00-XX-XX-0	see table


Type: body steel, clamping orientation 0°, clamping type narrow, clamping lever arm up for jaw plate, clamping lever arm down for jaw plate, ports (P) G1/8

Material: body: steel
clamping lever arm: steel
seals: NBR



Type: body steel, clamping orientation 0°, clamping type narrow, with sensor preparation IDS19, clamping lever arm up for clamping screw, clamping lever arm down plain for sensor, ports (P) G1/8

Material: body: steel
clamping lever arm: steel
seals: NBR




Part No.	Description	H ₁ [mm]	L ₅ [mm]	L ₆ [mm]	α [°]	φ [°]	Clamping force [N]	m [kg]
103186	MKS-KGSP51/25/St-00-20-03-A	51,5	122,9	117,9	20	3	1000	0,49
103187	MKS-KGSP51/25/St-00-20-20-A	59,3	117,9	117,9	20	20	1000	0,49
103185	MKS-KGSP51/25/St-00-51-03-A	58,8	123	103,5	51	3	1000	0,49
103100	MKS-KGSP51/25/St-00-51-51-A	73,7	103,5	103,5	51	51	1000	0,49
103099	MKS-KGSP51/25/St-00-70-03-A	69,5	123	92,8	70	3	1000	0,49
107686	MKS-KGSP51/25/St-00-10-10-A-35	57,25	139,9	139,9	10	10	500	0,53

Description	Part No.	Description	Part No.
MKS-KGSP53/25/St-00-70-03-A	103104	MKS-KGSP53/25/St-00-XX-XX-0-35	see table


Type: body steel, clamping orientation 0°, clamping type narrow, with sensor preparation IDS19, clamping lever arm up for jaw plate, clamping lever arm down plain for sensor, ports (P) G1/8

Material: body: steel
clamping lever arm: steel
seals: NBR



Type: body steel, clamping orientation 0°, clamping type narrow extended, with sensor preparation IDS19, clamping lever arm up for clamping screw, clamping lever arm down plain for sensor, ports (P) G1/8

Material: body: steel
clamping lever arm: steel
seals: NBR




Part No.	Description	H ₁ [mm]	L ₅ [mm]	L ₆ [mm]	α [°]	φ [°]	Clamping force [N]	m [kg]
103104	MKS-KGSP53/25/St-00-70-03-A	68,1	123,7	96,5	70	3	1000	0,51

Jaw Gripper - compact type

Description	Part-No.	Description	Part-No.
MKS-KGSP53/25/AL-00-20-OF-0-50	111557	MKS-KGSP52/25/AL-00-20-OF-0-50	111559



Type: body aluminium, clamping orientation 0°, clamping type extended, narrow, clamping lever arm up for clamping screw, clamping lever arm down for sensor, single side opened, ports (P) G1/8, piston Ø25mm

Material: body: aluminium
clamping lever: steel
seals: NBR



Type: body aluminium, clamping orientation 0°, clamping type extended, wide, clamping lever arm up for clamping screw, clamping lever arm down for sensor, single side opened, ports (P) G1/8, piston Ø25mm

Material: body: aluminium
clamping lever: steel
seals: NBR




Part-No.	Description	Clamping force [N]	m [kg]	Part-No.	Description	Clamping force [N]	m [kg]
111557	MKS-KGSP53/25/AL-00-20-OF-0-50	230	0,49	111559	MKS-KGSP52/25/AL-00-20-OF-0-50	230	0,54

Description	Part-No.	Description	Part-No.
MKS-KGSP53/25/AL-00-20-OF-0-76	111558	MKS-KGSP52/25/AL-00-20-OF-0-76	111560



Type: body aluminium, clamping orientation 0°, clamping type extended, narrow, clamping lever arm up for clamping screw, clamping lever arm down for sensor, single side opened, ports (P) G1/8, piston Ø25mm

Material: body: aluminium
clamping lever: steel
seals: NBR







Type: body aluminium, clamping orientation 0°, clamping type extended, wide, clamping lever arm up for clamping screw, clamping lever arm down for sensor, single side opened, ports (P) G1/8, piston Ø25mm

Material: body: aluminium
clamping lever: steel
seals: NBR







Part-No.	Description	Clamping force [N]	m [kg]	Part-No.	Description	Clamping force [N]	m [kg]
111558	MKS-KGSP53/25/AL-00-20-OF-0-76	150	0,53	111560	MKS-KGSP52/25/AL-00-20-OF-0-76	150	0,58





Jaw Gripper - compact type

Description	Part-No.	Description	Part-No.
MKS-KGSP55/20/AL-00-70-0F-0	111527	MKS-KGSP54/20/AL-00-70-0F-0	111528
Type: body aluminium, clamping orientation 0°, clamping type narrow, clamping lever arm up for clamping screw, clamping lever arm down recessed, for sensor, single side opened, ports (P) G1/8, piston Ø20mm		Type: body aluminium, clamping orientation 0°, clamping type wide, clamping lever arm up for clamping screw, clamping lever arm down recessed, for sensor, single side opened, ports (P) G1/8, piston Ø20mm	
Material: body: aluminium clamping lever: steel seals: NBR		Material: body: aluminium clamping lever: steel seals: NBR	
			
			
Part-No.	Description	Clamping force [N]	m [kg]
111527	MKS-KGSP55/20/AL-00-70-0F-0	400	0,39
Part-No.	Description	Clamping force [N]	m [kg]
111528	MKS-KGSP54/20/AL-00-70-0F-0	400	0,43

Jaw Gripper - compact type

Description		Part No.		Description		Part No.																																																										
MKS-KGSP50/25/St-90-XX-00-0-XX		see table		MKS-KGSP50/25/St-90-51-00-A-XX		see table																																																										
Type: body steel, clamping orientation 90°, clamping type wide, with sensor preparation IDS04, clamping lever arm up for clamping screw, clamping lever arm down plain with M8x1 for sensor, ports (P) G1/8						Type: body steel, clamping orientation 90°, clamping type wide, with sensor preparation IDS04, clamping lever arm up for jaw plate, clamping lever arm down for jaw plate with M8x1 for sensor, ports (P) G1/8																																																										
Material: body: steel clamping lever arm: steel seals: NBR						Material: body: steel clamping lever arm: steel seals: NBR																																																										
		<table border="1"> <thead> <tr> <th>Part No.</th> <th>Description</th> <th>H₁ [mm]</th> <th>L₆ [mm]</th> <th>α [°]</th> <th>Clamping force [N]</th> <th>m [kg]</th> <th>End position with self locking</th> </tr> </thead> <tbody> <tr> <td>103105</td> <td>MKS-KGSP50/25/St-90-51-00-0</td> <td>57,6</td> <td>146</td> <td>51</td> <td>800</td> <td>0,58</td> <td>yes</td> </tr> <tr> <td>104068</td> <td>MKS-KGSP50/25/St-90-51-00-0-OS</td> <td>57,6</td> <td>146</td> <td>51</td> <td>240</td> <td>0,58</td> <td>no</td> </tr> </tbody> </table>	Part No.	Description	H ₁ [mm]	L ₆ [mm]	α [°]	Clamping force [N]	m [kg]	End position with self locking	103105	MKS-KGSP50/25/St-90-51-00-0	57,6	146	51	800	0,58	yes	104068	MKS-KGSP50/25/St-90-51-00-0-OS	57,6	146	51	240	0,58	no	<table border="1"> <thead> <tr> <th>Part No.</th> <th>Description</th> <th>H₁ [mm]</th> <th>L₆ [mm]</th> <th>α [°]</th> <th>Clamping force [N]</th> <th>m [kg]</th> <th>End position with self locking</th> <th>Temperature range</th> </tr> </thead> <tbody> <tr> <td>103106</td> <td>MKS-KGSP50/25/St-90-51-00-A</td> <td>58,7</td> <td>146</td> <td>51</td> <td>800</td> <td>0,56</td> <td>yes</td> <td>normal</td> </tr> <tr> <td>106258</td> <td>MKS-KGSP50/25/St-90-51-00-A-S2</td> <td>58,7</td> <td>146</td> <td>51</td> <td>800</td> <td>0,56</td> <td>yes</td> <td>high</td> </tr> <tr> <td>104069</td> <td>MKS-KGSP50/25/St-90-51-00-A-OS</td> <td>58,7</td> <td>146</td> <td>51</td> <td>800</td> <td>0,56</td> <td>no</td> <td>normal</td> </tr> </tbody> </table>	Part No.	Description	H ₁ [mm]	L ₆ [mm]	α [°]	Clamping force [N]	m [kg]	End position with self locking	Temperature range	103106	MKS-KGSP50/25/St-90-51-00-A	58,7	146	51	800	0,56	yes	normal	106258	MKS-KGSP50/25/St-90-51-00-A-S2	58,7	146	51	800	0,56	yes	high	104069	MKS-KGSP50/25/St-90-51-00-A-OS	58,7	146	51	800	0,56	no	normal	normal: -5...+100°C / high: -5...+150°C
Part No.	Description	H ₁ [mm]	L ₆ [mm]	α [°]	Clamping force [N]	m [kg]	End position with self locking																																																									
103105	MKS-KGSP50/25/St-90-51-00-0	57,6	146	51	800	0,58	yes																																																									
104068	MKS-KGSP50/25/St-90-51-00-0-OS	57,6	146	51	240	0,58	no																																																									
Part No.	Description	H ₁ [mm]	L ₆ [mm]	α [°]	Clamping force [N]	m [kg]	End position with self locking	Temperature range																																																								
103106	MKS-KGSP50/25/St-90-51-00-A	58,7	146	51	800	0,56	yes	normal																																																								
106258	MKS-KGSP50/25/St-90-51-00-A-S2	58,7	146	51	800	0,56	yes	high																																																								
104069	MKS-KGSP50/25/St-90-51-00-A-OS	58,7	146	51	800	0,56	no	normal																																																								

Description		Part No.		Description		Part No.																																																										
MKS-KGSP51/25/St-90-51-00-0-XX		see table		MKS-KGSP51/25/St-90-51-00-A-XX		see table																																																										
Type: body steel, clamping orientation 90°, clamping type narrow, clamping lever arm up for clamping screw, clamping lever arm down plain, ports (P) G1/8						Type: body steel, clamping orientation 90°, clamping type narrow, clamping lever arm up for jaw plate, clamping lever arm down for jaw plate, ports (P) G1/8																																																										
Material: body: steel clamping lever arm: steel seals: NBR						Material: body: steel clamping lever arm: steel seals: NBR																																																										
		<table border="1"> <thead> <tr> <th>Part No.</th> <th>Description</th> <th>H₁ [mm]</th> <th>L₆ [mm]</th> <th>α [°]</th> <th>Clamping force [N]</th> <th>m [kg]</th> <th>End position with self locking</th> </tr> </thead> <tbody> <tr> <td>103285</td> <td>MKS-KGSP51/25/St-90-51-00-0</td> <td>57,6</td> <td>146</td> <td>51</td> <td>800</td> <td>0,58</td> <td>yes</td> </tr> <tr> <td>104070</td> <td>MKS-KGSP51/25/St-90-51-00-0-OS</td> <td>65</td> <td>142,8</td> <td>51</td> <td>240</td> <td>0,52</td> <td>no</td> </tr> </tbody> </table>	Part No.	Description	H ₁ [mm]	L ₆ [mm]	α [°]	Clamping force [N]	m [kg]	End position with self locking	103285	MKS-KGSP51/25/St-90-51-00-0	57,6	146	51	800	0,58	yes	104070	MKS-KGSP51/25/St-90-51-00-0-OS	65	142,8	51	240	0,52	no	<table border="1"> <thead> <tr> <th>Part No.</th> <th>Description</th> <th>H₁ [mm]</th> <th>L₆ [mm]</th> <th>α [°]</th> <th>Clamping force [N]</th> <th>m [kg]</th> <th>End position with self locking</th> <th>Temperature range</th> </tr> </thead> <tbody> <tr> <td>103286</td> <td>MKS-KGSP51/25/St-90-51-00-A</td> <td>57,6</td> <td>146</td> <td>51</td> <td>800</td> <td>0,52</td> <td>yes</td> <td>normal</td> </tr> <tr> <td>106463</td> <td>MKS-KGSP51/25/St-90-51-00-A-S2</td> <td>57,6</td> <td>146</td> <td>51</td> <td>800</td> <td>0,52</td> <td>yes</td> <td>high</td> </tr> <tr> <td>104071</td> <td>MKS-KGSP51/25/St-90-51-00-A-OS</td> <td>57,6</td> <td>146</td> <td>51</td> <td>240</td> <td>0,52</td> <td>no</td> <td>normal</td> </tr> </tbody> </table>	Part No.	Description	H ₁ [mm]	L ₆ [mm]	α [°]	Clamping force [N]	m [kg]	End position with self locking	Temperature range	103286	MKS-KGSP51/25/St-90-51-00-A	57,6	146	51	800	0,52	yes	normal	106463	MKS-KGSP51/25/St-90-51-00-A-S2	57,6	146	51	800	0,52	yes	high	104071	MKS-KGSP51/25/St-90-51-00-A-OS	57,6	146	51	240	0,52	no	normal	normal: -5...+100°C / high: -5...+150°C
Part No.	Description	H ₁ [mm]	L ₆ [mm]	α [°]	Clamping force [N]	m [kg]	End position with self locking																																																									
103285	MKS-KGSP51/25/St-90-51-00-0	57,6	146	51	800	0,58	yes																																																									
104070	MKS-KGSP51/25/St-90-51-00-0-OS	65	142,8	51	240	0,52	no																																																									
Part No.	Description	H ₁ [mm]	L ₆ [mm]	α [°]	Clamping force [N]	m [kg]	End position with self locking	Temperature range																																																								
103286	MKS-KGSP51/25/St-90-51-00-A	57,6	146	51	800	0,52	yes	normal																																																								
106463	MKS-KGSP51/25/St-90-51-00-A-S2	57,6	146	51	800	0,52	yes	high																																																								
104071	MKS-KGSP51/25/St-90-51-00-A-OS	57,6	146	51	240	0,52	no	normal																																																								


Description	Part-No.	Description	Part-No.				
MKS-KGSP53/20/AL-45-70-0F-0	111586	MKS-KGSP52/20/AL-45-70-0F-0	111529				
Type: body aluminium, clamping orientation 45°, clamping type narrow, clamping lever arm up for clamping screw, clamping lever arm down for sensor, single side opened, ports (P) G1/8, piston Ø20mm		Type: body aluminium, clamping orientation 45°, clamping type wide, clamping lever arm up for clamping screw, clamping lever arm down for sensor, single side opened, ports (P) G1/8, piston Ø20mm					
Material: body: Aluminium clamping lever: Steel seals: NBR		Material: body: Aluminium clamping lever: Stahl seals: NBR					
 							
 							
Part-No.	Description	Clamping force [N]	m [kg]	Part-No.	Description	Clamping force [N]	m [kg]
111586	MKS-KGSP53/20/AL-45-70-0F-0	200	0,42	111529	MKS-KGSP52/20/AL-45-70-0F-0	200	0,47

Jaw Gripper - compact type

Description	Part No.	Description	Part No.
MKS-KGSP53/20/AL-00-20-20-0	111480	MKS-KGSP52/20/AL-00-20-20-0	111498



Type: body aluminium, clamping orientation 0°, clamping type narrow, with sensor preparation IDS19, clamping lever arm up for clamping screw, clamping lever arm down plain for sensor, ports (P) G1/8

Material: body: aluminium
clamping lever arm: steel
seals: NBR



Type: body aluminium, clamping orientation 0°, clamping type wide, with sensor preparation IDS19, clamping lever arm up for clamping screw, clamping lever arm down plain for sensor, ports (P) G1/8

Material: body: aluminium
clamping lever arm: steel
seals: NBR





Part No.	Description	Clamping force [N]	m [kg]
103186	MKS-KGSP51/25/St-00-20-03-A	600	0,38

Part No.	Description	Clamping force [N]	m [kg]
103198	MKS-KGSP53/25/St-00-20-03-0	600	0,45

Description	Part No.
MKS-KGSP52/20/AL-00-20-20-A	111499

Type: body aluminium, clamping orientation 0°, clamping type wide, with sensor preparation IDS19, clamping lever arm up for jaw plate, clamping lever arm down plain for sensor, ports (P) G1/8

Material: body: aluminium
clamping lever arm: steel
seals: NBR




Part No.	Description	Clamping force [N]	m [kg]
107527	MKS-KGSP53/25/St-00-20-0-35	600	0,44

Jaw Gripper - compact type

Description	Part No.	Description	Part No.
MKS-KGSP53/25/St-90-XX-00-0-XX-XX see table		MKS-KGSP51/25/AI-90-51-D-M-XX see table	



Type: body steel, clamping orientation 90°, clamping type narrow, with sensor preparation IDS04, clamping lever arm up for clamping screw, clamping lever arm down plain with M8x1 for sensor, ports (P) G1/8

Material: body: steel
clamping lever arm: steel
seals: NBR



Type: body aluminium, clamping orientation 90°, clamping type narrow, clamping lever arm up for toggle locator, ports (P) G1/8

Material: body: aluminium
clamping lever arm: steel
seals: NBR





Part No.	Description	H ₁ [mm]	L ₆ [mm]	α [°]	Clamping force [N]	m [kg]	End position with self locking	Part No.	Description	α [°]	Clamping force [N]	m [kg]	Sensor preparation
103953	MKS-KGSP53/25/St-90-51-00-0-S1	57,6	146	51	800	0,52	yes	105667	MKS-KGSP51/25/AI-90-51-D-M	51	800	0,48	with magnet piston
105390	MKS-KGSP53/25/St-90-80-00-0-S1	72,3	136,2	80	800	0,52	yes	106826	MKS-KGSP51/25/AI-90-51-D-M-S1	51	800	0,55	for Balluf sensor
107532	MKS-KGSP53/25/St-90-65-0F-0-S1	57,6	146	65	800	0,58	yes						
104072	MKS-KGSP53/25/St-90-51-00-0-S1-OS	57,6	146	51	240	0,52	no						

Description	Part No.
MKS-KGSP51/XX/AI-90-51-00-D-M see table	

Type: body aluminium, clamping orientation 90°, clamping type narrow, clamping lever arm up for toggle locator, clamping lever arm down for toggle locator, with sensor preparation for piston query, ports (P) G1/8

Material: body: aluminium
clamping lever arm: steel
seals: NBR





Part No.	Description	H ₁ [mm]	H ₅ [mm]	L ₁ [mm]	L ₆ [mm]	L ₇ [mm]	L ₈ [mm]	L ₉ [mm]	B ₁ [mm]	D ₁ [mm]	α [°]	Clamping force [N]	m [kg]	Ø piston [mm]
105169	MKS-KGSP51/25/AI-90-51-00-D-M	63,5	37	138	160	107	36	93	43	40	51	800	0,55	25
106280	MKS-KGSP51/32/AI-90-51-00-D-M	66,5	40	134,5	159,4	111,5	40	89,5	47	47	51	1300	0,48	32

Sliding Link Gripper

Description	Part No.
MKS-KGSP4X-45-0	see table

Type: sliding link gripper

Material: body: aluminium
clamping lever arm: steel
seals: NBR




Part No.	Description	B ₁ [mm]	α [°]	β [°]	m [kg]
102472	MKS-KGSP40-45-0	12	45°	45°	0,83
102473	MKS-KGSP41-45-0	38	45°	45°	0,84

Gripper Mounting (Jaw Gripper - compact type & Sliding Link Gripper)

Description	Part No.
MKS-GB127-X-XX	see table

Type: ball with square cone, with thread






Material: see table



Description	Part No.
MKS-GB127-X-XX	see table

Type: ball with square cone, with passage hole

Material: see table



Part No.	Description	D ₁ [mm]	L ₁ [mm]	L ₂ [mm]	Material	m [kg]
102719	MKS-GB127-2	28,5	45,9	33,5	D	0,13
103000	MKS-GB127-2-AL	28,5	45,9	33,5	A	0,06
107634	MKS-GB127-2-G	28,5	45,9	33,5	H	0,14
102718	MKS-GB127-1	32	51	37,5	D	0,18
102999	MKS-GB127-1-AL	32	51	37,5	A	0,08
102474	MKS-GB127	36	58,5	43,5	D	0,25
102998	MKS-GB127-AL	36	58,5	43,5	A	0,10

Part No.	Description	D ₁ [mm]	L ₁ [mm]	L ₂ [mm]	Material	m [kg]
105631	MKS-GB127-3	28,5	44,9	33,5	D	0,13
105632	MKS-GB127-3-AL	28,5	44,9	33,5	A	0,65
105633	MKS-GB127-4	32	51	37,5	D	0,17
105634	MKS-GB127-4-AL	32	51	37,5	A	0,80
105635	MKS-GB127-5	36	58,5	43,5	D	0,23
105636	MKS-GB127-5-AL	36	58,5	43,5	A	0,10

Description	Part No.
MKS-GBXXX-X-XX	see table

Type: ball with square cone, staggered, with thread




Material: steel



Description	Part No.
MKS-GB149-W20	107752

Type: rod journal with square cone, staggered, with thread

Material: steel




Part No.	Description	D ₁ [mm]	H ₁ [mm]	H ₂ [mm]	L ₁ [mm]	L ₂ [mm]	m [kg]
104190	MKS-GB138-2	28,5	49,3	25	54,4	31	0,17
107753	MKS-GB149-K32	32	36,5	11	47,1	23,1	0,17
107854	MKS-GB149-1-K32	32	61,5	36	62,1	38,1	0,17

Part No.	Description	m [kg]
107752	MKS-GB149-W20	0,14



Gripper Mounting (Jaw Gripper - compact type & Sliding Link Gripper)

Description	Part No.	Description	Part No.
MKS30-GB132-X-XX	see table	MKS30/20-PV01-50-AL-FL	106477

Type: ball with clamp fixed, Montage radial
Material: see table



Material: aluminium






Part No.	Description	D ₁ [mm]	D ₂ [mm]	H ₁ [mm]	L ₁ [mm]	L ₂ [mm]	Material	m [kg]	Permitted torque [Nm]
103215	MKS30-GB132-2	28,5	30	42,4	79,4	40	D	0,27	40
103218	MKS30-GB132-2-AL	28,5	30	42,4	79,4	40	A	0,10	34
103214	MKS30-GB132-1	32	30	42,4	81,4	40	D	0,29	40
103217	MKS30-GB132-1-AL	32	30	42,4	81,4	40	A	0,11	34
103213	MKS30-GB132	36	30	42,4	88,4	45	D	0,35	40
103216	MKS30-GB132-AL	36	30	42,4	88,4	45	A	0,14	34

Part No.	Description	m [kg]
106477	MKS30/20-PV01-50-AL-FL	0,21

Description	Part No.
MKS30-GB135-KAR	103363

Type: clamp seat with flange, assembly rear end, for KGSP4X
Material: steel

Part No.	Description	m [kg]
103363	MKS30-GB135-KAR	0,29






Material
A → aluminium
D → steel

Strain Relief

Description	Part No.
MKS-SCH12	103219

Type: strain relief

Material: composite



Part No.	Description	m [kg]
103219	MKS-SCH12	0,01


Part No.	Description	m [kg]
320851	Strain relief	0,008

Clamping Screw

Description	Part No.	Description	Part No.
MKS-SPS05-XX	see table	MKS-SPS05-1-XX	see table

Type: with tip, with hexagon surface, single part

Material: steel







Description

Part No.

Type: with tip, with internal hexagon surface, single part

Material: steel




Part No.	Description	L ₁ [mm]	L ₂ [mm]	m [kg]
14333	MKS-SPS05-35	35	27	0,02
16133	MKS-SPS05-40	40	32	0,02
15603	MKS-SPS05-45	45	37	0,02
100871	MKS-SPS05-55	55	47	0,03

Part No.	Description	L ₁ [mm]	L ₂ [mm]	m [kg]
106490	MKS-SPS05-1-35	35	31	0,02
106492	MKS-SPS05-1-40	40	36	0,02
106491	MKS-SPS05-1-45	45	41	0,02
106493	MKS-SPS05-1-55	55	51	0,03

Description	Part No.
MKS-SPS11-XX	see table

Type: with ball, with spanner flat, single part





Material: steel



Description	Part No.
MKS-SPS15-40	107452

Type: with toggle locator and prism serration, with hexagon surface, single part

Material: steel



Part No.	Description	L ₁ [mm]	L ₂ [mm]	m [kg]
19979	MKS-SPS11-20	20	11	0,01
19957	MKS-SPS11-35	35	26	0,02
103435	MKS-SPS11-40	40	31	0,02
101338	MKS-SPS11-45	45	36	0,03


Part No.	Description	m [kg]
107452	MKS-SPS15-40	0,03

Clamping Screw

Description	Part No.
MKS-SPS01-1-XX	see table

Type: with circle serration, with internal hexagon surface, single part





Material: steel



Description	Part No.
MKS-SPS01-XX	see table

Type: with prism serration, with spanner flat, single part

Material: steel




Part No.	Description	L ₁ [mm]	L ₂ [mm]	m [kg]
106579	MKS-SPS01-1-35	35	28	0,02
106580	MKS-SPS01-1-40	40	33	0,02
106581	MKS-SPS01-1-45	45	38	0,02
106582	MKS-SPS01-1-55	55	48	0,03

Part No.	Description	L ₁ [mm]	L ₂ [mm]	m [kg]
13129	MKS-SPS01-35	35	26	0,02
102749	MKS-SPS01-40	40	31	0,03
16467	MKS-SPS01-45	45	36	0,03
100870	MKS-SPS01-55	55	46	0,03

Description	Part No.
MKS-SPS13-X-XX	see table





Type: with vulcanized head, with hexagon surface, single part / segmented

Material: screw: stainless steel
head: polyurethane

Description	Part No.
MKS-SPS14-X-XX	see table

Type: with ring prism serration, with spanner flat, single part / segmented

Material: steel



Part No.	Description	L ₁ [mm]	L ₂ [mm]	m [kg]	Type
103074	MKS-SPS13-35	35	19,5	0,03	single part
102750	MKS-SPS13-40	40	24,5	0,03	single part
100782	MKS-SPS13-45	45	29,5	0,03	single part
102267	MKS-SPS13-55	55	39,5	0,04	single part
105225	MKS-SPS13-1-42	42	26,5	0,03	segmented


Part No.	Description	L ₁ [mm]	L ₂ [mm]	m [kg]	Type
103075	MKS-SPS14-35	35	20	0,03	single part
102751	MKS-SPS14-40	40	25	0,03	single part
101991	MKS-SPS14-45	45	30	0,04	single part
102268	MKS-SPS14-55	55	40	0,04	single part
105229	MKS-SPS14-1-42	42	27	0,03	segmented

Jaw Plate

Description	Part No.	Description	Part No.
MKS-KBSPXX-X	see table	MKS-KBSPXX-X	see table




Type: wide, with groove

Material: steel



Type: narrow, with groove

Material: steel



Part No.	Description	D ₁ [mm]	H ₁ [mm]	m [kg]	For plate thickness	Mounting position on clamping lever arm	Version
16686	MKS-KBSP16-1	M6	13,5	0,06	0,5 to 1,0	up	1
16687	MKS-KBSP16-2	M6	13	0,06	more than 1,0 to 1,5	up	1
16688	MKS-KBSP16-3	M6	12,5	0,06	more than 1,5 to 2,0	up	1
17714	MKS-KBSP16-4	M6	12	0,06	more than 2,0 to 2,5	up	1
16689	MKS-KBSP17	M5	11,5	0,05	-	down	2

Part No.	Description	D ₁ [mm]	H ₁ [mm]	m [kg]	For plate thickness	Mounting position on clamping lever arm	Version
16674	MKS-KBSP10-1	M6	13,5	0,03	0,5 to 1,0	up	1
16675	MKS-KBSP10-2	M6	13	0,03	more than 1,0 to 1,5	up	1
16676	MKS-KBSP10-3	M6	12,5	0,03	more than 1,5 to 2,0	up	1
17713	MKS-KBSP10-4	M6	12	0,03	more than 2,0 to 2,5	up	1
16677	MKS-KBSP11	M5	11,5	0,03	-	down	2

Description	Part No.
MKS-KBSPXX-X	see table

Type: wide, with serration





Material: steel



Description	Part No.
MKS-KBSP04-X	see table

Type: wide, with hole for component query

Material: steel



Part No.	Description	D ₁ [mm]	H ₁ [mm]	L ₁ [mm]	m [kg]	For plate thickness	Mounting position on clamping lever arm
16690	MKS-KBSP18-1	M6	13,5	43	0,06	0,5 to 1,0	up
16691	MKS-KBSP18-2	M6	13	43	0,06	more than 1,0 to 1,5	up
16692	MKS-KBSP18-3	M6	12,5	43	0,06	more than 1,5 to 2,0	up
17855	MKS-KBSP18-4	M6	12	43	0,05	more than 2,0 to 2,5	up
16693	MKS-KBSP19	M5	11,5	43	0,05	-	down
16678	MKS-KBSP12-1	M6	13,5	15	0,02	0,5 to 1,0	up
16679	MKS-KBSP12-2	M6	13	15	0,02	more than 1,0 to 1,5	up
16680	MKS-KBSP12-3	M6	12,5	15	0,02	more than 1,5 to 2,0	up
17853	MKS-KBSP12-4	M6	12	15	0,02	more than 2,0 to 2,5	up
16681	MKS-KBSP13	M5	11,5	15	0,02	-	down



Part No.	Description	H ₁ [mm]	m [kg]	For plate thickness	Mounting position on clamping lever arm
16662	MKS-KBSP04-1	13,5	0,05	0,5 to 1,0	up
16663	MKS-KBSP04-2	13	0,05	more than 1,0 to 1,5	up
16664	MKS-KBSP04-3	12,5	0,04	more than 1,5 to 2,0	up
17712	MKS-KBSP04-4	12	0,02	more than 2,0 to 2,5	up

Jaw Plate

Description	Part No.
MKS-KBSP02-X	see table

Type: wide, with flat gripping surface, with hole for component query

Material: steel




Part No.	Description	H ₁ [mm]	m [kg]	For plate thickness	Mounting position on clamping lever arm
16658	MKS-KBSP02-1	13,5	0,05	0,5 to 1,0	up
16659	MKS-KBSP02-2	13	0,05	more than 1,0 to 1,5	up
16660	MKS-KBSP02-3	12,5	0,03	more than 1,5 to 2,0	up
17850	MKS-KBSP02-4	12	0,05	more than 2,0 to 2,5	up

Description	Part No.
MKS-KBSP06-X	see table

Type: wide, with serration, with hole for component query

Material: steel




Part No.	Description	H ₁ [mm]	m [kg]	For plate thickness	Mounting position on clamping lever arm
16666	MKS-KBSP06-1	13,5	0,05	0,5 to 1,0	up
16667	MKS-KBSP06-2	13	0,03	more than 1,0 to 1,5	up
16668	MKS-KBSP06-3	12,5	0,05	more than 1,5 to 2,0	up
17851	MKS-KBSP06-4	12	0,04	more than 2,0 to 2,5	up

Description	Part No.
MKS-KBSPXX-X	see table

Type: wide, flat gripping surface


Material: steel



Description	Part No.
MKS-KBSP26	102492

Type: with serration, for sliding link gripper







Material: steel



Part No.	Description	D ₁ [mm]	H ₁ [mm]	L ₁ [mm]	m [kg]	for plate thickness	Mounting position on clamping lever arm
16682	MKS-KBSP14-1	M6	13,5	43	0,06	0,5 to 1,0	up
16683	MKS-KBSP14-2	M6	13	43	0,06	more than 1,0 to 1,5	up
16684	MKS-KBSP14-3	M6	12,5	43	0,06	more than 1,5 to 2,0	up
17854	MKS-KBSP14-4	M6	12	43	0,06	more than 2,0 to 2,5	up
16685	MKS-KBSP15	M5	11,5	15	0,05	-	down
16670	MKS-KBSP08-1	M6	13,5	15	0,02	0,5 to 1,0	up
16671	MKS-KBSP08-2	M6	13	15	0,02	more than 1,0 to 1,5	up
16672	MKS-KBSP08-3	M6	12,5	15	0,02	more than 1,5 to 2,0	up
17852	MKS-KBSP08-4	M6	12	15	0,03	more than 2,0 to 2,5	up
16673	MKS-KBSP09	M5	11,5	15	0,02	-	down

Part No.	Description	m [kg]
102492	MKS-KBSP26	0,06


Jaw Plate

Description	Part No.	Description	Part No.		
MKS-KBSP03	16661	MKS-KBSP07	16669		
Type: wide, with flat gripping surface, with hole for component query, extended		Type: with serration, extended			
Material: steel		Material: steel			
					
					
					
Part No.	Description	m [kg]	Part No.	Description	m [kg]
16661	MKS-KBSP03	0,09	16669	MKS-KBSP07	0,09
Description	Part No.				
MKS-KBSP05	16665				
Type: wide, with hole for component query, extended					
Material: steel					
					
					
					
Part No.	Description	m [kg]			
16665	MKS-KBSP05	0,09			



Spacer Plate

Description	Part No.
MKS-APSP01-0X	see table

Type: spacer plate for MKS-KGSP41-...



Material: stainless steel




Part No.	Description	T_1 [mm]	m [kg]
102494	MKS-APSP01-02	0,2	0,001
102495	MKS-APSP01-05	0,5	0,001


Jaw Gripper Manual (spring pre-loaded)

Description	Part No.
MKS20-KGSP32-300	101712

Type: with pre-loaded spring, with roll lever arm



Material: material mix





Part No.	Description	m [kg]
101712	MKS20-KGSP32-300	0,87

Magnet Gripper

Description	Part No.
MKS-MG01-XX	see table
Type: single stage, magnet fixed, with ball, initial position scraper extracted, port (P) G1/4	
Material:	body: aluminium ball: steel seals: NBR

Description	Part No.
MKS-MG01-W-XX	see table
Type: single stage, magnet fixed, with rod journal, initial position scraper extracted, port (P) G1/4	
Material:	body: aluminium rod journal: steel seals: NBR



Part No.	Description	Stroke [mm]	D ₁ [mm]	D ₂ [mm]	D ₃ [mm]	D ₄ [mm]	H ₁ [mm]	L ₁ [mm]	L ₂ [mm]	LH ¹ [mm]	m [kg]
17873	MKS-MG01-25	8,5	20	21	25	55	52	48	88	0,5	0,35
15991	MKS-MG01-30	9,5	25	36	30	55	58	48	88	0,5	0,40
17880	MKS-MG01-37	11,5	32	33	37	71	68	56	104	0,5	0,70



¹ overhang magnet in work position

Part No.	Description	Stroke [mm]	D ₁ [mm]	D ₂ [mm]	D ₃ [mm]	D ₄ [mm]	H ₁ [mm]	L ₁ [mm]	L ₂ [mm]	LH ¹ [mm]	m [kg]
17022	MKS-MG01-W-25	8,5	20	21	25	55	52	42,5	81,5	0,5	0,35
17023	MKS-MG01-W-30	9,5	25	36	30	55	58	42,5	81,5	0,5	0,40
17024	MKS-MG01-W-37	11,5	32	33	37	71	68	50,5	97,5	0,5	0,70

¹ overhang magnet in work position

Description	Part No.
MKS-MGXX-XX-X	see table
Type: single stage, scraper fixed, with ball, initial position magnet retracted, ports (P) G1/8	
Material:	body: aluminium ball: steel seals: NBR

Description	Part No.
MKS-MG03-WXX-XX	see table
Type: single stage, scraper fixed, with rod journal, initial position magnet retracted, ports (P) G1/8	
Material:	body: aluminium rod journal: steel seals: NBR





Part No.	Description	Stroke [mm]	D ₁ [mm]	D ₂ [mm]	D ₃ [mm]	D ₄ [mm]	D ₅ [mm]	H ₁ [mm]	L ₁ [mm]	L ₂ [mm]	LH ¹ [mm]	m [kg]
17736	MKS-MG03-30	10	25	26	30	55	28,5	63,5	49,5	89,5	0,5	0,41
17737	MKS-MG03-35	10	30	31	35	60	28,5	70,5	52	94,5	0,5	0,52
17738	MKS-MG03-45	12	40	41	45	70	28,5	81,5	57	104,5	0,5	0,80
17741	MKS-MG03-35-1	10	30	31	34	60	32	70,5	56	100,5	0,5	0,52
17887	MKS-MG03-45-1	12	40	41	45	70	32	81,5	61	110,5	0,5	0,80
17733	MKS-MG04-30	15	25	26	30	55	28,5	64	49,5	89,5	5	0,41
17734	MKS-MG04-35	15	30	31	35	60	28,5	71	52	94,5	5	0,53
17735	MKS-MG04-45	17	40	41	45	70	28,5	83	57	104,5	5	0,83

Part No.	Description	Stroke [mm]	D ₁ [mm]	D ₂ [mm]	D ₃ [mm]	D ₄ [mm]	D ₅ [mm]	H ₁ [mm]	L ₁ [mm]	L ₂ [mm]	LH ¹ [mm]	m [kg]
104697	MKS-MG03-W19-30	10	25	26	30	55	19	63	46,5	87	0,5	0,41
104698	MKS-MG03-W19-35	10	30	31	35	60	19	70	49	92	0,5	0,52
104699	MKS-MG03-W19-45	12	40	41	45	70	19	81	54	102	0,5	0,80
17808	MKS-MG03-W-30	10	25	26	30	55	20	63	44	83	0,5	0,41
17809	MKS-MG03-W-35	10	30	31	35	60	20	70	46,5	88	0,5	0,52
17810	MKS-MG03-W-45	12	40	41	45	70	20	81	51,5	98	0,5	0,80
100274	MKS-MG04-W-35	15	30	31	35	60	20	71	46,5	88	5	0,53

¹ overhang magnet in work position

Magnet Gripper

Description	Part No.	Description	Part No.																																																																																																												
MKS-MG05-35-XX	see table	MKS-MG02-XX-XX	see table																																																																																																												
Type: double-stage, with flange, initial position magnet retracted, scraper extracted, ports (P) G1/8		Type: double-stage, with flange, initial position magnet retracted, scraper retracted, ports (P) G1/8																																																																																																													
Material: body: aluminium seals: NBR		Material: body: aluminium seals: NBR																																																																																																													
<p>initial position magnet rejected (magnet retracted, scraper extracted)</p> <p>intermediate position magnet attraction (Magnet extracted, scraper retracted)</p> <p>initial position magnet rejected (magnet retracted, scraper retracted)</p> 		<p>initial position, magnet rejected (magnet retracted, scraper retracted)</p> <p>intermediate position, magnet rejected (magnet retracted, scraper extracted)</p> <p>work position, magnet attracted (magnet extracted, scraper extracted)</p> 																																																																																																													
<table border="1"> <thead> <tr> <th>Part No.</th> <th>Description</th> <th>Stroke magnet [mm]</th> <th>Stroke scraper [mm]</th> <th>D₁ [mm]</th> <th>D₂ [mm]</th> <th>D₃ [mm]</th> <th>D₄ [mm]</th> <th>H₁ [mm]</th> <th>L₃ [mm]</th> <th>LH¹ [mm]</th> <th>m [kg]</th> </tr> </thead> <tbody> <tr> <td>17862</td> <td>MKS-MG05-35-10</td> <td>10</td> <td>10</td> <td>29</td> <td>30</td> <td>35</td> <td>55</td> <td>77,5</td> <td>72</td> <td>0,5</td> <td>0,61</td> </tr> <tr> <td>17860</td> <td>MKS-MG05-35-30</td> <td>10</td> <td>30</td> <td>29</td> <td>30</td> <td>35</td> <td>55</td> <td>97,5</td> <td>72</td> <td>0,5</td> <td>0,65</td> </tr> <tr> <td>17847</td> <td>MKS-MG05-35-50</td> <td>10</td> <td>50</td> <td>29</td> <td>30</td> <td>35</td> <td>55</td> <td>137,5</td> <td>72</td> <td>0,5</td> <td>0,67</td> </tr> </tbody> </table>	Part No.	Description	Stroke magnet [mm]	Stroke scraper [mm]	D ₁ [mm]	D ₂ [mm]	D ₃ [mm]	D ₄ [mm]	H ₁ [mm]	L ₃ [mm]	LH ¹ [mm]	m [kg]	17862	MKS-MG05-35-10	10	10	29	30	35	55	77,5	72	0,5	0,61	17860	MKS-MG05-35-30	10	30	29	30	35	55	97,5	72	0,5	0,65	17847	MKS-MG05-35-50	10	50	29	30	35	55	137,5	72	0,5	0,67		<table border="1"> <thead> <tr> <th>Part No.</th> <th>Description</th> <th>Stroke magnet [mm]</th> <th>Stroke scraper [mm]</th> <th>D₁ [mm]</th> <th>D₂ [mm]</th> <th>D₃ [mm]</th> <th>D₄ [mm]</th> <th>H₁ [mm]</th> <th>L₃ [mm]</th> <th>LH¹ [mm]</th> <th>m [kg]</th> </tr> </thead> <tbody> <tr> <td>17739</td> <td>MKS-MG02-35-10</td> <td>10</td> <td>10</td> <td>29</td> <td>30</td> <td>35</td> <td>55</td> <td>77,5</td> <td>64,5</td> <td>0,5</td> <td>0,63</td> </tr> <tr> <td>17740</td> <td>MKS-MG02-35-30</td> <td>10</td> <td>30</td> <td>29</td> <td>30</td> <td>35</td> <td>55</td> <td>77,5</td> <td>64,5</td> <td>0,5</td> <td>0,66</td> </tr> <tr> <td>102530</td> <td>MKS-MG02-45-10</td> <td>12</td> <td>10</td> <td>39</td> <td>40</td> <td>45</td> <td>70</td> <td>102</td> <td>82</td> <td>0,5</td> <td>0,73</td> </tr> <tr> <td>102526</td> <td>MKS-MG02-45-30</td> <td>12</td> <td>30</td> <td>39</td> <td>40</td> <td>45</td> <td>70</td> <td>102</td> <td>82</td> <td>0,5</td> <td>0,73</td> </tr> </tbody> </table>	Part No.	Description	Stroke magnet [mm]	Stroke scraper [mm]	D ₁ [mm]	D ₂ [mm]	D ₃ [mm]	D ₄ [mm]	H ₁ [mm]	L ₃ [mm]	LH ¹ [mm]	m [kg]	17739	MKS-MG02-35-10	10	10	29	30	35	55	77,5	64,5	0,5	0,63	17740	MKS-MG02-35-30	10	30	29	30	35	55	77,5	64,5	0,5	0,66	102530	MKS-MG02-45-10	12	10	39	40	45	70	102	82	0,5	0,73	102526	MKS-MG02-45-30	12	30	39	40	45	70	102	82	0,5	0,73	
Part No.	Description	Stroke magnet [mm]	Stroke scraper [mm]	D ₁ [mm]	D ₂ [mm]	D ₃ [mm]	D ₄ [mm]	H ₁ [mm]	L ₃ [mm]	LH ¹ [mm]	m [kg]																																																																																																				
17862	MKS-MG05-35-10	10	10	29	30	35	55	77,5	72	0,5	0,61																																																																																																				
17860	MKS-MG05-35-30	10	30	29	30	35	55	97,5	72	0,5	0,65																																																																																																				
17847	MKS-MG05-35-50	10	50	29	30	35	55	137,5	72	0,5	0,67																																																																																																				
Part No.	Description	Stroke magnet [mm]	Stroke scraper [mm]	D ₁ [mm]	D ₂ [mm]	D ₃ [mm]	D ₄ [mm]	H ₁ [mm]	L ₃ [mm]	LH ¹ [mm]	m [kg]																																																																																																				
17739	MKS-MG02-35-10	10	10	29	30	35	55	77,5	64,5	0,5	0,63																																																																																																				
17740	MKS-MG02-35-30	10	30	29	30	35	55	77,5	64,5	0,5	0,66																																																																																																				
102530	MKS-MG02-45-10	12	10	39	40	45	70	102	82	0,5	0,73																																																																																																				
102526	MKS-MG02-45-30	12	30	39	40	45	70	102	82	0,5	0,73																																																																																																				

¹ overhang magnet in work position


¹ overhang magnet in work position

Gripper Mounting (Magnet Gripper)

Description	Part No.
MKS-AKU62-X	see table

Type: ball with flange, with / without guiding, mounting double-sided






Material: steel



Description	Part No.
MKS-AKUXX-X	see table

Type: ball with flange, for magnet gripper

Material: steel



Part No.	Description	m [kg]
17093	MKS-AKU62-2	0,14


Part No.	Description	D ₁ [mm]	D ₂ [mm]	H ₁ [mm]	H ₂ [mm]	B ₁ [mm]	B ₂ [mm]	L ₁ [mm]	L ₂ [mm]	m [kg]
107101	MKS-AKU32-1	32	-	31,5	50,5	40	-	40	-	0,20
103061	MKS-AKU62-5	28,5	4,5	26	43,4	24	12	55	46	0,14
103062	MKS-AKU62-6	28,5	5,5	26	43,4	25	15	70	58	0,16

Description Part No.

MKS-AKU62-2 17093

Type: ball with flange, for magnet gripper






Material: steel

**Description Part No.**

MKS-AW3X-W19 see table

Type: recessed rod journal (apple core) with flange, for MG07-30 [-40]

Material: steel












Part No.	Description	m [kg]
17093	MKS-AKU62-2	0,14


Part No.	Description	D ₁ [mm]	B ₁ [mm]	B ₂ [mm]	L ₁ [mm]	L ₂ [mm]	m [kg]
101863	MKS-AW36-W19	4,5	24	12	55	46	0,11
101864	MKS-AW37-W19	5,5	26	15	69	58	0,11

9. Elements for additional Motions


Index

	Swivel Drive	259
	Shock Absorber for Swivel Drive	261
	Adapter for Swivel Drive.....	262
	Adapter for Guiding Unit	267
	Swivel Device	269
	Slide Unit	271
	Suction Cup Mounting with additional Stroke.....	272
	Suction Cup Mounting with Stroke	273
	Suction Cup Mounting swivelling.....	274
	Hinge Connector.....	276
	Taboo Area Cylinder	277

9. Elements for additional Motions



Accessories for Taboo Area Cylinder 278





Feed Gripper 279

Swivel Drive

Description	Part No.
MKS-SW02-X	see table

Type: max. swivel motion 190°, with adjustable swivel angle

Material: material mix



Part No.	Description	D ₁ [mm]	D ₂ [mm]	D ₃ [mm]	D ₄ [mm]	D ₅ [mm]	D ₆ [mm]	D ₇ [mm]	D ₈ [mm]	D ₉ [mm]	R ₁ [mm]	B ₁ [mm]	B ₂ [mm]	B ₃ [mm]	B ₄ [mm]	H ₁ [mm]	H ₂ [mm]	H ₃ [mm]	H ₄ [mm]	H ₅ [mm]	H ₆ [mm]	LK [mm]
15454	MKS-SW02-1	67	65	32	M10x1 (2x)	M6 (8x; 10 deep)	M6 (4x; 8 deep)	M10 (15 deep)	14	8,6	23	70	29	50	37	40	17	32	18,5	4,5	8,5	48
14619	MKS-SW02	77	75	35	M14x1,5 (2x)	M8 (8x; 12 deep)	M8 (4x; 8 deep)	M12 (18 deep)	18	10,5	26,5	80	38	63	50	46	20	37,5	22	5	10,5	55
105602	MKS-SW02-5	77	75	35	M14x1,5 (2x)	M8 (8x; 12 deep)	M8 (4x; 8 deep)	M12 (18 deep)	18	10,5	26,5	80	38	63	50	46	20	37,5	22	5	10,5	55



Part No.	Description	L ₁ [mm]	L ₂ max. [mm]	L ₃ [mm]	m [kg]	Adjustable stop/shock absorber [Pos.1]
15454	MKS-SW02-1	127	25	84	1,29	2x adjustable stop
14619	MKS-SW02	152	31,4	100	2,06	2x adjustable stop
105602	MKS-SW02-5	152	31,4	100	2,06	2x MKS-STD01-50 (shock absorber)

Swivel Drive

Description	Part No.
MKS-SW02-X	see table

Type: max. swivel motion 190°, with adjustable swivel angle

Material: material mix



Part No.	Description	D ₁ [mm]	D ₂ [mm]	D ₃ [mm]	D ₄ [mm]	D ₅ [mm]	D ₆ [mm]	D ₇ [mm]	D ₈ [mm]	D ₉ [mm]	R ₁ [mm]	B ₁ [mm]	B ₂ [mm]	B ₃ [mm]	B ₄ [mm]	H ₁ [mm]	H ₂ [mm]	H ₃ [mm]	H ₄ [mm]	H ₅ [mm]	H ₆ [mm]
15455	MKS-SW02-2	90	88	46	M20x1,5 (2x)	M8 (8x; 12,5 deep)	M8 (8x; 10 deep)	M12 (18 deep)	17,5	10,4	32,5	90	42	75	57	53	22	44,5	25,5	5	10,5
17585	MKS-SW02-3	100	98	56	M20x1,5 (2x)	M10 (8x; 14,5 deep)	M8 (8x; 10 deep)	M12 (18 deep)	17,5	10,4	37,5	101	50	85	66	59	27	50,5	29,5	6	10,5



Part No.	Description	LK [mm]	L ₁ [mm]	L ₂ max. [mm]	L ₃ [mm]	m [kg]
15455	MKS-SW02-2	67	170	34,2	110	2,88
17585	MKS-SW02-3	77	189	34,3	130	4,09

Shock Absorber for Swivel Drive

Description	Part No.
MKS-STD01-XX	see table

Type: with spanner flat

Material: material mix





Part No.	Description	B ₁ [mm]	B ₂ [mm]	D ₁ [mm]	D ₂ [mm]	D ₃ [mm]	H ₁ [mm]	L ₁ [mm]	L ₂ [mm]	L ₃ [mm]	L ₄ [mm]	m [kg]	for swivel drive
15457	MKS-STD01-50	SW19	SW12	M14x1,5	12	5	21,9	78,3	58,8	11	3,5	0,07	MKS-SW02
15458	MKS-STD01-70	SW27	SW18	M20x1,5	18	6	31,2	88,2	62,2	15	4	0,15	MKS-SW02-2 & MKS-SW02-3

Description	Part No.
MKS-STD01-30	15456

Type: with groove for screwdriver

Material: material mix






Part No.	Description	m [kg]	for swivel drive
15456	MKS-STD01-30	0,03	MKS-SW02-1

Adapter for Swivel Drive

Description	Part No.
MKSXX-ASWXX-XXXX	see table

Type: with flange, with tube

Material: steel




Part No.	Description	D ₁ [mm]	D ₂ [mm]	D ₃ [mm]	D ₄ / LK [mm]	L ₁ [mm]	m [kg]	for swivel drive
11557	MKS20-ASV01-075	20	73	35	55	75	0,32	MKS-SW02
11558	MKS20-ASV01-100	20	73	35	55	100	0,35	MKS-SW02
15057	MKS20-ASV01-150	20	73	35	55	150	0,41	MKS-SW02
14027	MKS20-ASV01-200	20	73	35	55	200	0,46	MKS-SW02
11565	MKS20-ASV11-075	20	86	46	67	75	0,41	MKS-SW02-2
11566	MKS20-ASV11-100	20	86	46	67	100	0,45	MKS-SW02-2
16784	MKS20-ASV11-200	20	86	46	67	200	0,54	MKS-SW02-2
104452	MKS20-ASW49-D075	20	58	28	43	75	0,19	SMC EMSQB20
104453	MKS20-ASW49-D100	20	58	28	43	100	0,23	SMC EMSQB20
11553	MKS25-ASV01-075	25	73	35	55	75	0,35	MKS-SW02
11554	MKS25-ASV01-100	25	73	35	55	100	0,39	MKS-SW02
14811	MKS25-ASV01-150	25	73	35	55	150	0,45	MKS-SW02
14812	MKS25-ASV01-200	25	73	35	55	200	0,53	MKS-SW02
106464	MKS25-ASV01-250	25	73	35	55	250	0,59	MKS-SW02
104264	MKS25-ASV07-075	25	63	32	48	75	0,25	MKS-SW02-1
104265	MKS25-ASV07-100	25	63	32	48	100	0,29	MKS-SW02-1
11561	MKS25-ASV11-075	25	86	46	67	75	0,43	MKS-SW02-2
11562	MKS25-ASV11-100	25	86	46	67	100	0,47	MKS-SW02-2
17626	MKS25-ASV11-150	25	86	46	67	150	0,54	MKS-SW02-2
12573	MKS30-ASV01-075	30	73	35	55	75	0,40	MKS-SW02
12574	MKS30-ASV01-100	30	73	35	55	100	0,42	MKS-SW02
105077	MKS30-ASV01-150	30	73	35	55	150	0,50	MKS-SW02
17704	MKS30-ASV01-200	30	73	35	55	200	0,59	MKS-SW02
17722	MKS30-ASV01-450	30	73	35	55	450	1,00	MKS-SW02
16248	MKS30-ASV11-075	30	86	46	67	75	0,47	MKS-SW02-2
16249	MKS30-ASV11-100	30	86	46	67	100	0,51	MKS-SW02-2
16250	MKS30-ASV11-150	30	86	46	67	150	0,58	MKS-SW02-2
16251	MKS30-ASV11-200	30	86	46	67	200	0,67	MKS-SW02-2
101229	MKS30-ASV43-075	30	96	56	77	75	0,56	MKS-SW02-3
101251	MKS30-ASV43-100	30	96	56	77	100	0,61	MKS-SW02-3
101252	MKS30-ASV43-150	30	96	56	77	150	0,69	MKS-SW02-3
101253	MKS30-ASV43-200	30	96	56	77	200	0,78	MKS-SW02-3
107816	MKS25-ASV43-D075	25	96	56	77	75	0,80	MKS-SW02-3
107817	MKS25-ASV43-D100	25	96	56	77	100	0,84	MKS-SW02-3
107818	MKS25-ASV43-D150	25	96	56	77	150	0,91	MKS-SW02-3

Adapter for Swivel Drive

Description	Part No.	Description	Part No.
MKS30-ASW48-D100	104080	MKSXX-ASWX1-XXX	see table




Type: with flange, with tube (height-adjustable)

Material: steel



Type: with flange, round, with tube 90°, angled







Material: steel



Part No.	Description	L ₁ [mm]	L ₂ [mm]	m [kg]	for swivel drive
104080	MKS30-ASW48-D100	100	123,5	0,95	for MKS-SW02

Part No.	Description	D ₁ [mm]	D ₂ [mm]	D ₃ [mm]	D ₄ [mm]	L ₁ [mm]	L ₂ [mm]	m [kg]	for swivel drive
102463	MKS20-ASW21-200	20	35	73	55	200	225	0,48	for MKS-SW02
106320	MKS20-ASW31-100	20	46	86	67	100	130	0,46	for MKS-SW02-2
106321	MKS20-ASW31-150	20	46	86	67	150	180	0,51	for MKS-SW02-2
106322	MKS20-ASW31-200	20	46	86	67	200	230	0,57	for MKS-SW02-2
16266	MKS25-ASW21-100	25	35	73	55	100	125	0,39	for MKS-SW02
16267	MKS25-ASW21-150	25	35	73	55	150	175	0,48	for MKS-SW02
16268	MKS25-ASW21-200	25	35	73	55	200	225	0,58	for MKS-SW02
16269	MKS25-ASW21-300	25	35	73	55	300	325	0,69	for MKS-SW02
17856	MKS25-ASW31-100	25	46	86	67	100	130	0,50	for MKS-SW02-2
17857	MKS25-ASW31-200	25	46	86	67	200	230	0,65	for MKS-SW02-2
17858	MKS25-ASW31-300	25	46	86	67	300	330	0,78	for MKS-SW02-2
104326	MKS30-ASW31-100	30	46	86	67	100	130	0,62	for MKS-SW02-2
104325	MKS30-ASW31-150	30	46	86	67	150	180	0,63	for MKS-SW02-2
17563	MKS30-ASW31-200	30	46	86	67	200	230	0,72	for MKS-SW02-2
102990	MKS30-ASW31-300	30	46	86	67	300	330	0,96	for MKS-SW02-2

Adapter for Swivel Drive



Description	Part No.	Description	Part No.																																																																																																																																																																											
MKSXX-ASWX2-XXX	see table	MKS20-ASW07-KAR	107398																																																																																																																																																																											
Type: with flange, round, with tube 90° angled																																																																																																																																																																														
Material: steel																																																																																																																																																																														
																																																																																																																																																																														
																																																																																																																																																																														
<table border="1"> <thead> <tr> <th>Part No.</th><th>Description</th><th>D₁ [mm]</th><th>D₂ [mm]</th><th>D₃ [mm]</th><th>D₄ [mm]</th><th>L₁ [mm]</th><th>m [kg]</th><th>for swivel drive</th></tr> </thead> <tbody> <tr><td>11559</td><td>MKS20-ASW02-75</td><td>20</td><td>35</td><td>55</td><td>73</td><td>75</td><td>0,37</td><td>MKS-SW02</td></tr> <tr><td>11560</td><td>MKS20-ASW02-100</td><td>20</td><td>35</td><td>55</td><td>73</td><td>100</td><td>0,40</td><td>MKS-SW02</td></tr> <tr><td>15058</td><td>MKS20-ASW02-150</td><td>20</td><td>35</td><td>55</td><td>73</td><td>150</td><td>0,45</td><td>MKS-SW02</td></tr> <tr><td>15075</td><td>MKS20-ASW02-200</td><td>20</td><td>35</td><td>55</td><td>73</td><td>200</td><td>0,50</td><td>MKS-SW02</td></tr> <tr><td>11567</td><td>MKS20-ASW12-75</td><td>20</td><td>46</td><td>67</td><td>86</td><td>75</td><td>0,45</td><td>MKS-SW02-2</td></tr> <tr><td>11568</td><td>MKS20-ASW12-100</td><td>20</td><td>46</td><td>67</td><td>86</td><td>100</td><td>0,48</td><td>MKS-SW02-2</td></tr> <tr><td>11555</td><td>MKS25-ASW02-75</td><td>25</td><td>35</td><td>55</td><td>73</td><td>75</td><td>0,41</td><td>MKS-SW02</td></tr> <tr><td>11556</td><td>MKS25-ASW02-100</td><td>25</td><td>35</td><td>55</td><td>73</td><td>100</td><td>0,45</td><td>MKS-SW02</td></tr> <tr><td>105078</td><td>MKS25-ASW02-150</td><td>25</td><td>35</td><td>55</td><td>73</td><td>150</td><td>0,51</td><td>MKS-SW02</td></tr> <tr><td>105079</td><td>MKS25-ASW02-200</td><td>25</td><td>35</td><td>55</td><td>73</td><td>200</td><td>0,58</td><td>MKS-SW02</td></tr> <tr><td>11563</td><td>MKS25-ASW12-75</td><td>25</td><td>46</td><td>67</td><td>86</td><td>75</td><td>0,49</td><td>MKS-SW02-2</td></tr> <tr><td>11564</td><td>MKS25-ASW12-100</td><td>25</td><td>46</td><td>67</td><td>86</td><td>100</td><td>0,52</td><td>MKS-SW02-2</td></tr> <tr><td>12575</td><td>MKS30-ASW02-75</td><td>30</td><td>35</td><td>55</td><td>73</td><td>75</td><td>0,45</td><td>MKS-SW02-2</td></tr> <tr><td>12576</td><td>MKS30-ASW02-100</td><td>30</td><td>35</td><td>55</td><td>73</td><td>100</td><td>0,49</td><td>MKS-SW02</td></tr> <tr><td>105080</td><td>MKS30-ASW02-150</td><td>30</td><td>35</td><td>55</td><td>73</td><td>150</td><td>0,57</td><td>MKS-SW02</td></tr> <tr><td>103870</td><td>MKS30-ASW02-200</td><td>30</td><td>35</td><td>55</td><td>73</td><td>200</td><td>0,69</td><td>MKS-SW02</td></tr> <tr><td>105082</td><td>MKS30-ASW12-75</td><td>30</td><td>46</td><td>67</td><td>86</td><td>75</td><td>0,53</td><td>MKS-SW02-2</td></tr> <tr><td>105081</td><td>MKS30-ASW12-100</td><td>30</td><td>46</td><td>67</td><td>86</td><td>100</td><td>0,57</td><td>MKS-SW02-2</td></tr> </tbody> </table>				Part No.	Description	D ₁ [mm]	D ₂ [mm]	D ₃ [mm]	D ₄ [mm]	L ₁ [mm]	m [kg]	for swivel drive	11559	MKS20-ASW02-75	20	35	55	73	75	0,37	MKS-SW02	11560	MKS20-ASW02-100	20	35	55	73	100	0,40	MKS-SW02	15058	MKS20-ASW02-150	20	35	55	73	150	0,45	MKS-SW02	15075	MKS20-ASW02-200	20	35	55	73	200	0,50	MKS-SW02	11567	MKS20-ASW12-75	20	46	67	86	75	0,45	MKS-SW02-2	11568	MKS20-ASW12-100	20	46	67	86	100	0,48	MKS-SW02-2	11555	MKS25-ASW02-75	25	35	55	73	75	0,41	MKS-SW02	11556	MKS25-ASW02-100	25	35	55	73	100	0,45	MKS-SW02	105078	MKS25-ASW02-150	25	35	55	73	150	0,51	MKS-SW02	105079	MKS25-ASW02-200	25	35	55	73	200	0,58	MKS-SW02	11563	MKS25-ASW12-75	25	46	67	86	75	0,49	MKS-SW02-2	11564	MKS25-ASW12-100	25	46	67	86	100	0,52	MKS-SW02-2	12575	MKS30-ASW02-75	30	35	55	73	75	0,45	MKS-SW02-2	12576	MKS30-ASW02-100	30	35	55	73	100	0,49	MKS-SW02	105080	MKS30-ASW02-150	30	35	55	73	150	0,57	MKS-SW02	103870	MKS30-ASW02-200	30	35	55	73	200	0,69	MKS-SW02	105082	MKS30-ASW12-75	30	46	67	86	75	0,53	MKS-SW02-2	105081	MKS30-ASW12-100	30	46	67	86	100	0,57	MKS-SW02-2
Part No.	Description	D ₁ [mm]	D ₂ [mm]	D ₃ [mm]	D ₄ [mm]	L ₁ [mm]	m [kg]	for swivel drive																																																																																																																																																																						
11559	MKS20-ASW02-75	20	35	55	73	75	0,37	MKS-SW02																																																																																																																																																																						
11560	MKS20-ASW02-100	20	35	55	73	100	0,40	MKS-SW02																																																																																																																																																																						
15058	MKS20-ASW02-150	20	35	55	73	150	0,45	MKS-SW02																																																																																																																																																																						
15075	MKS20-ASW02-200	20	35	55	73	200	0,50	MKS-SW02																																																																																																																																																																						
11567	MKS20-ASW12-75	20	46	67	86	75	0,45	MKS-SW02-2																																																																																																																																																																						
11568	MKS20-ASW12-100	20	46	67	86	100	0,48	MKS-SW02-2																																																																																																																																																																						
11555	MKS25-ASW02-75	25	35	55	73	75	0,41	MKS-SW02																																																																																																																																																																						
11556	MKS25-ASW02-100	25	35	55	73	100	0,45	MKS-SW02																																																																																																																																																																						
105078	MKS25-ASW02-150	25	35	55	73	150	0,51	MKS-SW02																																																																																																																																																																						
105079	MKS25-ASW02-200	25	35	55	73	200	0,58	MKS-SW02																																																																																																																																																																						
11563	MKS25-ASW12-75	25	46	67	86	75	0,49	MKS-SW02-2																																																																																																																																																																						
11564	MKS25-ASW12-100	25	46	67	86	100	0,52	MKS-SW02-2																																																																																																																																																																						
12575	MKS30-ASW02-75	30	35	55	73	75	0,45	MKS-SW02-2																																																																																																																																																																						
12576	MKS30-ASW02-100	30	35	55	73	100	0,49	MKS-SW02																																																																																																																																																																						
105080	MKS30-ASW02-150	30	35	55	73	150	0,57	MKS-SW02																																																																																																																																																																						
103870	MKS30-ASW02-200	30	35	55	73	200	0,69	MKS-SW02																																																																																																																																																																						
105082	MKS30-ASW12-75	30	46	67	86	75	0,53	MKS-SW02-2																																																																																																																																																																						
105081	MKS30-ASW12-100	30	46	67	86	100	0,57	MKS-SW02-2																																																																																																																																																																						

Adapter for Swivel Drive

Description	Part No.	Description	Part No.
MKSXX-ASWXX-XXX	see table	MKSXX-ASW14-XXX	see table

Type: with flange, round, with tube

Material: steel



Part No.	Description	D ₁ [mm]	B ₁ [mm]	B ₂ [mm]	B ₃ [mm]	L ₁ [mm]	m [kg]	for swivel drive
16165	MKS20-ASW04-100	20	121	55	100	100	0,60	MKS-SW02
16166	MKS20-ASW04-150	20	121	55	100	150	0,66	MKS-SW02
15958	MKS25-ASW04-100	25	121	55	100	100	0,61	MKS-SW02
15959	MKS25-ASW04-150	25	121	55	100	150	0,70	MKS-SW02
14603	MKS30-ASW04-100	30	121	55	100	100	0,64	MKS-SW02
14604	MKS30-ASW04-150	30	121	55	100	150	0,74	MKS-SW02
19084	MKS30-ASW04-200	30	121	55	100	200	0,84	MKS-SW02
105397	MKS30-ASW51-100	30	155	77	130	100	1,07	MKS-SW02-3
105398	MKS30-ASW51-150	30	155	77	130	150	1,15	MKS-SW02-3
105399	MKS30-ASW51-200	30	155	77	130	200	1,26	MKS-SW02-3

Part No.	Description	D ₁ [mm]	L ₁ [mm]	m [kg]	for swivel drive
16646	MKS25-ASW14-100	25	100	0,60	MKS-SW02-2
16647	MKS25-ASW14-150	25	150	0,70	MKS-SW02-2
102396	MKS30-ASW14-75	30	75	0,55	MKS-SW02-2
16252	MKS30-ASW14-100	30	100	0,60	MKS-SW02-2
16253	MKS30-ASW14-150	30	150	0,70	MKS-SW02-2
100055	MKS30-ASW14-200	30	200	0,80	MKS-SW02-2

Description	Part No.	Description	Part No.
MKS30-ASW14-R-XXX	see table	MKS30-ASW14-L-XXX	see table

Type: with flange, with tube 90°, right staggered

Material: steel

Part No.	Description	L ₁ [mm]	m [kg]	for swivel drive
105086	MKS30-ASW14-R-100	100	0,89	MKS-SW02-2
105087	MKS30-ASW14-R-150	150	0,96	MKS-SW02-2
105088	MKS30-ASW14-R-200	200	1,06	MKS-SW02-2
15655	MKS30-ASW14-R-300	300	1,23	MKS-SW02-2


Part No.	Description	L ₁ [mm]	m [kg]	for swivel drive
105083	MKS30-ASW14-L-100	100	0,89	MKS-SW02-2
105084	MKS30-ASW14-L-150	150	0,96	MKS-SW02-2
105085	MKS30-ASW14-L-200	200	1,06	MKS-SW02-2
15656	MKS30-ASW14-L-300	300	1,23	MKS-SW02-2

Adapter for Swivel Drive

Description	Part No.
MKSXX-ASWXX-R-XXX	see table

Type: with flange, with tube 90°, right staggered



Material: steel



Description	Part No.
MKSXX-ASWXX-L-XXX	see table

Type: with flange, with tube 90°, left staggered

Material: steel




Part No.	Description	D ₁ [mm]	B ₁ [mm]	B ₂ [mm]	B ₃ [mm]	L ₁ [mm]	m [kg]	for swivel drive
16643	MKS25-ASW04-R-300	25	121	100	55	300	0,97	MKS-SW02
16644	MKS25-ASW14-R-300	25	140	110	70	300	1,20	MKS-SW02-2
102024	MKS30-ASW04-R-100	30	121	100	55	100	0,67	MKS-SW02
102025	MKS30-ASW04-R-150	30	121	100	55	150	0,77	MKS-SW02
102026	MKS30-ASW04-R-200	30	121	100	55	200	0,87	MKS-SW02
106889	MKS30-ASW50-R-100	30	155	130	77	177	1,24	MKS-SW02-3
106890	MKS30-ASW50-R-150	30	155	130	77	227	1,34	MKS-SW02-3
106885	MKS30-ASW50-R-200	30	155	130	77	277	1,64	MKS-SW02-3

Part No.	Description	D ₁ [mm]	B ₁ [mm]	B ₂ [mm]	B ₃ [mm]	L ₁ [mm]	m [kg]	for swivel drive
16642	MKS25-ASW04-L-300	25	121	100	55	300	0,97	MKS-SW02
16645	MKS25-ASW14-L-300	25	140	110	70	300	1,20	MKS-SW02-2
102021	MKS30-ASW04-L-100	30	121	100	55	100	0,70	MKS-SW02
102022	MKS30-ASW04-L-150	30	121	100	55	150	0,80	MKS-SW02
102023	MKS30-ASW04-L-200	30	121	100	55	200	0,90	MKS-SW02
105400	MKS30-ASW50-L-100	30	155	130	77	177	1,24	MKS-SW02-3
105401	MKS30-ASW50-L-150	30	155	130	77	227	1,34	MKS-SW02-3
105402	MKS30-ASW50-L-200	30	155	130	77	277	1,64	MKS-SW02-3

Description	Part No.
MKSXX-ASW06-1-KS	see table

Type: with flange, with clamp fixed



Material: steel



Description	Part No.
MKS30-ASW14-1-100	17657

Type: with flange, with tube, left staggered

Material: steel



Part No.	Description	D ₁ [mm]	H ₁ [mm]	m [kg]	for swivel drive
103496	MKS25-ASW06-1-KS	25	27	0,80	MKS-SW02
103495	MKS20-ASW06-1-KS	20	27	0,80	MKS-SW02
103497	MKS30-ASW06-1-KS	30	30,5	0,80	MKS-SW02


Part No.	Description	m [kg]	for swivel drive
17657	MKS30-ASW14-1-100	1,30	MKS-SW02-2

Adapter for Guiding Unit

Description	Part No.	Description	Part No.
MKS30-AFE18	18081	MKSXX-AFE04-X	see table

Type: for guiding unit Festo DFM..., square, with clamp fixed



Material: steel



Description	Part No.
MKSXX-AFE04-X	see table

Type: for guiding unit SMC MGPM..., rectangular, with clamp fixed

Material: steel





Part No.	Description	m [kg]
18081	MKS30-AFE18	0,41

Part No.	Description	D ₁ [mm]	D ₂ [mm]	H ₁ [mm]	B ₁ [mm]	B ₂ [mm]	B ₃ [mm]	L ₁ [mm]	L ₂ [mm]	L ₃ [mm]	m [kg]
100612	MKS20-AFE04-1	20	M6	47	38	26	36,7	91	78	28	0,33
103038	MKS20-AFE04-2	20	M8	47	45	30	42,2	110	96	28	0,37
17755	MKS25-AFE04-1	25	M6	49,5	38	26	37,7	91	78	33	0,36
17762	MKS25-AFE04-2	25	M8	49,5	45	30	42,2	110	96	33	0,48
17905	MKS25-AFE04-3	25	M8	49,5	45	30	42,2	118	104	33	0,48

Description	Part No.
MKSXX-AFE25-DXXX	see table

Type: for guiding unit Festo DFM..., rectangular, with tube

Material: steel





Part No.	Description	D ₁ [mm]	L ₁ [mm]	m [kg]
104764	MKS20-AFE25-D075	20	75	0,33
104765	MKS20-AFE25-D100	20	100	0,36
104766	MKS20-AFE25-D150	20	150	0,41
104309	MKS25-AFE25-D075	25	75	0,44
104310	MKS25-AFE25-D100	25	100	0,47
104311	MKS25-AFE25-D150	25	150	0,54
104312	MKS30-AFE25-D075	30	75	0,48
104313	MKS30-AFE25-D100	30	100	0,52
104314	MKS30-AFE25-D150	30	150	0,60
104339	MKS30-AFE25-D200	30	200	0,64

Adapter for Guiding Unit

Description	Part No.
MKSXX-AFEXX-XXX	see table






Type: for guiding unit Festo DFM-..., flange with tube 90°

Material: steel











Part No.	Description	D ₁ [mm]	B ₁ [mm]	L ₁ [mm]	L ₂ [mm]	L ₃ [mm]	m [kg]
100091	MKS25-AFE19-100	25	20,5	145	45	30	0,36
100092	MKS25-AFE19-150	25	20,5	195	45	30	0,43
100093	MKS25-AFE19-200	25	20,5	245	45	30	0,50
100094	MKS25-AFE19-250	25	20,5	295	45	30	0,57
100095	MKS25-AFE19-300	25	20,5	345	45	30	0,64
100096	MKS25-AFE19-350	25	20,5	395	45	30	0,71
100172	MKS30-AFE19-100	30	23	145	45	30	0,41
100173	MKS30-AFE19-150	30	23	195	45	30	0,49
100174	MKS30-AFE19-200	30	23	245	45	30	0,58
100175	MKS30-AFE19-250	30	23	295	45	30	0,66
100176	MKS30-AFE19-300	30	23	345	45	30	0,75
100177	MKS30-AFE19-350	30	23	395	45	30	0,83
102041	MKS25-AFE21-100	25	20,5	135	35	20	0,36
102042	MKS25-AFE21-150	25	20,5	185	35	20	0,43
102043	MKS25-AFE21-200	25	20,5	235	35	20	0,50
102044	MKS25-AFE21-250	25	20,5	285	35	20	0,57
102045	MKS25-AFE21-300	25	20,5	335	35	20	0,64
102046	MKS25-AFE21-350	25	20,5	385	35	20	0,71



Swivel Device


Description	Part No.	Description	Part No.												
MKS40-SCE31-4	104127	MKS40-SCE31-1	101953												
Type: swivel angle 30° [-15° to +15°], wide type		Type: swivel angle 25° [-12,5° to +12,5°]													
Material: material mix		Material: material mix													
															
<table border="1"> <thead> <tr> <th>Part No.</th> <th>Description</th> <th>m [kg]</th> </tr> </thead> <tbody> <tr> <td>104127</td> <td>MKS40-SCE31-4</td> <td>10,3</td> </tr> </tbody> </table>	Part No.	Description	m [kg]	104127	MKS40-SCE31-4	10,3		<table border="1"> <thead> <tr> <th>Part No.</th> <th>Description</th> <th>m [kg]</th> </tr> </thead> <tbody> <tr> <td>101953</td> <td>MKS40-SCE31-1</td> <td>9,02</td> </tr> </tbody> </table>	Part No.	Description	m [kg]	101953	MKS40-SCE31-1	9,02	
Part No.	Description	m [kg]													
104127	MKS40-SCE31-4	10,3													
Part No.	Description	m [kg]													
101953	MKS40-SCE31-1	9,02													
MKS40-SCE31-3	102580	MKS40-SCE31-2	102579												
Type: swivel angle 70° [-30° to +40°]		Type: swivel angle 40° [-20° to +20°]													
Material: material mix		Material: material mix													
															
<table border="1"> <thead> <tr> <th>Part No.</th> <th>Description</th> <th>m [kg]</th> </tr> </thead> <tbody> <tr> <td>102580</td> <td>MKS40-SCE31-3</td> <td>15,26</td> </tr> </tbody> </table>	Part No.	Description	m [kg]	102580	MKS40-SCE31-3	15,26		<table border="1"> <thead> <tr> <th>Part No.</th> <th>Description</th> <th>m [kg]</th> </tr> </thead> <tbody> <tr> <td>102579</td> <td>MKS40-SCE31-2</td> <td>9,96</td> </tr> </tbody> </table>	Part No.	Description	m [kg]	102579	MKS40-SCE31-2	9,96	
Part No.	Description	m [kg]													
102580	MKS40-SCE31-3	15,26													
Part No.	Description	m [kg]													
102579	MKS40-SCE31-2	9,96													
MKS60-SCE01-S1	106215														
Type: swivel angle 90°															
Material: material mix															
															
<table border="1"> <thead> <tr> <th>Part No.</th> <th>Description</th> <th>m [kg]</th> </tr> </thead> <tbody> <tr> <td>106215</td> <td>MKS60-SCE01-S1</td> <td>14,70</td> </tr> </tbody> </table>	Part No.	Description	m [kg]	106215	MKS60-SCE01-S1	14,70									
Part No.	Description	m [kg]													
106215	MKS60-SCE01-S1	14,70													

Swivel Device


Description	Part No.	Description	Part No.																						
MKS60/40-SCE03-50	16629	MKS60/40-SCE03	14728																						
Type: swivel angle 90°, piston Ø 50mm		Type: swivel angle 90°, piston Ø 80mm																							
Material: material mix		Material: material mix																							
																									
																									
<table border="1"> <thead> <tr> <th>Part No.</th> <th>Description</th> <th>m [kg]</th> </tr> </thead> <tbody> <tr> <td>16629</td> <td>MKS60/40-SCE03-50</td> <td>4,60</td> </tr> </tbody> </table>	Part No.	Description	m [kg]	16629	MKS60/40-SCE03-50	4,60		<table border="1"> <thead> <tr> <th>Part No.</th> <th>Description</th> <th>m [kg]</th> </tr> </thead> <tbody> <tr> <td>14728</td> <td>MKS60/40-SCE03</td> <td>12,80</td> </tr> </tbody> </table>	Part No.	Description	m [kg]	14728	MKS60/40-SCE03	12,80											
Part No.	Description	m [kg]																							
16629	MKS60/40-SCE03-50	4,60																							
Part No.	Description	m [kg]																							
14728	MKS60/40-SCE03	12,80																							
Description	Part No.	Description	Part No.																						
MKS60-SCE27	101232	MKS40/40-SCE32-XXXX	see table																						
Type: swivel angle 90°		Type: swivel angle 50° [-25° to +25°], cylinder/swivel flange/fork head not included in the delivery																							
Material: material mix		Material: material mix																							
																									
																									
<table border="1"> <thead> <tr> <th>Part No.</th> <th>Description</th> <th>m [kg]</th> </tr> </thead> <tbody> <tr> <td>101232</td> <td>MKS60-SCE27</td> <td>12,04</td> </tr> </tbody> </table>	Part No.	Description	m [kg]	101232	MKS60-SCE27	12,04		<table border="1"> <thead> <tr> <th>Part No.</th> <th>Description</th> <th>B₁ [mm]</th> <th>m [kg]</th> </tr> </thead> <tbody> <tr> <td>106437</td> <td>MKS40/40-SCE32-600</td> <td>600</td> <td>8,31</td> </tr> <tr> <td>102119</td> <td>MKS40/40-SCE32-1000</td> <td>1000</td> <td>10,31</td> </tr> <tr> <td>106449</td> <td>MKS40/40-SCE32-1200</td> <td>1200</td> <td>11,31</td> </tr> </tbody> </table>	Part No.	Description	B ₁ [mm]	m [kg]	106437	MKS40/40-SCE32-600	600	8,31	102119	MKS40/40-SCE32-1000	1000	10,31	106449	MKS40/40-SCE32-1200	1200	11,31	
Part No.	Description	m [kg]																							
101232	MKS60-SCE27	12,04																							
Part No.	Description	B ₁ [mm]	m [kg]																						
106437	MKS40/40-SCE32-600	600	8,31																						
102119	MKS40/40-SCE32-1000	1000	10,31																						
106449	MKS40/40-SCE32-1200	1200	11,31																						

Slide Unit


Description	Part No.	Description	Part No.
MKS60-VE12-500-01	101274	MKS-VEXX-XXX	see table
Type: with pneumatic cylinder Ø50mm Material: material mix		Type: for connecting elements Ø40mm Material: material mix	



Technical drawing of the slide unit assembly showing internal components and assembly details.



Front view technical drawing of the slide unit showing overall dimensions and stroke length.



Side view technical drawing of the slide unit showing side dimensions and stroke length.

Part No.	Description	m [kg]
101274	MKS60-VE12-500-01	35,00


Part No.	Description	B ₁ [mm]	B ₂ [mm]	L ₁ [mm]	L ₂ [mm]	L ₃ [mm]	L ₄ [mm]	Stroke [mm]
104200	MKS-VE16-170	110	281	333,5	205	676	722	170
105319	MKS-VE16-200	110	281	363,5	205	676	722	200
104201	MKS-VE17-100	110	281	283,5	105	676	741	100
105541	MKS-VE18-300	130	290	466	331	1332	1339	300

Suction Cup Mounting with additional Stroke

Description	Part No.
MKS-SAMF03-50-K285-S2	106623

Type: with ball, with spring plunger, with elbow fittings Ø8mm, with straight fitting Ø8mm

Material: material mix




Part No.	Description	m [kg]
106623	MKS-SAMF03-50-K285-S2	1,50

Description	Part No.
MKS-SAMF03-50-K285-S1	105873

Type: with ball, with ejector, with spring plunger, with elbow fittings Ø8mm

Material: material mix




Part No.	Description	m [kg]
105873	MKS-SAMF03-50-K285-S1	1,80

Description	Part No.
MKS-SAMF03-X0-K285	see table


Type: with ball, with spring plunger, with elbow fittings Ø8mm, with straight fitting Ø8mm


Material: material mix



Part No.	Description	H ₁ /stroke [mm]	m [kg]
105935	MKS-SAMF03-50-K285	50	1,36
104703	MKS-SAMF03-80-K285	80	1,70


Suction Cup Mounting with Stroke

Description	Part No.	Description	Part No.
MKS-SAR27-1-XX	see table	MKS-SAR27-3-XX	see table
Type: with external thread Material: aluminium		Type: with internal thread Material: aluminium	



Part No. Description H₁/stroke [mm] H₂ [mm] m [kg]

17526	MKS-SAR27-1-15	15	95	0,4
17752	MKS-SAR27-1-30	30	110	0,41
17753	MKS-SAR27-1-50	50	130	0,47




Part No. Description H₁/stroke [mm] H₂ [mm] m [kg]

17754	MKS-SAR27-3-15	15	70	0,39
17708	MKS-SAR27-3-30	30	85	0,42
17709	MKS-SAR27-3-50	50	105	0,47

Description	Part No.
MKS-SAR53-50-XX-W19	see table


Type: with rod journal
Material: material mix





Part No. Description H₁ [mm] Stroke [mm]

107489	MKS-SAR53-50-50-W19	133,5	50
107493	MKS-SAR53-50-75-W19	158,5	75



Part No. Description H₁ [mm] Stroke [mm]


107489	MKS-SAR53-50-50-W19	133,5	50
107493	MKS-SAR53-50-75-W19	158,5	75

Suction Cup Mounting swivelling

Description	Part No.
MKS-SAR37-5	102503

Type: basic version, with safety catch






Material: material mix



Description	Part No.
MKS-SAR37-X-X	see table

Type: without suction cup, with thread connection

Material: material mix




Part No.	Description	m [kg]
102503	MKS-SAR37-5	0,50

Part No.	Description	H ₁ [mm]	H ₂ [mm]	H ₃ [mm]	B ₁ [mm]	L ₁ [mm]	m [kg]
19930	MKS-SAR37	100	20	53,5	70	50	0,52
101089	MKS-SAR37-4	117	20	65	75	40	0,52
100523	MKS-SAR37-4-V	117	67	65	75	40	0,58

Description	Part No.
MKS-SAR37-1-BS60	17996

Type: with suction cup, with safety catch

Material: material mix



Description	Part No.
MKS-SARXX-X	see table

Type: basic version (without suction cup, without thread connection)



Material: material mix





















Part No.	Description	m [kg]	Ports
17996	MKS-SAR37-1-BS60	0,65	Ø 8 mm (2x)

Part No.	Description	D ₁ [mm]	H ₁ [mm]	H ₂ [mm]	B ₁ [mm]	B ₂ [mm]	Swivel angle	Square seat with 15mm extension
19966	MKS-SAR28-1	M16x1,5	33	-	33	30	90°	no
100732	MKS-SAR43-1	M30x1,6	42	-	34	34	90°, 180°, 270°	no
108066	MKS-SAR43-5	M30x1,7	42	77	34	34	90°	yes

Suction Cup Mounting swivelling

Description	Part No.	Description	Part No.																																												
MKS-SARXX-X	see table	MKS-SAR28-2	100178																																												
Type: basic version (without suction cup, without thread connection)																																															
Material: material mix																																															
																																															
<table border="1"> <thead> <tr> <th>Part No.</th><th>Description</th><th>D₁ [mm]</th><th>M₁ [mm]</th><th>H₁ [mm]</th><th>H₂ [mm]</th><th>B₁ [mm]</th><th>B₂ [mm]</th><th>L₁ [mm]</th><th>T₁ [mm]</th><th>m [kg]</th></tr> </thead> <tbody> <tr> <td>17049</td><td>MKS-SAR28</td><td>20</td><td>M16x1,5</td><td>33</td><td>67</td><td>18,5</td><td>38</td><td>82,5</td><td>11</td><td>0,34</td></tr> <tr> <td>17789</td><td>MKS-SAR34</td><td>20</td><td>M20x1,25</td><td>42</td><td>76</td><td>18,5</td><td>38</td><td>82,5</td><td>11</td><td>0,37</td></tr> <tr> <td>104406</td><td>MKS-SAR34-5</td><td>19</td><td>M20x1,25</td><td>42</td><td>78</td><td>21</td><td>43</td><td>95</td><td>13</td><td>0,36</td></tr> </tbody> </table>				Part No.	Description	D ₁ [mm]	M ₁ [mm]	H ₁ [mm]	H ₂ [mm]	B ₁ [mm]	B ₂ [mm]	L ₁ [mm]	T ₁ [mm]	m [kg]	17049	MKS-SAR28	20	M16x1,5	33	67	18,5	38	82,5	11	0,34	17789	MKS-SAR34	20	M20x1,25	42	76	18,5	38	82,5	11	0,37	104406	MKS-SAR34-5	19	M20x1,25	42	78	21	43	95	13	0,36
Part No.	Description	D ₁ [mm]	M ₁ [mm]	H ₁ [mm]	H ₂ [mm]	B ₁ [mm]	B ₂ [mm]	L ₁ [mm]	T ₁ [mm]	m [kg]																																					
17049	MKS-SAR28	20	M16x1,5	33	67	18,5	38	82,5	11	0,34																																					
17789	MKS-SAR34	20	M20x1,25	42	76	18,5	38	82,5	11	0,37																																					
104406	MKS-SAR34-5	19	M20x1,25	42	78	21	43	95	13	0,36																																					
<table border="1"> <thead> <tr> <th>Part No.</th><th>Description</th><th>m [kg]</th></tr> </thead> <tbody> <tr> <td>100178</td><td>MKS-SAR28-2</td><td>0,40</td></tr> </tbody> </table>				Part No.	Description	m [kg]	100178	MKS-SAR28-2	0,40																																						
Part No.	Description	m [kg]																																													
100178	MKS-SAR28-2	0,40																																													

Hinge Connector

Description	Part No.	Description	Part No.		
MKS30/30-SCE14-1-R 104351		MKS30/30-SCE14-1-L 103450			
Type: T-connector, swivelling to the right by 90°, end position on top		Type: T-connector, swivelling to the left by 90°, end position on top			
Material: steel		Material: steel			
					
Part No.	Description	m [kg]	Part No.	Description	m [kg]
103451	MKS30/30-SCE14-1-R	1,08	103450	MKS30/30-SCE14-1-L	1,07
Description	Part No.	Description	Part No.		
MKS30/30-SCE14-2-R 104353		MKS30/30-SCE14-2-L 104352			
Type: cross connector, swivelling to the right by 90°		Type: cross connector, swivelling to the left by 90°			
Material: steel		Material: steel			
					
Part No.	Description	m [kg]	Part No.	Description	m [kg]
104353	MKS30/30-SCE14-2-R	1,51	104352	MKS30/30-SCE14-2-L	1,51
Description	Part No.	Description	Part No.		
MKS30/30-SCE14-3-R 104355		MKS30/30-SCE14-3-L 104354			
Type: T-connector, swivelling to the right by 90°, end position down		Type: T-connector, swivelling to the left by 90°, end position down			
Material: steel		Material: steel			
					
Part No.	Description	m [kg]	Part No.	Description	m [kg]
104355	MKS30/30-SCE14-3-R	1,66	104354	MKS30/30-SCE14-3-L	1,66


Taboo Area Cylinder

Description	Part No.
MKS-TZ01-XXX	see table

Type: with rod journal Ø20mm



Material: material mix





Part No.	Description	L ₁ [mm]	L ₂ / stroke [mm]
14243	MKS-TZ01-100	199	100
14244	MKS-TZ01-125	224	125
14245	MKS-TZ01-150	249	150
14246	MKS-TZ01-175	274	175
14247	MKS-TZ01-200	299	200
14248	MKS-TZ01-225	324	225
14249	MKS-TZ01-250	349	250

Accessories for Taboo Area Cylinder

Description	Part No.
MKS2020-WK04	13969

Type: with double-clamping 90°, screw orientation 20°

Material: steel




Part No.	Description	m [kg]
13969	MKS2020-WK04	0,19


Feed Gripper

Description	Part No.
MKS-VG03-XXX	see table

Type: with lateral guiding groove




Material: material mix



Part No.	Description	H ₁ /stroke [mm]	m [kg]
17544	MKS-VG03-90	90	2,1
17624	MKS-VG03-120	120	2,5













10. Racking Carrier

Index









Racking Carrier **282**












Racking Carrier

Description	Part No.	Description	Part No.		
MKS-STW03-1	104085	MKS-STW08	12287		
Type: painted in RAL 6011 and RAL 1004		Type: painted in RAL 6011 and RAL 1004			
Material: steel		Material: steel			
					
Part No.	Description	Information	Part No.	Description	Information
104085	MKS-STW03-1	toolings not included	12287	MKS-STW08	toolings not included
Description	Part No.	Description	Part No.		
MKS-STW11-3	103089	MKS-STW11-4	104058		
Type: with doors, with boxes, powder-coated to customer specifications		Type: with hooks for crane operation, painted in RAL 5010			
Material: steel		Material: steel			
					
Part No.	Description	Information	Part No.	Description	Information
103089	MKS-STW11-3		104058	MKS-STW11-4	toolings not included
Description	Part No.	Description	Part No.		
MKS-STW11-6	107731	MKS-STW29-1	100059		
Type: with doors, with boxes		Type: painted in RAL 9005			
Material: steel		Material: steel			
					
Part No.	Description	Information	Part No.	Description	Information
107731	MKS-STW11-6		100059	MKS-STW29-1	toolings not included



Racking Carrier

Description	Part No.	Description	Part No.																		
MKS-STW47-8	106488	MKS-STW55-1	104762																		
Type: painted in RAL 2000		Type: for base tube																			
Material: steel		Material: steel																			
 																					
<table border="1"> <thead> <tr> <th>Part No.</th> <th>Description</th> <th>Information</th> </tr> </thead> <tbody> <tr> <td>106488</td> <td>MKS-STW47-8</td> <td>toolings not included</td> </tr> </tbody> </table>	Part No.	Description	Information	106488	MKS-STW47-8	toolings not included		<table border="1"> <thead> <tr> <th>Part No.</th> <th>Description</th> <th>Information</th> </tr> </thead> <tbody> <tr> <td>104762</td> <td>MKS-STW55-1</td> <td>toolings not included</td> </tr> </tbody> </table>	Part No.	Description	Information	104762	MKS-STW55-1	toolings not included							
Part No.	Description	Information																			
106488	MKS-STW47-8	toolings not included																			
Part No.	Description	Information																			
104762	MKS-STW55-1	toolings not included																			
Description	Part No.	Description	Part No.																		
MKS-STW55-2	104763	MKS-STW48-X	see table																		
Type: with seats for coding plate		Type: heavy-duty version																			
Material: steel		Material: steel																			
 																					
<table border="1"> <thead> <tr> <th>Part No.</th> <th>Description</th> <th>Information</th> </tr> </thead> <tbody> <tr> <td>104763</td> <td>MKS-STW55-2</td> <td>toolings not included</td> </tr> </tbody> </table>	Part No.	Description	Information	104763	MKS-STW55-2	toolings not included		<table border="1"> <thead> <tr> <th>Part No.</th> <th>Description</th> <th>Painting</th> <th>Information</th> </tr> </thead> <tbody> <tr> <td>103325</td> <td>MKS-STW48-2</td> <td>RAL 5010</td> <td>toolings not included</td> </tr> <tr> <td>107421</td> <td>MKS-STW48-6</td> <td>RAL 6034</td> <td>toolings not included</td> </tr> </tbody> </table>	Part No.	Description	Painting	Information	103325	MKS-STW48-2	RAL 5010	toolings not included	107421	MKS-STW48-6	RAL 6034	toolings not included	
Part No.	Description	Information																			
104763	MKS-STW55-2	toolings not included																			
Part No.	Description	Painting	Information																		
103325	MKS-STW48-2	RAL 5010	toolings not included																		
107421	MKS-STW48-6	RAL 6034	toolings not included																		

Racking Carrier








Description	Part No.	Description	Part No.																
MKS-STW34	16899	MKS-STW45-X	see table																
Type: painted in RAL 6011																			
Material: material mix																			
  			  																
<table border="1"> <thead> <tr> <th>Part No.</th> <th>Description</th> </tr> </thead> <tbody> <tr> <td>16899</td> <td>MKS-STW34</td> </tr> </tbody> </table>		Part No.	Description	16899	MKS-STW34	<table border="1"> <thead> <tr> <th>Part No.</th> <th>Description</th> <th>with rolls [Pos. 1]</th> <th>Information</th> </tr> </thead> <tbody> <tr> <td>101706</td> <td>MKS-STW45-3</td> <td>yes</td> <td>toolings not included</td> </tr> <tr> <td>101707</td> <td>MKS-STW45-4</td> <td>no</td> <td>toolings not included</td> </tr> </tbody> </table>		Part No.	Description	with rolls [Pos. 1]	Information	101706	MKS-STW45-3	yes	toolings not included	101707	MKS-STW45-4	no	toolings not included
Part No.	Description																		
16899	MKS-STW34																		
Part No.	Description	with rolls [Pos. 1]	Information																
101706	MKS-STW45-3	yes	toolings not included																
101707	MKS-STW45-4	no	toolings not included																
Description	Part No.	Description	Part No.																
MKS-STW46	101726	MKS-STW47-7	106487																
Type painted in RAL 1037																			
Material: steel																			
  			  																
<table border="1"> <thead> <tr> <th>Part No.</th> <th>Description</th> <th>Information</th> </tr> </thead> <tbody> <tr> <td>101726</td> <td>MKS-STW46</td> <td>toolings not included</td> </tr> </tbody> </table>		Part No.	Description	Information	101726	MKS-STW46	toolings not included	<table border="1"> <thead> <tr> <th>Part No.</th> <th>Description</th> <th>Information</th> </tr> </thead> <tbody> <tr> <td>106487</td> <td>MKS-STW47-7</td> <td>toolings not included</td> </tr> </tbody> </table>		Part No.	Description	Information	106487	MKS-STW47-7	toolings not included				
Part No.	Description	Information																	
101726	MKS-STW46	toolings not included																	
Part No.	Description	Information																	
106487	MKS-STW47-7	toolings not included																	

Racking Carrier

Description	Part No.	Description	Part No.																		
MKS-STW48-X	see table	MKS-STW48-4	104116																		
Type: heavy-duty version		Type: steel frame painted in RAL 5010																			
Material: steel		Material: steel																			
																					
<table border="1"> <thead> <tr> <th>Part No.</th> <th>Description</th> <th>Painting</th> <th>Information</th> </tr> </thead> <tbody> <tr> <td>103326</td> <td>MKS-STW48-3</td> <td>RAL 5010</td> <td>toolings not included</td> </tr> <tr> <td>107422</td> <td>MKS-STW48-7</td> <td>RAL 6034</td> <td>toolings not included</td> </tr> </tbody> </table>	Part No.	Description	Painting	Information	103326	MKS-STW48-3	RAL 5010	toolings not included	107422	MKS-STW48-7	RAL 6034	toolings not included		<table border="1"> <thead> <tr> <th>Part No.</th> <th>Description</th> <th>Information</th> </tr> </thead> <tbody> <tr> <td>104116</td> <td>MKS-STW48-4</td> <td>toolings not included</td> </tr> </tbody> </table>	Part No.	Description	Information	104116	MKS-STW48-4	toolings not included	
Part No.	Description	Painting	Information																		
103326	MKS-STW48-3	RAL 5010	toolings not included																		
107422	MKS-STW48-7	RAL 6034	toolings not included																		
Part No.	Description	Information																			
104116	MKS-STW48-4	toolings not included																			

11. Hot Forming

Index


	Parts Rack	288
	Magnet Gripper.....	289
	Bellow Suction Cup round	290
	Bellow Suction Cup oval	291
	Flat Suction Cup round	292
	Flat Suction Cup oval	293
	Jaw Gripper.....	294
	Jaw Gripper Accessories	296
	Clamping Screw.....	297
	Component Query and Accessories	298

Parts Rack

Description	Part No.
MKS60-GRA21-D1400	106640

Type: with square and round tube

Material: material mix



Part No.	Description	m [kg]
106640	MKS60-GRA21-D1400	11,34

Description	Part No.
MKS-GRA22	106683

Type: parts rack

Material: steel





Part No.	Description	m [kg]
106683	MKS-GRA22	13

Magnet Gripper

Description	Part No.
MKS-MGXX-XX-X	see table

Type: single stage, scraper fixed, with ball, initial position magnet retracted, ports (P) G1/8





Material: body: aluminium
ball: steel
seals: NBR



Part No.	Description	Stroke [mm]	D ₁ [mm]	D ₂ [mm]	D ₃ [mm]	D ₄ [mm]	D ₅ [mm]	H ₁ [mm]	L ₁ [mm]	L ₂ [mm]	LH ¹ [mm]	m [kg]
17691	MKS-MG06-45	12	40	41	45	72	28,5	85,5	57	106	0,5	0,90
17869	MKS-MG06-45-1	12	40	41	45	72	32	85,5	62	112	0,5	0,90

¹ overhang magnet in work position


Bellow Suction Cup round

Description	Part No.	Description	Part No.																																								
MKS-BS03-HT2-XX	see table	MKS-BS03-HT2-XX	see table																																								
Type: round Ø22mm - Ø40mm		Type: round, Ø50mm - Ø80mm																																									
Material: suction cup: HT2 connection: brass		Material: suction cup: HT2 connection: aluminium																																									
																																											
<table border="1"> <thead> <tr> <th>Part No.</th> <th>Description</th> <th>D max. [mm]</th> <th>H₁ [mm]</th> <th>m [kg]</th> </tr> </thead> <tbody> <tr> <td>101358</td><td>MKS-BS03-HT2-22</td><td>24</td><td>41</td><td>0,04</td></tr> <tr> <td>101359</td><td>MKS-BS03-HT2-30</td><td>34</td><td>44</td><td>0,05</td></tr> <tr> <td>101360</td><td>MKS-BS03-HT2-40</td><td>45</td><td>44</td><td>0,05</td></tr> </tbody> </table>	Part No.	Description	D max. [mm]	H ₁ [mm]	m [kg]	101358	MKS-BS03-HT2-22	24	41	0,04	101359	MKS-BS03-HT2-30	34	44	0,05	101360	MKS-BS03-HT2-40	45	44	0,05		<table border="1"> <thead> <tr> <th>Part No.</th> <th>Description</th> <th>D max. [mm]</th> <th>H₁ [mm]</th> <th>m [kg]</th> </tr> </thead> <tbody> <tr> <td>101361</td><td>MKS-BS03-HT2-50</td><td>56</td><td>36,9</td><td>0,04</td></tr> <tr> <td>101362</td><td>MKS-BS03-HT2-60</td><td>67</td><td>41,3</td><td>0,05</td></tr> <tr> <td>104896</td><td>MKS-BS03-HT2-80</td><td>88</td><td>49,8</td><td>0,09</td></tr> </tbody> </table>	Part No.	Description	D max. [mm]	H ₁ [mm]	m [kg]	101361	MKS-BS03-HT2-50	56	36,9	0,04	101362	MKS-BS03-HT2-60	67	41,3	0,05	104896	MKS-BS03-HT2-80	88	49,8	0,09	
Part No.	Description	D max. [mm]	H ₁ [mm]	m [kg]																																							
101358	MKS-BS03-HT2-22	24	41	0,04																																							
101359	MKS-BS03-HT2-30	34	44	0,05																																							
101360	MKS-BS03-HT2-40	45	44	0,05																																							
Part No.	Description	D max. [mm]	H ₁ [mm]	m [kg]																																							
101361	MKS-BS03-HT2-50	56	36,9	0,04																																							
101362	MKS-BS03-HT2-60	67	41,3	0,05																																							
104896	MKS-BS03-HT2-80	88	49,8	0,09																																							


Bellow Suction Cup oval

Description	Part No.
MKS-BSO03-HT2-XX	see table

Type: oval, 30x60mm - 40x80mm





Material: suction cup: HT2
connection: steel



Part No.	Description	B max. [mm]	L max. [mm]	H ₁ [mm]	m [kg]
101367	MKS-BSO03-HT2-30x60	33	63	35	0,06
101368	MKS-BSO03-HT2-40x80	43	83	37,7	0,08

Flat Suction Cup round

Description	Part No.	Description	Part No.
MKS-FS03-HT2-XX	see table	MKS-FS03-HT2-XX	see table
Type: round, Ø30mm - Ø40mm Material: suction cup: HT2 connection: brass		Type: round, Ø50mm - Ø60mm Material: suction cup: HT2 connection: aluminium	

Part No.	Description	D max. [mm]	H ₁ [mm]	m [kg]
101354	MKS-FS03-HT2-30	34	36	0,05
101355	MKS-FS03-HT2-40	46	38	0,05



Part No.	Description	D max. [mm]	H ₁ [mm]	m [kg]
101356	MKS-FS03-HT2-50	56	28	0,04
101357	MKS-FS03-HT2-60	67	31	0,05

Flat Suction Cup oval

Description	Part No.
MKS-FSO03-HT2-XX	see table

Type: oval, 20x60mm - 50x100mm

Material: suction cup: HT2
connection: brass



Part No.	Description	B max. [mm]	L max. [mm]	H ₁ [mm]	m [kg]
101363	MKS-FSO03-HT2-20x60	25	64	26	0,05
101364	MKS-FSO03-HT2-30x90	34	94	27	0,07
101365	MKS-FSO03-HT2-40x80	43	85	28	0,06
101366	MKS-FSO03-HT2-50x100	54	106	30,5	0,10

Jaw Gripper

Description	Part No.
MKS-KGSP60-30-B-F-S1-15	106845

Type: with double clamping lever arm, 15mm


Material: body: aluminium
 clamping lever arm: steel
 ground plate: steel
 seals: FKM



Description	Part No.
MKS-KGSP60-30-B-F-S1-35	106846

Type: with double clamping lever arm, 35mm

Material: body: aluminium
 clamping lever arm: steel
 ground plate: steel
 seals: FKM



Part No.	Description	m [kg]
106845	MKS-KGSP60-30-B-F-S1-15	1,25

Part No.	Description	m [kg]
106846	MKS-KGSP60-30-B-F-S1-35	1,36

Description	Part No.
MKS-KGSP60-30-L-F-S1-15	106836

Type: with single clamping lever arm 15mm, left


Material: body: aluminium
 clamping lever arm: steel
 ground plate: steel
 seals: FKM



Description	Part No.
MKS-KGSP60-30-L-F-S1-35	106843

Type: with single clamping lever arm 35mm, left

Material: body: aluminium
 clamping lever arm: steel
 ground plate: steel
 seals: FKM



Part No.	Description	m [kg]
106836	MKS-KGSP60-30-L-F-S1-15	1,01

Part No.	Description	m [kg]
106843	MKS-KGSP60-30-L-F-S1-35	1,05


Jaw Gripper

Description	Part No.	Description	Part No.												
MKS-KGSP60-30-R-F-S1-15	106837	MKS-KGSP60-30-R-F-S1-35	106844												
Type: with single clamping lever arm 15mm, right		Type: with single clamping lever arm 35mm, right													
Material: body: aluminium clamping lever arm: steel ground plate: steel seals: FKM		Material: body: aluminium clamping lever arm: steel ground plate: steel seals: FKM													
<table border="1"> <thead> <tr> <th>Part No.</th> <th>Description</th> <th>m [kg]</th> </tr> </thead> <tbody> <tr> <td>106837</td> <td>MKS-KGSP60-30-R-F-S1-15</td> <td>1,01</td> </tr> </tbody> </table>	Part No.	Description	m [kg]	106837	MKS-KGSP60-30-R-F-S1-15	1,01		<table border="1"> <thead> <tr> <th>Part No.</th> <th>Description</th> <th>m [kg]</th> </tr> </thead> <tbody> <tr> <td>106844</td> <td>MKS-KGSP60-30-R-F-S1-35</td> <td>1,05</td> </tr> </tbody> </table>	Part No.	Description	m [kg]	106844	MKS-KGSP60-30-R-F-S1-35	1,05	
Part No.	Description	m [kg]													
106837	MKS-KGSP60-30-R-F-S1-15	1,01													
Part No.	Description	m [kg]													
106844	MKS-KGSP60-30-R-F-S1-35	1,05													
Description	Part No.	Description	Part No.												
MKS-KGSP60-30-X-F	106835														
Type: without clamping lever arm															
Material: body: aluminium seals: FKM															
<table border="1"> <thead> <tr> <th>Part No.</th> <th>Description</th> <th>m [kg]</th> </tr> </thead> <tbody> <tr> <td>106835</td> <td>MKS-KGSP60-30-X-F</td> <td>1,05</td> </tr> </tbody> </table>	Part No.	Description	m [kg]	106835	MKS-KGSP60-30-X-F	1,05									
Part No.	Description	m [kg]													
106835	MKS-KGSP60-30-X-F	1,05													

Jaw Gripper Accessories

Description	Part No.
MKS-ZKGSP03-XX	see table

Type: assembly plate






Material: steel

Description	Part No.
MKS-ZKGSP04-XX	see table

Type: clamping lever arm



Material: steel




Part No.	Description	L ₁ [mm]	m [kg]	Orientation
106840	MKS-ZKGSP03-B	66	0,13	double-sided
106839	MKS-ZKGSP03-LR	52	0,12	single-sided

Part No.	Description	L ₁ [mm]	L ₂ [mm]	m [kg]	Clamping distance [mm]
106841	MKS-ZKGSP04-15	60	81	0,18	15
106847	MKS-ZKGSP04-35	80	101	0,22	35


Clamping Screw

Description	Part No.
MKS-ZKGSP02-XX	see table

Type: with round head, with hexagon surface, single-part





Material: steel




Part No.	Description	L ₁ [mm]	m [kg]
106460	MKS-ZKGSP02-15	18	0,03
106461	MKS-ZKGSP02-35	38	0,05

Component Query and Accessories


Description	Part No.	Description	Part No.
MKS-ABF04	105267	MKS-ABF04-ZB1	105747
Type: for jaw gripper Material: material mix			Type: angle for jaw gripper/crash-detection Material: aluminium




AP₁
+/ - 3
216
M5
Ø6




94
23
30
33
M5



44
20
8
16
M5



10
20
8
43,5
M5



36
M5

Part No.	Description	AP ₁ [mm]	m [kg]
105267	MKS-ABF04	7,5	0,22

Part No.	Description	m [kg]
105747	MKS-ABF04-ZB1	0,03

Imprint

Edition 43/2023

All technical data is subject to change according to the last update.

Springer GmbH

Stuhrbaum 14
28816 Stuhr
Germany

Office: + 49 (0) 421 24702 0
Fax: + 49 (0) 421 24702 199

E-mail: info@springer.group

Executive board:

Uwe Springer

Commercial register: Amtsgericht Walsrode, HRB 111211

Sales tax identification number: DE 813 152 451

Copyright:

The contents used in this catalogue like pictures, texts, graphics, etc. are copyright protected.

The reproduction, processing, distribution and every other use of these contents which are not exceptionally permitted based on the limits of the copyright law require the explicit prior consent of the respective holder of the rights.



Springer GmbH
Stuhrbaum 14
28816 Stuhr

Office +49 421 24 702 0
Fax +49 421 24 702 199
vertrieb@springer.group
www.springer.group

Executive board:
Uwe Springer

Czech Republic:

Springer Automation CZ s.r.o.
Bezděčín č.p. 82
293 01 Mladá Boleslav

Office +420 326 734 093
Fax +420 326 210 872
info.cz@springer.group

Executive board:
Uwe Springer
Roman Iltis